



Division of  
Acorn Engineering Company



A MEMBER OF



Use



## **E Series 22 Gallon Stationary Whirlpool with Pedestal**

### **WHE-22-SP**



WHE-22-SP

#### **Whitehall E-22-S Stationary Whirlpool with Pedestal**

**Tank Capacity** is 22 gallons.

**Whirlpool Tank** is 28"L x 15"W x 18"D and is seamless welded construction, fabricated from heavy gauge, type 304 stainless steel, polished to a satin finish. Tank rim is reinforced with a concealed stainless steel rod. Tank bottom is seamless, coved (rounded) design for effective cleaning. Tank is fitted with a fixed raised pedestal for mounting to floor.

A 2" Combination Drain Overflow and a Filler Spout are provided.

**Turbine Raising and Lowering Device** permits adjustment of desired height and direction of water agitation towards the area of the body. It is spring balanced and provided with a locking device.

**Turbine Assembly** is equipped with Underwriters Laboratory listed 1/2 HP jet pump motor protected with an ABS plastic shell, and automatic thermal overload protector and lifetime-sealed bearings. All parts contacting the water are stainless steel, chrome plated brass or bronze.

**Thermometer** is provided with a dual scale, adjustable calibration, and a stem inserts into a retainer to prevent rattle during whirlpool agitation.

#### **GUIDE SPECIFICATIONS**

Provide Whitehall Stationary Whirlpool (specify model number and options) with a 22-gallon capacity, 28"L x 15"W x 18"D. Whirlpool shall be fabricated from heavy gauge, type 304 stainless steel. Construction shall be seamless welded and exposed surfaces shall be polished to satin finish. Tank shall have a reinforced rim and shall be fitted with a fixed raised pedestal. Bottom of tank shall be a seamless, rounded coved design. Provide a 2" combination Drain Overflow, and a filler spout. Provide a turbine assembly with raising and lowering device which functions as an agitator and permits adjustment of desired height, direction of water agitation, and can be locked into place. Turbine assembly shall be UL listed 1/2 HP jet pump motor with automatic thermal overload protector and lifetime-sealed bearings. Provide a thermometer with a stem retainer to prevent rattle when whirlpool is in operation.

Please visit [www.whitehallmfg.com](http://www.whitehallmfg.com)  
for most current specifications.





### MODEL NUMBER AND OPTION SELECTIONS

#### Series

WHE Extremity Series

#### Capacity

-22 Gallons

#### Type

-SP Stationary Whirlpool with Pedestal

#### Turbine Electrical Requirements

115VAC / 60Hz (6.2 AMPS)

230VAC / 50Hz (3.5 AMPS)

Country of Use \_\_\_\_\_

#### For Mixing Valve:

Refer to supplemental MXT15-OTG and DU-1 sheet for details.

#### Suffix Options (See Whirlpool Options Section for Details)


-EG Enviro-Glaze<sup>®</sup> Color Powder Coating - Specify Color: \_\_\_\_\_

<https://www.whitehallmfg.com/enviro-glaze>

-GFI Ground Fault Interrupter

-LOGO Applied Logos: Team, Facility, Company Logo

-SDO Separate Drain and Overflow Assembly



STATIONARY WHE-22-SP SERIES WHIRLPOOL

#### NOTES:

- |                                      |  |  |
|--------------------------------------|--|--|
| 1. 1/2" HP Jet Pump Motor            | 5. Combination Drain & Overflow Assembly | 9. 3 Pole GFI Receptacle by Others         |
| 2. Variable Pressure Control         | 6. Mounting Pedestal                     | 10. Floor Drain by Others                  |
| 3. Thermometer                       | 7. Stainless Steel Tank                  | 11. Filler Spout                           |
| 4. Turbine Raising & Lowering Device | 8. 2" O.D. x 5" Tailpiece                | 12. Mixing Valve, Shown For Reference Only |

**⚠ WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)**

All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or superseded data © Whitehall Manufacturing, Member of Morris Group International. Please visit [www.whitehallmfg.com](http://www.whitehallmfg.com) for most current specifications.

### SELECTION SUMMARY & APPROVAL FOR MANUFACTURING

Model Number & Options \_\_\_\_\_ Quantity \_\_\_\_\_  
 Company \_\_\_\_\_ Date \_\_\_\_\_  
 Contact \_\_\_\_\_ Title \_\_\_\_\_  
 Approval for Manufacturing/Signature \_\_\_\_\_