

K
 DRAWING NUMBER S1045 (-E)
 SIZE A
 SCALE: NONE
 DATE: 8-11-86
 APPROVED BY: SB
 CHECKED BY: JD
 DRAWN BY: CB
1045 (-E)
 FIGURE NUMBER

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA
 DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE

SMITH® JAY R. SMITH MFG. CO.®
 MEMBER OF MORRIS GROUP INTERNATIONAL
 POST OFFICE BOX 3237
 MONTGOMERY, ALABAMA 36109-0237 (USA)
 TEL: 334-277-8520 FAX: 888-377-7818 www.jrsmith.com






CUSTOMER DRIVEN SINCE 1926
 MEMBER OF:

LOCATION

SPECIAL PURPOSE ROOF DRAIN

WATER DAM TYPE



A (Pipe Size) = 02(50), 03(75), 04(100), 05(125), 06(150) or 08(200)

* This dimension to internal stop of Speedi-Set® Gasket
 **Same for Caulk, NO-HUB and Speedi-Set®, 3 3/4(95) for Threaded

- Fig. 1045C (-E) CAULK OUTLET
- Fig. 1045Y (-E) NO-HUB OUTLET
- Fig. 1045T (-E) THREADED OUTLET

XX	MIN	MAX
Low Position	1 1/4 (32)	2 1/2 (64)
High Position	2 1/4 (57)	4 (100)

recommended deck opening

with suffix -R	17 (430) DIA
less suffix -R	14 (355) DIA

ΔExt. thru 4" (100) size will be C.I., over 4" (100) will be fabricated stainless steel. (Fab. SS ext. shown.)

REGULARLY FURNISHED:
 Duco Cast Iron Body with Fixed Extension and Adjustable Extension Sleeve, Reversible Collar, Combined Flashing Clamp, Water Dam and Polyethylene Dome

- VARIATIONS:**
- Expansion Joint (Specify Fig. 1710)
 - "L" Shaped Underdeck Clamp -CL
 - L Speedi-Set® Service Weight 02(50), 03(80) & 04"(100) sizes only
 - LXH Speedi-Set® Extra Heavy 02(50), 03(80) & 04"(100) sizes only
 - Secondary Flashing Clamp -C2
 - Sump Receiver -R
 - Underdeck Clamp -C
 - Roof Deck Plate -RDP

- OPTIONAL MATERIALS:**
- ▲ Aluminum Dome -AD
 - ▲ Cast Iron Dome -CID
 - ▲ Galvanized Cast Iron -G
 - ▲ Rough Bronze Dome -RBD

NOTE: Dimensions shown in parentheses are in millimeters.

▲ **Optional domes' free area are as follows:**
 Aluminum 98 (632)
 Cast Iron 80 (516)
 Bronze 95 (613)

REV.	DATE	DESCRIPTION	BY	CKD. BY	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER
							1045 (-E)