








**MOUNTING DETAIL
FOR 1/4" STUDS**



**MOUNTING DETAIL
FOR 1/2" STUDS**

REFERENCE DRAWINGS

-SW Wall Sleeve	9925-292-001
Mounting Hardware	9957-900-001

INSTALLATION INSTRUCTIONS:

- A-HAND TIGHTEN MOUNTING STUDS ① INTO MOUNTING NUTS ② ON BACK OF FIXTURE.
- B- POSITION FIXTURE ③ ON CELL SIDE, SLIDING STUDS ① THROUGH SLEEVE OR WALL OPENINGS.
- C- PLACE WASHERS ④ OVER STUDS ①. THREAD NUTS ⑤ TO STUDS ①, & TIGHTEN. DO NOT ALLOW STUDS ① TO TURN AND THREAD FURTHER INTO MOUNTING NUTS ②. NOTE: DO NOT EXCEED 6.5 FT/LBS MAXIMUM TORQUE ON 1/4" NUTS ⑤.




ACORN ENGINEERING COMPANY
P.O. BOX 3527 Industry, CA 91744
15125 Proctor Ave Industry, CA 91746
(626) 336-4561 FAX (626) 961-2200


TITLE REAR MOUNTED ACCESSORIES, CAT #1821, #1822, #1823, #1825, #1827, #1829		
MANUFACTURE DATE DECEMBER 1971 TO PRESENT	DATE ISSUED 4/16/97	DRAWING NUMBER 9925-135-001
	DATE REVISED 05/03/21	




BOTH VIEWS ARE FROM CELL SIDE
 SHADED AREAS ARE REQUIRED WALL OPENINGS




CAT. #1810




CAT. #1812/LR1812-SLPT



CAT. #1821 & 1822



CAT. #1823



CAT. #1825 & 1827


INSTALLATION INSTRUCTIONS:

SLEEVES ARE INSTALLED IN FORMS USING NAIL HOLES
 ① PROVIDED OR GROUTED INTO BLOCK WALLS BECOMING
 A PERMANENT PART OF THE WALL.

NOTE: FOR POURED WALL CONSTRUCTION, TEMPORARY
 BRACING SHOULD BE INSTALLED WITHIN OPENING TO
 PREVENT DEFORMATION TO SLEEVE WHICH MAY OCCUR
 DURING POUR. DO NOT POUR CONCRETE DIRECTLY ON TOP
 OF WALL SLEEVE. THE OPENINGS ARE CAPPED; THESE CAPS
 ② MUST BE REMOVED FROM THE CHASE SIDE OF THE WALL
 SLEEVE BEFORE INSTALLING FIXTURE.

A- INSTALL SLEEVE AT DESIRED CELL SIDE HEIGHT WITH
 FLANGE ③ ON CHASE SIDE OF WALL.

B- WHEN SLEEVES ARE NOT AVAILABLE BLOCKOUT WITH
 DIMENSIONS SHOWN.



*#1823 SHOWN FOR REFERENCE
 SCALED x 2*



ACORN ENGINEERING COMPANY
 P.O. BOX 3527 Industry, CA 91744
 15125 Proctor Ave Industry, CA 91746
 (626) 336-4561 FAX (626) 961-2200

TITLE

WALL SLEEVES - CAT. #1810, 1812, 1821, 1822, 1823, 1825, LR1812-SLPT

MANUFACTURE DATE

**DECEMBER 1971
 TO PRESENT**

DATE ISSUED

03/01/90

DATE REVISED

10/22/24

DRAWING NUMBER

9925-292-001