


NOTE:
** SEE BOLD TEXT BELOW FOR ADA DIMENSIONS.



-W-FVR WALL SUPPLY, FLUSH VALVE RIGHT SHOWN
-W-FVL WALL SUPPLY, FLUSH VALVE LEFT OPPOSITE
VIEW IS FROM REAR OF FIXTURE

INSTALLATION INSTRUCTIONS:


- ROUGH-IN FOR THE FOLLOWING:
- 7-1/2" RECESSED GASKET FLANGE ①.
 - FLUSH VALVE INLET 1" NPT ②.
 - FIXTURE FLUSHING INLET 1-1/2" NPT ③.
 - WALL & FLOOR ANCHORS ④ AT LOCATIONS INDICATED. WALL & FLOOR ANCHORS BY OTHERS.
- B- FOR DURA-WARE FLUSH VALVE ACCESS PANELS ⑤, FOR CONCEALED FLUSH VALVE INSTALLATION REFER TO DRAWING #9908-399-001.
- C- LOCATE AND PROVIDE ANCHORING POINTS ④ AS INDICATED TO REINFORCED WALL. ANCHORING HARDWARE ⑥ ARE BY OTHERS.

- D- REMOVE ACCESS COVERS ⑦. POSITION FIXTURE ON FLOOR ALIGNING ANCHORING LOCATIONS. MAKE UP WASTE CONNECTION AND FIX TO WALL AND TIGHTEN TO 60FT/LBS USING NUTS, WASHERS AND BOLTS BY OTHERS.
- E- FLUSH SUPPLY LINE BEFORE MAKING UP SUPPLY CONNECTION ③. MOUNT FLUSH VALVE PER MANUFACTURER'S RECOMMENDATIONS.


ALL VERTICAL DIMENSIONS INDICATED ** INCREASE PROPORTIONATELY WITH OPTIONAL -LPFS LESS PUNCHING FOR HINGED SEAT. 16-3/4" FLOOD RIM RIM HEIGHT BECOMES 17" AFF TO MEET ADA.

NOTE: FOR ADA UNITS REFER TO ADA ACCESSIBILITY GUIDELINES FOR COMPLETE INSTALLATION REQUIREMENTS. FLUSH VALVE MUST BE SUPPLIED WITH AN ADA COMPLIANT ACTUATOR. MAXIMUM CONTROL HEIGHT IS 44" ABOVE FINISHED FLOOR.

<p>ACORN ENGINEERING COMPANY P.O. BOX 3527 Industry, CA 91744 15125 Proctor Ave Industry, CA 91746 (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE SIPHON JET, FRONT MOUNT, ON-FLOOR, FLOOR OUTLET *2125A-3</p>		
	<p>MANUFACTURE DATE</p> <p>AUGUST 2008</p> <p>TO PRESENT</p>	<p>DATE ISSUED</p> <p>10/09/08</p> <p>DATE REVISED</p> <p>02/09/12</p>	<p>DRAWING NUMBER</p> <p>9908-412-001</p>



DETAIL -A



INSTALLATION INSTRUCTIONS- HINGED SEAT AFTER MOUNTING FIXTURE TO WALL


- A- REMOVE ACCESS PANEL ① FROM BOTH SIDES OF HOUSING ②.
- B- PLACE RUBBER GASKET ③ ONTO SEAT'S THREADED RODS ④.
- C- POSITION SEAT ONTO TOILET HOUSING ② AND SLIDE SEAT THREADED RODS ④ THROUGH SPACER ⑤.

- D- ASSEMBLE HARDWARE ⑥ AS SHOWN IN DETAIL "A".
- E- ENSURE ALL HARDWARE IS TIGHT AND REPLACE ACCESS PANELS ① TO HOUSING ②.



ACORN ENGINEERING COMPANY
 P.O. BOX 3527 INDUSTRY, CA. 91744
 (626) 336-4561 FAX (626) 961-2200

TITLE -HS HINGED SEAT INSTALLATION DETAIL MERIDIAN TOILETS		
MANUFACTURE DATE APRIL 2008 TO PRESENT	DATE ISSUED 04/08/08	DRAWING NUMBER 9927-527-001
	DATE REVISED	



(* NOTE: WHEN MECHANICAL FLUSH VALVE IS PROVIDED BY THE FACTORY, F.V. WILL BE FOR LEFT SIDE SUPPLY INLET.

INSTALLATION INSTRUCTIONS:

- A- MOUNT FIXTURE ① TO WALL.
- B- ROUGH-IN FOR FLUSH VALVE SUPPLY ② REFER TO FIXTURE INSTALLATION INSTRUCTIONS.
- C- LOCATE AND INSTALL WALL ANCHORS (BY OTHERS) ③.
- D- INSTALL FLUSH VALVE ④ TO FIXTURE ①.
- E- ATTACH MOUNTING CLIPS ⑤ TO WALL USING MOUNTING SCREWS ⑥ (BY OTHERS).
- F- ATTACH FLUSH VALVE COVER ⑦ TO MOUNTING CLIPS ⑤ USING #10-32 SCREWS ⑧ PROVIDED.


Front View of -FVC

Side View of -FVC

Reference Drawings	
Security Screws	9951-005-001
Tinnerman Nuts	9951-007-001

NOTE: FIXTURES SHOWN FOR REFERENCE ONLY.

<p>ACORN ENGINEERING COMPANY P.O. BOX 3527 Industry, CA 91744 15125 Proctor Ave Industry, CA 91746 (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE -FVC FLUSH VALVE COVER #2802</p>		
	<p>MANUFACTURE DATE</p> <p>FEBRUARY 1975</p> <p>TO PRESENT</p>	<p>DATE ISSUED</p> <p>04/17/98</p>	<p>DRAWING NUMBER</p> <p>9908-395-001</p>
		<p>DATE REVISED</p> <p>12/21/16 D</p>	



INSTALLATION INSTRUCTIONS:

- A- MOUNT FIXTURE ① TO WALL.
- B- ROUGH-IN FOR FLUSH VALVE SUPPLY ② REFER TO FIXTURE INSTALLATION INSTRUCTIONS.
- C- LOCATE AND INSTALL WALL ANCHORS (BY OTHERS) ③.
- D- INSTALL FLUSH VALVE ④ TO FIXTURE ①.
- E- ATTACH MOUNTING CLIPS ⑤ TO WALL USING MOUNTING SCREWS ⑥ (BY OTHERS).
- F- ATTACH FLUSH VALVE COVER ⑦ TO MOUNTING CLIPS ⑤ USING #10-32 SCREWS ⑧ PROVIDED.

Front View of -FVC-SLPT

Side View of -FVC-SLPT

Reference Drawings	
Security Screws	9951-005-001
Tinnerman Nuts	9951-007-001

NOTE: FIXTURES SHOWN FOR REFERENCE ONLY.

<p>ACORN ENGINEERING COMPANY P.O. BOX 3527 Industry, CA 91744 15125 Proctor Ave Industry, CA 91746 (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE -FVC-SLPT FLUSH VALVE COVER WITH SLOPING TOP #2802</p>		
	<p>MANUFACTURE DATE FEBRUARY 1975 TO PRESENT</p>	<p>DATE ISSUED 03/07/11</p>	<p>DRAWING NUMBER 9908-397-001</p>
		<p>DATE REVISED 04/15/13 E</p>	