

D

SMITH® JAY R. SMITH MFG. CO.®
 MEMBER OF MORRIS GROUP INTERNATIONAL
 POST OFFICE BOX 3237
 MONTGOMERY, ALABAMA 36109-0237 (USA)
 TEL: 334-277-8520 FAX: 334-272-7396 www.jrsmith.com



MEMBER OF:

LOCATION

**FORMERLY
SQ-2-2940**

DRAWING NUMBER
9921

SIZE
A

SCALE:
NONE

DATE:
6-27-02

APPROVED BY:
CL


CHECKED BY:
CEL

DRAWN BY:
RN

9921

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

RECREATIONAL VEHICLE SANITARY DUMPING BAY DRAIN



A (Pipe Size) = 04(100) or 06(150)

- Fig. 9921C.....CAULK OUTLET
- Fig. 9921T.....THREADED OUTLET

*NOTE: The potable water supply to which a flushing type drain is connected must be protected by a suitable vacuum breaker.

For water central supply boxes, see Fig. 3380/3385.

REGULARLY FURNISHED:

Cast Iron Body with Acid Resistant Coated Interior, Nickel Bronze Top with Secured Grate, 4"(100) Diameter Waste Receptor and Flushing Connection.

VARIATIONS:

- Vandal Proof Grate -U
- Non-Freeze Post Hydrant (Specify 5910-WH)

OPTIONAL MATERIALS:

- Duco Cast Iron Body -CI
- Galvanized Cast Iron -G
- Polished Bronze Top -PB

NOTE: Dimensions shown in parentheses are in millimeters.

FIGURE NUMBER	REV.	DATE	DESCRIPTION	BY	CKD. BY	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER
9921	D	5-6-14	Changed Fig. No. Revised Standpipe Revised Standpipe Revised Dwg.	TBW	JM			9921
	C	04-25-03		JJ	CL			
	B	3-11-03		TBW	CL			
	A	7-11-02		RN	CL			