

## SS WEDGE Stainless Steel Trough



Patent D841785

**Model Shown:** WSW130-SW000-F60  
30" Wide 1 Station Trough with Sensor Operated J-Spout



**Model Shown:** WSW260-SW000-F60  
60" Wide 2 Station Trough with Sensor Operated J-Spout

- WALL MOUNTED STAINLESS STEEL BASINS, MULTIPLE LENGTHS
- WEDGE BASIN DESIGN REDUCES WET, SLIPPERY FLOORS
- OPTIONS AND ACCESSORIES PROVIDE ALL-IN-ONE UNIT
- ADA COMPLIANT (AMERICANS WITH DISABILITIES ACT)
- CSA COMPLIANT (CANADIAN STANDARDS ASSOCIATION)
- CBC COMPLIANT (CALIFORNIA BUILDING CODE)
- GREENGUARD GOLD CERTIFIED FOR LOW EMISSIONS



### APPROVAL FOR MANUFACTURE

COMPANY: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

SIGNEE'S NAME PRINTED CLEARLY: \_\_\_\_\_

DATE: \_\_\_\_\_

AUTHORIZED SIGNATURE: \_\_\_\_\_

⚠ WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

#### MODEL/OPTION #

##### **A** TYPE and SIZE - Required Selection

INIT.

- |                                  |                                      |
|----------------------------------|--------------------------------------|
| <input type="checkbox"/> WSW130  | Hand Wash Trough, 1 User, 30" Wide   |
| <input type="checkbox"/> WSW260  | Hand Wash Trough, 2 Users, 60" Wide  |
| <input type="checkbox"/> WSW390  | Hand Wash Trough, 3 Users, 90" Wide  |
| <input type="checkbox"/> WSW4120 | Hand Wash Trough, 4 Users, 120" Wide |

##### **B** DECK PUNCHING AND FAUCETS

INIT.

Standard Unit Includes (3) 1-5/16" DIA Holes on 4" Centerset:

- |                                     |  |
|-------------------------------------|--|
| <input type="checkbox"/> -H0        | Less Faucet Punching                                 |
| <input type="checkbox"/> -H1        | Single Hole, on Center                               |
| <input type="checkbox"/> -SW000-F50 | H&C Wristblade Faucet With Gooseneck Spout           |
| <input type="checkbox"/> -SW000-F51 | H&C Wristblade Faucet With Spout                     |
| <input type="checkbox"/> -SW000-F60 | S/T Sensor Operated Faucet With J-Spout & Base Plate |
| <input type="checkbox"/> -SW000-F70 | S/T Pushbutton Metering Faucet With Base Plate       |

##### **C** ACCESSORIES:

INIT.

- |                                     |   |
|-------------------------------------|---|
| <input type="checkbox"/> SW000-PT   | Daisy Strainer w/ 1-1/4" O.D. Tailpiece and 1-1/2" O.D. Plastic P-Trap              |
| <input type="checkbox"/> SW000-PTC  | Daisy Strainer w/ 1-1/4" O.D. Tailpiece and 1-1/2" O.D. Chrome Plated P-Trap        |
| <input type="checkbox"/> PS1000-PS  | Pump Soap Dispenser<br>Includes factory provided Soap Dispenser Punching            |
| <input type="checkbox"/> PS1000-SSO | Sensor Operated Soap Dispenser<br>Includes factory provided Soap Dispenser Punching |

##### **D** ENVIRO-GLAZE®

INIT.

##### -EG Enviro-**Glaze®** Color \_\_\_\_\_

Specify:  Trough  Trap Cover

Refer to <https://www.neo-metro.com/enviro-glaze> for available colors)

##### **E** PRODUCT OPTIONS Optional Selection

INIT.

##### MXTP (ASSE 1070 Tempering Valve)

-ST70CP-12

**NOTE:** Recommend One (1) Mixing Valve  
Per Station. Valve Specs: 4.5 GPM  
(17 LPM) @ 45 PSI (310 kPa)



## SS WEDGE Stainless Steel Trough

### SS Wedge Trough Basins

#### SS Wedge Wall Mounted Hand Wash Trough

Neo-Metro® by Acorn's Stainless Steel Wedge Hand-Wash Trough provides a durable, hand wash basin to serve one to four users. The design is perfect for high traffic restrooms and incorporates a Wedge basin to provide users with ample personal space while reducing wet, slippery floors. Its sleek appearance features a polished stainless steel finish with rounded corners and an Enclosure to conceal all plumbing and provide access for ease of service. The Wedge Trough is available with all the options needed for a complete unit. Fixture complies with ANSI, UFAS, CBC and ADA 2010 requirements for accessibility. (Compliance is subject to the interpretation and requirements of the local code authority.)

**Troughs** are wall mounted and available in several widths to accommodate one to four persons. Deck is pre-drilled at each station with (3) hole punching for a 4" Centerset for a Faucet (shipped loose). Mounting includes "S" clip brackets provided at each station and mounting points in housing for 1/4" hardware to be provided by others. Basin is formed to facilitate drainage and includes punching to accept a 1-1/2" Drain Assembly. Unit is fabricated from 16 gauge, type 304 stainless steel with exposed surfaces polished to a #4 satin finish.

**Faucet selections** are optionally available and include: Single Temp Battery Powered Sensor Operated Faucet with Stainless Steel "J" Spout and Deck Plate for 4" Centerset punching; Hot and Cold Gooseneck Spout with Wrist Blade Handles; Hot and Cold Sink Spout with Wrist Blade Handles; Single Temp Pushbutton Metering Spout and Deck Plate for 4" Centerset punching. Faucets are intended for 4" Centerset punching provided on Trough. All Faucets meet NSF and Lead-Free Standards and include a 0.5 GPM (1.9 LPM) Flow Control.

**Soap Dispensers** are optionally available and include a Top Fill, Hands Free, Sensor Operated design and Pump Soap Dispenser. When specified with optional Soap Dispenser unit will include dispenser punching by Factory. NOTE: To punch for Soap Dispensers provided by others, contact local Sales Representative to verify fit.

**Enviro-Glaze®** Powder Coated Color is optionally available to provide a functional alternative to stainless steel finish and is provided for Trough and Trap Cover.

**Additional Accessories** include a Daisy (Drain) Strainer with Tailpiece and a P-Trap Assembly made of Plastic or Chrome Plated Brass.




**Model Shown:** WSW4120-SW000-F60  
120" Wide 4 Station Trough with Sensor Operated J-Spout

**Model Shown:** WSW390-SW000-F60  
90" Wide 3 Station Trough with Sensor Operated J-Spout

## SS WEDGE Stainless Steel Trough

### Dimensional Information



All dimensions are subject to manufacturer's tolerance of plus or minus  $\frac{1}{2}$ " nominal and subject to change without notice. Neo-Metro assumes no responsibility for use of void or superseded data. Neo-Metro, City of Industry, CA, Member of Morris Group International. Please visit [www.neo-metro.com](http://www.neo-metro.com) for most current specifications.

Latest product information [www.neo-metro.com](http://www.neo-metro.com)

Tech Sheet: **TS - SS WEDGE** Page **3/3** rev: **07/29/2025**

**NEO-METRO® by ACORN®**

A Member of Morris Group International  
15125 Proctor Avenue • City of Industry, CA 91746 USA  
TF 800.488.8999 • PH 626.366.4561

**IMPORTANT: Refer to Installation Instructions for rough-ins and complete technical data.**