

WF3EZ

EZ DOOR[®] PFAS WATER FILTER
3000-GALLON CAPACITY / TWO STAGE
NSF/ANSI/Lead/Bacteria/Chlorine/Microplastics

STANDARD FEATURES

- Industry Leading Innovation [30-Second Filter Replacement](#)
- Optionally Available for A171 & A172 Series Models
- Retrofits Existing A171 and A172 Series Models (Manufactured After October 2022)
- Complete Kit with All Components for Easy Installation
- Two Stage Hollow Core Fiber & Carbon Block Technology Provides Superior Filtration versus Single Stage Designs
- Easy 1/4 Turn Filter Head with Auto-Shut Off
- Filter Head Assembly with Quick Connect Inlet and Outlet
- Maximum Flow Rate 1.5 GPM to Meet Filter Specifications (Refer to Product Submittal for Flow Rates)

Filter 3rd Party Verified Conformance For The Following:

- NSF/ANSI 42+53 for Lead Reduction
- NSF/ANSI 42 Including Particulate Class 1
- NSF/ANSI 53 for Cyst and Total PFAS Reduction Including: PFOA, PFOS, PFHpA, PFHxS, PFNA *
(* Meets EPA requirements when supply water is less than 390 PPT)
- NSF/ANSI 401 for Reduction of Microplastics
- ASTM F838-20 Bacteria Removal to 0.1 Micron (99.9%) **
(** SGS Certified to comply with ASTM F838-20)

SUGGESTED SPECIFICATIONS

Provide Murdock[®] Drop Down Filter Accessory model WF3EZ EZ Door[®] 3000-Gallon PFAS Water Filter. Accessory unit shall include [WF3000 Two Stage PFAS Water Filter](#) with Hollow Core Fiber and Carbon Block technology. Following installation, Filter assembly will be held in place within Housing. Drop Down Panel and Filter assembly shall be accessed by removing stainless steel Allen Head Fasteners. The filter shall be for cold water use only. Third Party Filter verification shall include compliance to ASTM F838-20 and NSF/ANSI 42+53 with reduction to 0.1 micron of sediment, chlorine, bacteria (cyst), and lead. Provide total PFAS reduction including PFOA, PFOS, PFHpA, PFHxS, and PFNA. Certifications shall include compliance with NSF/ANSI 401 for reduction of Microplastics. Filter life span capacity shall be 3000 gallons or one year (whichever occurs first) with a maximum flow rate of 1.5 GPM [5.7 L/min]. Installation shall be in compliance with state and local laws and regulations.

REPLACEMENT FILTERS:

Refer to Murdock[®] Accessory Model - RWF3000 (3000-Gallon) PFAS Water Filter for Replacement (sold separately).

Note: Declarations are based upon Third Party Verifications. Information is deemed reliable however, subject to change without notice.
Important: Do not use where the microbiological condition of the water is deemed unsafe or of unknown quality. Provide adequate disinfection before or after the unit.



U.S. Patent 12,410,592

(Shown as shipped)



U.S. Patent 12,410,592

(Shown in open position, following installation)

MODEL:

- WF3EZ 3000-Gallon EZ Door[®] PFAS Water Filter NSF/ANSI, PFAS, Lead, Bacteria, Chlorine, Microplastics


NSF/ANSI/CAN 61: Q ≤ 1

NSF/ANSI/CAN 61 Compliant including lower lead leaching criteria.


[3000 Gallon PFAS Filter Certifications](#)

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


WF3EZ EZ DOOR[®] PFAS WATER FILTER
3000-GALLON CAPACITY / TWO STAGE
NSF/ANSI/Lead/Bacteria/Chlorine/Microplastics




TOP VIEW



ANGLED VIEW OPEN LATCH



FRONT VIEW



ANGLED VIEW CLOSED LATCH

NOTES:

1. (6) #8 x 3/8" Long Stainless Steel Screws
2. Latch Locking Mechanism
3. Model -WF3000 Filter Cartridge Assembly Complete with Filter Head
4. Fixture Maintenance Tool (Required to Open and Close Latch. Provided with Drinking Fountain.)

- Tested to temperatures of 35°F - 100°F [2°C - 38°C]
- Operating pressure is not to exceed 105 PSIG (724 kPa)

SELECTION SUMMARY & APPROVAL FOR MANUFACTURING

Model Number & Options _____	Quantity _____
Company _____	
Contact _____	Title _____
Signature (Approval for Manufacturing) _____	Date _____

All dimensions are subject to manufactures tolerance of plus or minus 1/4" nominal and subject to change without notice. Murdock[®] assumes no responsibility for use of void or superseded data. Dimensions may change with the addition of optional accessories. Murdock[®] Mfg., Member of Morris Group International[®]. Please visit www.murdockmfg.com for most current specifications.