

BestCare®

LIGATURE-RESISTANT PLUMBING PRODUCTS & ACCESSORIES



DIVISION 10 ACCESSORIES CATALOG

A GUIDE TO LIGATURE-RESISTANT ACCESSORIES

Complete your design

GRAB BARS
TOWEL & CLOTHING HOOKS
MIRRORS
SHELVES
SHOWER CADDY
TOILET PAPER HOLDER
PAPER TOWEL HOLDERS
SOAP DISHES
ACCESS DOORS
FIRE EXTINGUISHER CABINETS
FLUSH VALVE COVER
TOILET SEATS



BestCare®

LIGATURE-RESISTANT PLUMBING PRODUCTS & ACCESSORIES

The BestCare® ligature-resistant line is designed, manufactured and distributed by Whitehall Manufacturing. The line features a wide array of restroom accessories including mirrors, toilet paper and paper towel holders, soap dishes, shelves as well as ADA accessible grab bars with ligature-resistant closure plates.



patient safety first

75% of suicides take place
in the **inpatient restroom**¹



Typical bathroom shown with ligature points

CITATION

1. Knoll, James L. "Inpatient Suicide: Identifying Vulnerability in the Hospital Setting." *Psychiatric Times*, *Psychiatric Times*, 22 May 2012, www.psychiatrictimes.com/suicide/inpatient-suicide-identifying-vulnerability-hospital-setting. Accessed 2 Mar. 2017.



DIVISION 10 ACCESSORIES

A GUIDE TO LIGATURE-RESISTANT ACCESSORIES

- 1** LOOK FURTHER TO SEE IF THERE ARE ANY MORE LIGATURE POINTS IN THE BATHROOM.
- 2** IS THE DESIGN SAFE AND SOOTHING?
- 3** HAVE YOU SPECIFIED ALL DIVISION 10 NEEDS?
 - SHELVING
 - GRAB BARS
 - MIRRORS
 - PAPER TOWEL HOLDERS
 - TOILET PAPER HOLDERS
 - CLOTHING HOOKS
 - ACCESS DOORS
 - FIRE EXTINGUISHER CABINETS
 - TOILET SEATS
 - FLUSH VALVE COVERS
- 4** ANY QUESTIONS FOR OUR TEAM?
- 5** LET'S WORK TOGETHER TO CREATE A SAFE AND HEALTHY ENVIRONMENT.

ARE YOU INTERESTED IN DIVISION 22 PRODUCTS?
PLEASE SEE OUR WEBSITE FOR MORE INFORMATION:

www.whitehallmfg.com

TABLE OF CONTENTS

DIVISION 10 ACCESSORIES

DIVISION 10 ACCESSORIES



GRAB BARS

14



TOWEL & CLOTHING HOOKS

18



MIRRORS
W/SHELVING (DIGNITY SUITES)
SOLID SURFACE PG 24
STAINLESS STEEL PG 26

20



SHELVES
SOLID SURFACE (DIGNITY SUITES)
RECESSED PG 32
VANITY PG 32

22



TOILET PAPER HOLDERS

28



PAPER TOWEL HOLDERS

30



SHOWER CADDY

34



SOAP DISHES

34

CABINETS & ENCLOSURES



ACCESS DOORS

36



FIRE EXTINGUISHER CABINETS
RECESSED
SEMI-RECESSED
SURFACE MOUNTED
FIRE RATED RECESSED
FIRE RATED SEMI-RECESSED

38



FLUSH VALVE COVER

43



TOILET SEATS

48

SPECIMEN PASS-THRU CABINET



NON LIGATURE-RESISTANT SPECIMEN PASS-THRU CABINET

50

DESIGNED TO WORK TOGETHER

build a community

Architects and designers cannot control the stress levels people may bring with them to a space, but they can help lower stress once that space is inhabited.

-Angela Mazzi




Community - sharing a common space and well being, a sense of belonging together.



DESIGN, MANUFACTURING AND EDUCATION

The BestCare® ligature-resistant line explores design, function, the needs both for patient safety, peace of mind and architectural/facility managers requirements. Our manufacturing facilities, develop, engineer, manufacture and distribute the Behavioral Healthcare Ligature-resistant line with most product IN-STOCK.

We offer online continuing education courses focused on Healthcare Industry product needs. Find out more on our back cover page 51.




IN-STOCK product is available for direct shipment on both sides of country **SAVING TIME AND COST.**

IN-STOCK

HEADQUARTERS
City of Industry, CA
Current inventory CA
distribution



stocked products in
Montgomery, Alabama.
**NOW FASTER
DELIVERY
FOR EAST COAST!**



PLUMBING/CODE EXPERTS

- Designed to ADA standards
- Designed to bariatric requirements
- Designed for behavioral healthcare
- Universal Design
- Design to individual state requirements
- International expertise, with offices in Canada, Mexico, the UK and Dubai
- Domestic and International codes - CSA, UL approvals

- TAMPER RESISTANT
- DURABLE
- STAINLESS STEEL
- SOLID SURFACE
- CAST ALUMINUM
- ABS PLASTIC
- EASE OF USE
- UNIVERSAL DESIGN



unsafe design

RECOGNIZING LIGATURE POINTS AND WHERE YOUR BATHROOM MAY BE AT RISK.

In traditional bathroom applications, ligature points are more common than you might realize. The arrows above indicate dangerous ligature points in existing bathrooms, including sinks, toilets, showers, drains, grab bars, faucets, towel hooks and toilet paper dispensers.

As seen on the next page, BestCare® Accessories ultimately reduce ligature points to ensure a safer and more secure behavioral healthcare environment.



PROTECT YOUR PATIENTS WHERE RISK IS A CONCERN.



Ligature point — objects or access points in an environment that can be repurposed for self harm by tying or binding a cord, rope, towel or other material.

Areas that are sometime missed, faucets, soap dispensers, cabinet handles



SAVE A LIFE, BE PROACTIVE AND SECURE YOUR FACILITY'S LIGATURE POINTS.

safe and stylish solutions

LIGATURE-RESISTANT PLUMBING FIXTURES & ACCESSORIES


1. Grab Bars
2. Towel and clothing hook
3. Mirrors
4. Shelves
5. Spindle-less Toilet Paper Holders
6. Paper Towel Dispensers
7. Soap Dishes
8. Sinks
9. Faucets
10. Toilets
11. Showers
12. Shower Base with Trench Drains
13. Linear Drains
14. Floor Drains



DESIGNED TO WORK TOGETHER

The BestCare® ligature-resistant line design is engineered, developed and manufactured for both the patient and architect/facility manager... **all designed to work as a package.**

LET'S FINISH A BATHROOM



GRAB BARS
MODEL SHOWN NEW WHB-GB



DIGNITY SUITE® MIRROR W/SHELVING
MODEL SHOWN WHD-MR



DIGNITY SUITE® SHELVES
MODEL SHOWN WHD-SHV15



TOWEL & CLOTHING HOOKS
MODEL SHOWN SHV10 SERIES



MIRRORS STAINLESS STEEL SURFACE MOUNT
MODEL SHOWN WH1811-SLPT SERIES



MIRRORS SOLID SURFACE SURFACE MOUNT
MODEL SHOWN 1860 SERIES

HOW TO ORDER - EXAMPLE MIRROR

WH1861 - SLPT

PRODUCT & SIZE

MATERIAL COLOR (FRAME)
Blanco (OCC11)
Corterra® Solid Surface



CORTERRA® SOLID SURFACE

Corterra® solid surface material is a polymer resin that comes in a variety of color options. Non-porous and highly durable, Corterra solid surface is ideal for commercial or other high-traffic applications.

STAINLESS STEEL

Stainless steel is durable and designed to last longer, also easy to sanitize, providing superior protection from germs.



HYGIENIC EASY TO MAINTAIN SEAMLESS
STANDARD COLORS



Conforms with ANSI Z124.3 and Z124.6 load ratings
ICPA SS-1 approved Class A fire rating



TOILET PAPER DISPENSERS
MODEL SHOWN RIGHT, WHD-TP SERIES
MODEL SHOWN LEFT, 1847B SERIES



C-FOLD PAPER TOWEL HOLDERS
MODEL SHOWN DIGNITY SUITES
WHD CF & WH1181 SERIES



SHELVES -RECESSED
MODEL SHOWN WH1820FA



VANITY SHELVES
MODEL SHOWN WH1182 SERIES



SHOWER CADDY
MODEL SHOWN WH1183




SOAP DISH
MODEL SHOWN WH1832-PF



UNIVERSAL GRAB BAR

-  TAMPER RESISTANT
-  DURABLE
-  CAST ALUMINUM
-  EASE OF USE
-  UNIVERSAL DESIGN



With one open end designed to effectively drain residual water in shower applications, promoting hygiene and safety

Cast aluminum construction for strength

Its reversible and variable length design accommodates a wide range of installation needs, making it versatile for both **horizontal and vertical** mounting to suit diverse spaces and use preferences.

FEATURES

- The BestCare® universal design Grab Bar features a thoughtfully engineered shape that eliminates common ligature points, enhancing safety for all users.
- This adaptable grab bar ensures install in various environments, from bathrooms to accessible public spaces.
- Vandal resistant stainless steel wall fasteners
- The standard color is Snow White (EG10) Enviro-glaze®
- ADA Accessibility



Snow White (EG-10)

UNIVERSAL GRAB BAR MODELS	
	WHB-GB Series lengths available from 18" to 48" Dignity Suite® Ligature-Resistant Aluminum Grab Bar
	WHB-GB18-EG-10 18" Universal Grab Bar
	WHB-GB24-EG-10 24" Universal Grab Bar
	WHB-GB30-EG-10 30" Universal Grab Bar
	WHB-GB36-EG-10 36" Universal Grab Bar
	WHB-GB42-EG-10 42" Universal Grab Bar
	WHB-GB48-EG-10 48" Universal Grab Bar
	INQUIRE ON CUSTOM LENGTHS



HANDRAIL

-  TAMPER RESISTANT
-  DURABLE
-  CAST ALUMINUM
-  EASE OF USE
-  UNIVERSAL DESIGN



The BestCare® Ligature-Resistant Handrail combines safety with patient friendly looks and function. It's configurable design allows for a variety of handrail lengths. The unique sectional design is offered in standard lengths and allows for creating custom handrail sizes by combining components to create lengths to suit application.

DIMENSIONS



HANDRAIL MODELS


	WHB-HR18-EG10 18" Handrail Assembly
	WHB-HR24-EG10 24" Handrail Assembly
	WHB-HR30-EG10 30" Handrail Assembly
	WHB-HR36-EG10 36" Handrail Assembly
	WHB-HR42-EG10 42" Handrail Assembly
	WHB-HR48-EG10 48" Handrail Assembly
	WHT13004-010 End Cap Assy (Open & Closed Ends)
	WHT13006-010 6" Handrail Extension Length
	WHT13018-010 18" Handrail Extension Length
	WHT13036-010 36" Handrail Extension Length
	WHT13002-000 Union Insert (One Req'd Per Extension)
	INQUIRE ON CUSTOM LENGTHS



Weep holes on bottom for drainage

The grab bar is "graspable" which is required for ADA.

DIMENSIONS



ADA GRAB BARS

FEATURES

- Shape design is easy to grasp
- Softer edges, less institutional
- The bottom slopes in and has 3/16" weep holes for water drainage, but no ligature looping
- Stainless steel
- Available in Enviro-Glaze® powder coat
- Variety of lengths available from 18" to 48"



- Snow White (EG-10)
- Dignity Blue (EG-30) and Mirror-finish

ADA GRAB BAR MODELS	
	WHD-GB Series lengths available from 18" to 48" (-GB18) (-GB24) (-GB30) (-GB36) (-GB42) (-GB48) Dignity Suite® Ligature-Resistant Aluminum Grab Bar
	WH1140 Series lengths available from 18" to 48" (-18) (-24) (-30) (-36) (-42) (-48) BestCare® Ligature-Resistant Grab Bar with V-Closure Strip
NON ADA GRAB BAR MODELS	
	WH1109 Series lengths available from 18" to 48" (-18) (-24) (-30) (-36) (-42) (-48) Ligature-Resistant Bar, Flat Closure Plate
	WH1109-3-R (32" right side)

IN-STOCK

IN-STOCK

IN-STOCK

IN-STOCK

DIGNITY SUITE® LIGATURE-RESISTANT PUSHBUTTON FLUSH VALVE ACCESS PANEL FOR USE WITH GRAB BAR



Snow White (EG-10)

ADA GRAB BAR MODELS	
	PUSH BUTTON Two-piece panels finished in Snow White Enviro-Glaze Powder Coating WHD2898-1.28-10 Valve rated 1.28 gallons (5.82 liters) per flush WHD2898-1.6-10 Valve rated 1.6 gallons (7.27 liters) per flush
	SENSOR OPERATED Two-piece panels finished in Snow White Enviro-Glaze Powder Coating WHD2898-SO-1.28-10 Valve rated 1.28 gallons (5.82 liters) per flush WHD2898-SO-1.6-10 Valve rated 1.6 gallons (7.27 liters) per flush

FEATURES

The Dignity Suite® Sensor Operated Flush Valve Panel combines patient safety and function to allow the installer access to the flush valve without interference from the Ligature-Resistant Grab Bar. The upper and lower removable access panels are fabricated in 14 gauge type 304 stainless steel and include 1/4" vandal-resistant stainless steel fasteners. The Access Panels are secured to an in-wall mounting frame fabricated of 16 gauge type 304 stainless steel.



-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  CAST ALUMINUM
-  EASE OF USE
-  UNIVERSAL DESIGN





DIGNITY SUITES ABS PLASTIC TOWEL HOOK & STAINLESS STEEL TOWEL HOOK

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  ABS PLASTIC
-  EASE OF USE
-  UNIVERSAL DESIGN



FEATURES

- NY-OMH approved
- Hook and body are constructed of injection molded ABS plastic
- Hook will release and swing down with loads more than 11 lbs
- DOES NOT have upward Ligature point when using this hook
- Incorporates a Torsion spring-loaded hook that retracts into an upright position when not in use
- * Can be used on a door
- Available in 3 different colors below



WHD-TH-WHITE
White



WHD-TH-BLUE
(Dignity) Blue



WHD-TH-GRAY
Gray

TOWEL HOOK MODELS	
	WHD-TH-WHITE Dignity Suite® Ligature-Resistant ABS plastic towel hook, white
	WHD-TH-BLUE Dignity Suite® Ligature-Resistant ABS plastic towel hook, blue
	WHD-TH-GRAY Dignity Suite® Ligature-Resistant ABS plastic towel hook, gray
	1830-SLPT Series 1830-SLPT-SS stainless steel Ligature-Resistant Adjustable Auto-Release Clothes Hook

IN-STOCK



IN-STOCK

IN-STOCK

IN-STOCK



INSTALLATION INSTRUCTIONS




 WATCH our video demo on how to install





DIGNITY SUITES MIRROR WITH SHELVING

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  SOLID SURFACE
-  EASE OF USE
-  UNIVERSAL DESIGN



FEATURES

- Corterra® Solid surface construction to provide strength while eliminating sharp corners



Corterra® solid surface color options

- Reflective surface is shatter-proof and is made of stainless steel with a high polish mirror finish
- * Can be mounted either horizontally or vertically
- Suitable for wet environments
- Oversized height shelf compartments allow storage of both short and tall items

 Snow White (EG-10)

MIRRORS - DIGNITY SUITES/W SHELVING MODELS



WHD-MR
WHD-MR-OCC11 23" x 38" (W X H) Mirror and Shelf


-OCC
Optional Corterra® Color - Specify
(Refer to page 12 for available colors)

IN-STOCK




Dignity Suite basin, mirror, grab bar and shower system shown.

DIMENSIONS




 WATCH our video demo on the on how to install





Oversize shelf compartments store short and tall items

Lock shelving into place with the magnetic locking mechanism



Outer Frame, interior sides, and shelves are constructed of Corterra® solid surface material

Back Panel is heavy gauge stainless steel with Dignity Snow White powder coat



Corterra® solid surface color options

DIGNITY SUITES SHELVES



TAMPER RESISTANT



DURABLE



STAINLESS STEEL



SOLID SURFACE



EASE OF USE



UNIVERSAL DESIGN

FEATURES

- Available in 10" or 15" widths
- Oversize shelf compartments
- Can be used in wet environments
- Concealed mounting system improves security and provides a less institutional look
- Can be mounted either vertically or horizontally

Snow White (EG-10)

DIGNITY SUITES SHELVING MODELS




WHD-SHV15 15" width
WHD-SHV10 10" width
Blanco (OCC11) Corterra® Solid Surface

IN-STOCK




Dignity Suite Application

10" DIMENSIONS



15" DIMENSIONS



WATCH our video demo on the on how to install





MIRRORS - SOLID SURFACE

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  SOLID SURFACE
-  EASE OF USE
-  UNIVERSAL DESIGN



Rounded corners
and sloped edges



Concealed hardware
with mounting disks
and set screw to secure
mirror in place



CLEAN SLEEK DESIGN
NO VISIBLE HARDWARE
FULL BODY REFLECTION
CUSTOM & LARGER SIZES AVAILABLE

MIRRORS - SOLID SURFACE MODELS		
	WH1860 Width: 14-1/2" (368 mm) Height: 17-1/2" (445 mm)	IN-STOCK
	WH1861 Width: 17-1/2" (445 mm) Height: 27-1/2" (669 mm)	IN-STOCK
	WH1862 Width: 19-1/2" (495 mm) Height: 25-1/2" (648 mm)	IN-STOCK
	WH1863 Width: 21-1/2" (546 mm) Height: 38-1/2" (978 mm)	IN-STOCK
	WH1864 Width: 28-1/2" (724 mm) Height: 38-1/2" (978 mm)	IN-STOCK

FEATURES

- Mirror features rounded corners and concealed hardware, making this perfect for ligature-resistant applications
- The exposed frame is fabricated Corterra® solid surface polymer, standard frame color is blanco (white)




Corterra® solid surface color options

- 400-series stainless steel is polished to a mirror finish for reflection
- Mirror is provided with concealed mounting disks, to be used with installer provided fasteners appropriate to wall construction




DIMENSIONS



INSTALLATION INSTRUCTIONS

The installation process incorporates a unique, concealed magnet mounting system to eliminate visible fasteners, improve security and provide a less institutional look.



- ① Place provided template on wall in desired spot to install mirror and mark



- ③ Align back side of mirror holes with mounting disks



- ② Install the 5 mounting disks provided on to wall using mounting screws into wall




- ④ After attached to disks and height fine tuned, use allen wrench to lock bottom hardware, which will lock mirror to mounting disks

 WATCH our video demo on the on how to install



MIRRORS - STAINLESS STEEL



MIRRORS - STAINLESS STEEL MODELS	
	WH1850-SLPT Width: 13" (330 mm) Height: 16" (406 mm) Stainless Steel Frame (-SS)
	WH1851-SLPT Width: 16" (406 mm) Height: 26" (660 mm) Stainless Steel Frame (-SS)
	WH1852-SLPT Width: 18" (457 mm) Height: 24" (610 mm) Stainless Steel Frame (-SS)
	WH1853-SLPT Width: 20" (508 mm) Height: 37" (940 mm) Stainless Steel Frame (-SS)
	WH1854-SLPT Width: 27" (686 mm) Height: 37" (940 mm) Stainless Steel Frame (-SS)

IN-STOCK

IN-STOCK

IN-STOCK


IN-STOCK

IN-STOCK

FEATURES


- 400-series stainless steel is polished to a mirror finish
- Mirror is provided with concealed mounting disks, to be used with installer provided fasteners appropriate to wall construction
- Mirror features sloped edges and concealed hardware, making this perfect for ligature-resistant applications
- The exposed frame is powder coated white type 304 stainless steel

DIMENSIONS



INSTALLATION INSTRUCTIONS

The installation process incorporates a unique, concealed magnet mounting system to eliminate visible fasteners, improve security and provide a less institutional look.

-  Place provided template on wall in desired spot to install mirror and mark
-  Install the 5 mounting disks provided on to wall using mounting screws into wall anchors provided by others
-  Align back side of mirror holes with mounting disks
-  After attached to disks and height fine tuned, use allen wrench to lock bottom hardware, which will lock mirror to mount-

WATCH our video demo on the on how to install





TOILET PAPER HOLDERS

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  SOLID SURFACE
-  EASE OF USE
-  UNIVERSAL DESIGN



EASY REPLACEMENTS WITH OUR SPINDLE-LESS TOILET PAPER HOLDERS

FEATURES

The Dignity Suite® Toilet Paper Holder combines safety with patient-friendly looks and function. The exposed portion is constructed of Blanco (OCC11) color Corterra® solid surface polymer resin to provide strength while eliminating sharp corners. The unit is designed to hold an industry standard-issue roll of toilet paper. The exposed solid surface Toilet Paper Holder unit mounts to a concealed, in-wall galvanized steel Mounting Frame to reduce the possibility of removal from the wall. The unit is intended for installation on a finished wall from the front side.



Corterra® solid surface color options

TOILET PAPER HOLDER MODELS	
	WHD-TP Dignity Suite Ligature-Resistant Toilet Paper Holder
	WH1840FA - White WH1840FA-SS - Stainless steel Ligature-Resistant Recessed Circular Toilet Paper Holder
	WH1845B Series - White WH1845B-SS - Stainless steel Ligature-Resistant Spindle-Button Semi-Recessed Stainless Steel Toilet Paper Holder
	WH1847 Series - White WH1847-SS - Stainless steel Ligature-Resistant Spindle-Button Surface Mount Toilet Paper Holder


IN-STOCK

IN-STOCK


IN-STOCK

IN-STOCK


WH1840FA SERIES DIMENSIONS




WH1840FA SERIES INSTALLATION INSTRUCTIONS




WH1845B SERIES DIMENSIONS



WH1847 SERIES DIMENSIONS



WHD-TP DIMENSIONS



IT SOUNDS INSIGNIFICANT, BUT HOW MUCH DO YOU SPEND ANNUALLY ON REPLACEMENT SPINDLES?



DIGNITY SUITES C-FOLD PAPER TOWEL DISPENSER - SOLID SURFACE



WHD-CF
Dignity Suites C-Fold paper towel holder,
double bay in solid surface



Corterra® solid surface color options

PAPER TOWEL DISPENSERS

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  SOLID SURFACE
-  EASE OF USE
-  UNIVERSAL DESIGN



C-FOLD PAPER TOWEL HOLDER MODELS	
	WHD-CF Dignity Suites C-Fold paper towel holder, double bay in solid surface
	WH1181-1 Series WH1181-1-SS - Stainless steel C-Fold paper towel holder, triple bay in White Enviro-Glaze® Powder Coat
	WH1181-2 Series WH1181-2-SS - Stainless steel C-Fold paper towel holder, triple bay in White Enviro-Glaze® Powder Coat
	WH1181-3 Series WH1181-3-SS - Stainless steel C-Fold paper towel holder, triple bay in White Enviro-Glaze® Powder Coat
PAPER TOWEL HOLDER MODELS	
	WH1846A-FA Series WH1846A-FA-SS - Stainless steel Semi recessed paper towel holder, in White Enviro-Glaze® Powder Coat
	WH1848B Series WH1848B-SS - Stainless steel Surface mount paper towel holder, in White Enviro-Glaze® Powder Coat

IN-STOCK

IN-STOCK

IN-STOCK

IN-STOCK

IN-STOCK

IN-STOCK

C-FOLD PAPER TOWEL DISPENSERS - STAINLESS STEEL



WH1181-2
C-Fold paper towel holder, **double bay**
in White Enviro-Glaze® Powder Coat

FEATURES

The sloping top and open bays makes this item ideal for ligature-resistant applications.

The open vertical bay design eliminates the need for a lock and has no moving parts that can be vandalized.

The open bay design is easily inspected preventing the concealment of contraband.

16 gage stainless steel construction

White Enviro-Glaze® Powder Coat



WH1181-1
C-Fold paper towel holder,
single bay in White
Enviro-Glaze® Powder Coat




WH1181-3
C-Fold paper towel holder,
triple bay in White
Enviro-Glaze® Powder Coat



WATCH
our video
demonstrating
the durability of
our accessories




WH1181 SERIES DIMENSIONS




Dispensers are available with **one, two or three bays**. Each bay holds a half ream of 10-1/4 x 3-5/8" (20.04 x 9.21 cm) folded sheets of C-Fold paper towels.

Perfect for retrofit and new construction behavioral healthcare and addiction facilities

WH1846A SERIES DIMENSIONS




WH1848B SERIES DIMENSIONS





SHELVES - RECESSED



MODEL WH1820FA

A 16.5 Wide x 5.5 High x 4.25 Deep inches (419 x 140 x 108 mm) opening is required in the mounting wall.

RECESSED SHELF MODELS




WH1820FA Series
WH1820FA-SS - Stainless steel
 Recessed shelf in White Enviro-Glaze® Powder Coat

IN-STOCK

FEATURES

- Ligature-resistant stainless steel recessed shelving unit
- 16 gauge stainless steel construction
- Designed tall and deep enough to hold typical bathroom items
- 14" shelf available for stud wall constructed facilities, fits between studs that are 16" center

DIMENSIONS



ACCESSORIES



TAMPER RESISTANT



DURABLE



STAINLESS STEEL



EASE OF USE



UNIVERSAL DESIGN

VANITY SHELF



MODEL WH1182

VANITY SHELF MODELS




WH1182 Series
WH1182-SS - Stainless steel
 Vanity shelf in White Enviro-Glaze® Powder Coat

IN-STOCK

FEATURES

- The sloping top makes this item ideal for ligature-resistant applications
- The open shelf design is easily inspected preventing the concealment of contraband
- The two-shelf design allows storage for short and tall items
- Patented

DIMENSIONS



SHOWER CADDY




MODEL WH1183



FEATURES

- The sloping top makes this item ideal for ligature-resistant applications
- The open shelf design is easily inspected preventing the concealment of contraband
- Patented

DIMENSIONS



IN-STOCK

SOAP CADDY MODELS



WH1183 Series
WH1183-SS - Stainless steel
 Vanity shelf in White Enviro-Glaze® Powder Coat



SOAP DISH - RECESSED




MODEL WH1832PF

IN-STOCK

- Ligature-resistant stainless steel recessed shelving unit
- 16 gauge stainless steel construction

DIMENSIONS



SOAP DISH MODELS



WH1132PF Series
WH1182-SS - Stainless steel
 Soap dish in White Enviro-Glaze® Powder Coat

FINISHING TOUCHES



ACCESS DOOR
 MODEL SHOWN WH2805



RECESSED FIRE EXTINGUISHER CABINET
 MODEL SHOWN WH1704-A



SEMI-RECESSED FIRE EXTINGUISHER CABINET
 MODEL SHOWN WH1724-A



SURFACE MOUNT FIRE EXTINGUISHER CABINET
 MODEL SHOWN WH1754-A



FIRE RATED RECESSED FIRE EXTINGUISHER CABINET
 MODEL SHOWN WH1704-FR



FIRE RATED SEMI-RECESSED FIRE EXTINGUISHER CABINET
 MODEL SHOWN WH1724-FR



ACCESS DOORS



Access doors are attached with a continuous hinge and feature sloped edges to minimize ligature points



Dual locks

FEATURES

- BestCare® ligature-resistant access doors provide access to behind-the-wall components such as water valves and electrical lines
- Fabricated with stainless steel
- Dual lock to prevent prying door corners open



TAMPER RESISTANT

DURABLE

STAINLESS STEEL

EASE OF USE

UNIVERSAL DESIGN

ACCESS DOORS MODELS	
	WH2805-08 White Powder Coat Stainless Steel WH2805-SS-08 All-Stainless Steel Nominal Opening 8" x 8 (203.2 mm)
	WH2805-12 White Powder Coat Stainless Steel (WH2805-SS-12) All-Stainless Steel Nominal Opening 12" x 12 (305 mm)
	WH2805-14 White Powder Coat Stainless Steel WH2805-SS-14 Nominal Opening 14" x 14 (355.6 mm)
	WH2805-18 White Powder Coat Stainless Steel WH2805-SS-18 Nominal Opening 18" x 18 (457.2 mm)


IN-STOCK

IN-STOCK

IN-STOCK

IN-STOCK

DIMENSIONS





FIRE EXTINGUISHER CABINETS

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  EASE OF USE
-  UNIVERSAL DESIGN



RECESSED SEMI-RECESSED SURFACE MOUNT



These cabinets are designed to fit a fire extinguisher of up to 5" (127mm) diameter.
Fire Extinguisher not included.



FIRE EXTINGUISHER CABINET MODELS	
	WH1704-A Recessed, White Powder Coat Stainless Steel Ligature Resistant Recessed Fire Extinguisher Cabinet
	WH1724-A Semi-Recessed, White Powder Coat Stainless Steel Ligature Semi-Resistant Recessed Fire Extinguisher Cabinet
	WH1754-A Surface Mount, White Powder Coat Stainless Steel Ligature Resistant Surface Mount Fire Extinguisher Cabinet
FIRE RATED FIRE EXTINGUISHER CABINET MODELS	
	WH1704-FR Fire Rated Recessed, White Powder Coat Stainless Steel Ligature Resistant Recessed Fire Extinguisher Cabinet
	WH1724-FR Fire Rated Semi-Recessed, White Powder Coat Stainless Steel Ligature Resistant Recessed Fire Extinguisher Cabinet

- IN-STOCK
- IN-STOCK
- IN-STOCK
- IN-STOCK
- IN-STOCK
- IN-STOCK

FEATURES



- The cabinet doors are attached with a continuous hinge
- All components are powder coated with an electrostatically-applied, thermally-fused, recoatable white polyester finish, custom colors available
- NOTE: Fire extinguisher not included

- Standard cylinder lock, or keyed to match other locks in the facility
- 20 gauge steel box and door
- Sloping surfaces for safety

Custom color Enviro Glaze powder coat



Fire Extinguisher not included.

FIRE RATED RECESSED AND SEMI-RECESSED FIRE EXTINGUISHER CABINETS



MODEL SHOWN WH1704-FR

MODEL SHOWN WH1724-FR

FIRE RATED CABINETS:
Recessed Cabinets are Fire Rated by Underwriters Laboratories Inc., for ANSI/UL 1479, CAN/ULC-S115 (1995), for 2 hours in walls.


RECESSED FIRE EXTINGUISHER CABINET



MODEL SHOWN WH1704-A

Install requires a 10" (254 mm) width x 25" (635 mm) high x 5-3/4" (146 mm) depth into the wall.

DIMENSIONS




SEMI-RECESSED FIRE EXTINGUISHER CABINET



MODEL SHOWN WH1724-A

The installation requires a 10" (254 mm) width x 25" (635 mm) high x 3-1/2" (89 mm) depth into the wall.

DIMENSIONS




SURFACE MOUNT FIRE EXTINGUISHER CABINET



MODEL SHOWN WH1754-A

The installation requires a 10" (254 mm) width x 25" (635 mm) high x 3-1/2" (89 mm) depth into the wall.

DIMENSIONS




FIRE RATED RECESSED FIRE EXTINGUISHER CABINET




MODEL SHOWN WH1704-FR

DIMENSIONS



INSTALLATION INSTRUCTIONS




FIRE RATED SEMI-RECESSED FIRE EXTINGUISHER CABINET




MODEL SHOWN WH1724-FR

DIMENSIONS



INSTALLATION INSTRUCTIONS



A COMPLETE BATHROOM



GRAB BAR + FLUSH VALVE COVER

+



ADA RETROFIT FLUSH VALVE COVER
MODEL SHOWN WH2802-ADA SERIES

+



RETROFIT FLUSH VALVE COVER
MODEL SHOWN WH2801 SERIES

+



TOILET SEATS
MODEL SHOWN WH-LRSC-GRAY

DIGNITY SUITES FLUSH VALVE ACCESS PANEL

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  EASE OF USE
-  UNIVERSAL DESIGN



DIGNITY SUITE® LIGATURE-RESISTANT PUSHBUTTON FLUSH VALVE ACCESS PANEL FOR USE WITH GRAB BAR



ADA GRAB BAR MODELS



PUSH BUTTON Two-piece panels finished in Snow White Enviro-Glaze Powder Coating
 WHD2898-1.28-10
 Valve rated 1.28 gallons (5.82 liters) per flush
 WHD2898-1.6-10
 Valve rated 1.6 gallons (7.27 liters) per flush



SENSOR OPERATED Two-piece panels finished in Snow White Enviro-Glaze Powder Coating
 WHD2898-SO-1.28-10
 Valve rated 1.28 gallons (5.82 liters) per flush
 WHD2898-SO-1.6-10
 Valve rated 1.6 gallons (7.27 liters) per flush



ADA RETROFIT FLUSH VALVE COVER

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  EASE OF USE
-  UNIVERSAL DESIGN

MODELS	GALLONS PER FLUSH	LITERS PER FLUSH
For use on Toilet (WH2142ADA-T)		
 WH2802-ADA-1.28 Stainless steel (-SS)	1.28	4.85
 WH2802-ADA-1.6 Stainless steel (-SS)	1.60	6.00
 WH2802-ADA-3.5	3.5	13.25
For use on Urinal (WH2158T-EB)		
 WH2802-ADA-.125	0.125	0.47
 WH2802-ADA-0.5 Stainless steel (-SS)	0.5	1.89

-  IN-STOCK
-  IN-STOCK
-  IN-STOCK
-  IN-STOCK
-  IN-STOCK
-  IN-STOCK

SNOW WHITE POWDER COATING (-EG10)
DIGNITY BLUE POWDER COATING (-EG30)


FEATURES

- Designed to work with Whitehall top supply toilets
- ADA Accessible version offers left or right hand orientation
- For retrofit or new construction
- Choice of 1.6 or 1.28 gallons per flush

Providing a ligature-resistant solution, a top supply hydraulic toilet flush valve is covered by a stainless steel box with a sloped top. Holes are provided on the front of the box for actuating push button. Designed for conservation, the toilet flush valve supplied operates with 1.28 gallons (4.85 liters) or 1.6 gallons (6 liters) per flush. For urinal, 0.125 gallons (0.47 liter) or 0.5 gallon (1.89 liters) are available.



INSTALLATION INSTRUCTIONS




RETROFIT FLUSH VALVE COVER

-  TAMPER RESISTANT
-  DURABLE
-  STAINLESS STEEL
-  EASE OF USE
-  UNIVERSAL DESIGN



MODELS	
	WH2801 White Powder Coat Stainless Steel Cover WH2801-SS All-Stainless Steel Cover

IN-STOCK




WH2801-SS
All-Stainless Steel Cover

EASY INSTALLATION
 CONVERT EXISTING LEVER
 HANDLED FLUSH VALVE INTO
 LIGATURE-RESISTANT

 WATCH our video demo on flush valve covers
<https://bit.ly/3eNmeR4>

DIMENSIONS






PATIENT EXPERIENCE
SAFETY
STYLE
GREAT FOR RETROFIT

Traditional toilet seats are mounted to the toilet bowl via hinges, which are dangerous ligature points. BestCare® patented toilet seats are mounted directly to the toilet bowl without brackets. BestCare® toilet seats can be removed for simple cleaning, and feature sloped edges, no lid and a curved seat. (BestCare® Toilets)

Standard gray seat provides contrast for easy sight



Ligature-resistant toilet seat is made of impact-resistant ABS plastic

Contoured for comfort, with a warm residential look and feel

Seat is bolted to toilet to reduce ligature points



FEATURES

- Designed to work with Whitehall top and wall supply stainless toilets
- Seat does not hinge up and down and is designed to be permanently affixed by means of vandal resistant mechanical fasteners and/or silicone adhesive.)
- Seat is constructed of durable ABS plastic with anti-microbial additives to protect from fungal growth and reduce or mitigate the development of odors due to the growth of bacteria.


WATCH our video demo
 How to install a toilet seat
<https://youtube/WaqjvVc9ISo>

TOILET SEATS


-  TAMPER RESISTANT
-  DURABLE
-  ABS PLASTIC
-  EASE OF USE
-  UNIVERSAL DESIGN

TOILET SEAT MODELS	
	WH-LRSC-GRAY Gray Seat (typically supplied with BestCare® Toilets)
	WH-LRSC-WHITE White Toilet Seat
	WH-LRSC-BLUE Dignity Suite Blue Toilet Seat


IN-STOCK

IN-STOCK

DIMENSIONS



INSTALLATION INSTRUCTIONS





DIVISION 10

SPECIMEN PASS-THRU CABINET

NOT LIGATURE RESISTANT



DURABLE



STAINLESS STEEL



EASE OF USE




UNIVERSAL DESIGN




FEATURES

- Stainless Steel Wall Flange
- Self Closing Door - Hinged with Black Phenolic Door Handle
- Removable Specimen Tray - Watertight and includes Raised Bottom for Infectious Control
- Adjustable Recessed Stainless Steel Wall Box
- Mounting Holes and Adjusting Slots
- Whitehall product, not ligature-resistant

DIMENSIONS



INSTALLATION INSTRUCTIONS



SPECIMEN PASS-THRU CABINET MODELS



WH1865-EG10 Specimen Pass-Thru Cabinet, Enviro-glaze® Powder Coat Color: Snow White



WH1865 Specimen Pass-Thru Cabinet, Stainless Steel #4 Satin Finish

RESOURCES

www.whitehallmfg.com

LET US BRING THE PRESENTATION TO YOU!



VISIT OUR SHOWROOMS



MAKE AN APPOINTMENT TO VISIT OUR CITY OF INDUSTRY SHOWROOM or SCHEDULE AN APPOINTMENT WITH WHITEHALL/ACORNVAC HEALTHCARE MOBILE SHOWROOM



VISIT US ONLINE TO ACCESS THESE RESOURCES:

- Submittals & manual
- Cross reference data
- CAD and Revit files
- Brochures & flyers
- Complete product information & videos



SUBSCRIBE TO OUR QUARTERLY NEWSLETTER:

www.whitehallmfg.com/newsletter

STAY CURRENT WITH OUR LATEST NEWS!

CEU

CONTINUING EDUCATION COURSES
CHECK OUT WHAT'S NEW ONLINE



Future Proof Your Design



Advances for Plumbing Design in Healthcare



Ligature-resistant Solutions for Behavioral Healthcare Facilities



Designing for Healthcare



Safe Water Delivery in Healthcare Facilities



DIVISION 10 ACCESSORIES

Complete your design



PHONE: (626) 968-6681
(800) 782-7706
E-MAIL: SALES@WHITEHALLMFG.COM

BestCare®

LIGATURE-RESISTANT PLUMBING PRODUCTS & ACCESSORIES

FOR THE FULL LINE OF BESTCARE® PRODUCTS, VISIT:
whitehallmfg.com

STREET ADDRESS
15125 PROCTOR AVENUE
CITY OF INDUSTRY, CA 91746

MAILING ADDRESS
P.O. BOX 3527
CITY OF INDUSTRY, CA 91744

"THERE IS NO SUBSTITUTE FOR QUALITY"

WHITEHALL IS A MEMBER OF MORRIS GROUP

