


# SANI-CEPTOR® ACID RESISTANT COATED FLOOR & INDIRECT WASTE DRAIN

## REFRIGERATOR DRAIN WITH RECESSED GRATE

Conforms with ASME A112.6.7/CSA B79.7

Free Area  
7.20 SQ IN  
(46) SQ CM



|               |                |                |               |
|---------------|----------------|----------------|---------------|
| <b>A SIZE</b> | 0150<br>(40)   | 02<br>(50)     | 03<br>(80)    |
| <b>B</b>      | 4 1/2<br>(115) | 4 1/2<br>(115) | 3 1/2<br>(89) |

Fig. 3365C ..... CAULK OUTLET  
 Fig. 3365T ..... THREADED OUTLET

\*NOTE: The potable water supply to which a flushing type of drain is connected must be protected by a suitable vacuum breaker.

6NOTE: For water supply control boxes see Figs. 3380 and 3385

NOTE: Dimensions shown in parentheses are in millimeters.

**REGULARLY FURNISHED:**  
Cast Iron Body with Acid Resistant Coated Interior and Nickel Bronze Top.

**VARIATIONS:**  
 Water Supply Control Box 6  
 NO HUB Outlet (specify Fig. 2646Y Adaptor)

**OPTIONAL MATERIALS:**  
 All Duco Cast Iron Body -CI

DRAWING NUMBER **S3365**  
 SIZE **A**  
 SCALE: **NONE**  
 DATE: **9-19-85**  
 APPROVED BY: **SJM**  
 CHECKED BY: **JD**  
 DRAWN BY: **PJ**  
 FIGURE NUMBER **3365**

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

|                  |  |  |                        |                      |                  |                      |                              |
|------------------|--|--|------------------------|----------------------|------------------|----------------------|------------------------------|
| E<br>D<br>C<br>B | 4-19-24<br>7-24-23<br>12-7-98<br>8-23-96 | Added ASME Note<br>Removed Function<br>Revised Variations<br>Added Millimeters | HS<br>HS<br>TBW<br>EMB | BW<br>CL<br>DG<br>BS | WEIGHT<br>POUNDS | VOLUME<br>CUBIC FEET | FIGURE NUMBER<br><b>3365</b> |
| REV.             | DATE                                     | DESCRIPTION  | BY                     | CKD. BY              |                  |                      |                              |