



DESIGNED TO MEET THE DEMANDS OF EVOLVING JUSTICE ENVIRONMENTS

A SOLID SURFACE TOILET TOUGH ENOUGH FOR JUSTICE



ACORN ENGINEERING COMPANY
acorneng.com

A COMPLETE NORMATIVE ENVIRONMENT

Every element works together - refined in appearance, deliberate in performance.



DESIGNED TO BELONG.

Designed to support a normative environment while maintaining the safety and durability required in justice facilities.



Purpose-built details help reduce opportunities for attachment.



Supports accessible planning in justice & behavioral environments.



IAPMO tested to withstand 25,000 pounds.

TWO MODELS. ONE PREMIUM STANDARD.

Choose the flushing technology and footprint that best fit the application.



LR2136 SERIES

WITH BLOWOUT JET

A compact chase-mounted configuration with blowout-jet performance.

- Wall to front: 24 3/4 in.
- Height: 18 in.
- Width: 14 1/4 in.

MODEL NUMBER: LR2136-W-OCC21



LR2135 SERIES

WITH SIPHON JET

Great for retrofits. Rough-in range 3 1/2 in. to 7 1/2 in.; specify at time of order.

- Wall to front: 29 in.
- Height: 18 in.
- Width: 14 1/4 in.

MODEL NUMBER: LR2135-W-OCC21

SPECIFY WITH CONFIDENCE.


Justice-grade strength. A more human environment.



THE STRENGTH FACILITIES REQUIRE. THE ENVIRONMENT PEOPLE DESERVE.

- Stronger than vitreous china.
- Resists shattering and helps reduce weaponization risk.
- Compatible with standard North American plumbing.
- Works with standard chase-mounted flush valves.
- Delivers justice-grade durability in normative environments.

INSTALLATION + SPACE PLANNING




LR2135

- LR2135 rough-in range 3 1/2" to 7 1/2"
- Must be specified at time of order.

LR2136

- LR2136 waste is fixed 13 3/4"



MEMBER OF

MORRIS GROUP
INTERNATIONAL®

CONTACT YOUR LOCAL SALES REP
PHONE: (626) 336-4561
EMAIL: INFO@ACORNENG.COM
WEBSITE: ACORNENG.COM

L1001762 | 0926

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov

Contains less than 1% crystalline silica.