

ROCKFORD TO SMITH COMPARISON GUIDE

December, 2020

PREFIX AND SUFFIX DESCRIPTIONS			
SERIES NO.	GENERAL DESCRIPTION	SERIES NO.	GENERAL DESCRIPTION
G Series	Grease Interceptor w/end inlet and outlet (On floor type)	GFE Series-LOL	++Grease Interceptor w/end inlet/outlet left side of inlet (Low type recessed type)
G Series-C	Grease Interceptor for small spaces (On floor type)	GFE Series-LOM	Grease Interceptor w/end inlet and outlet (Low type recessed type)
G Series-L	++ Grease Interceptor w/end inlet/outlet left side of inlet (On floor type)	GFE Series-LOR	++Grease Interceptor w/end inlet/outlet right side of inlet (Low type recessed type)
G Series-M	Grease Interceptor w/end inlet and outlet (On floor type)	GIS Series	Grease Interceptor less aeration pump (Large Capacity)
G Series-R	++Grease Interceptor w/end inlet/outlet right side of inlet (On floor type)	GPS Series	Meat packing separators
G Series-FM	+G Series with disposable filter medium	GSC Series	+Concrete tank
G Series-LO	Grease Interceptor w/end inlet and outlet (Low type)	GSS Series	Sand Interceptor (Large Capacity)
G Series-LOL	++Grease Interceptor w/end inlet/outlet left side of inlet (Low type)	GTD Series	Heavy duty trench drain
G Series-LOM	Grease Interceptor w/end inlet and outlet (Low type)	OS Series	Oil separators
G Series-LOR	++Grease Interceptor w/end inlet/outlet right side of inlet (Low type)	OST Series	Oil separator w/integral storage tank
GAS Series	Grease Interceptor w/aeration pump (Large Capacity)	R POLY Series	Grease Interceptor (Polyethylene)
GF Series	Grease Interceptor with end inlet/outlet (Recessed or flush type)	R-AGRU Series	GI (Grease Recovery Device Type)
GF Series-L	++Grease Interceptor w/end inlet/outlet left side of inlet (Recessed or flush type)	RHS Series	+Helicopter port fuel separator
GF Series-M	Grease Interceptor w/end inlet and outlet (Recessed or flush type)	RLS Series	Lint Interceptor
GF Series-R	++Grease Interceptor w/end inlet/outlet right side of inlet (Recessed or flush type)	RMS Series	Large capacity interceptor w/mech. skimmer
GF Series-LO	Grease Interceptor w/end inlet and outlet (Low type recessed or flush type)	RP Series	GI – PDI Certified with end inlet/outlet (Recessed or flush type-Small units PDI Certified)
GF Series-LOL	++Grease Interceptor w/end inlet/outlet left side of inlet (Low type recessed or flush type)	RPD Series	Grease Interceptor with semi-automatic draw off
GF Series-LOM	Grease Interceptor w/end inlet and outlet (Low type recessed or flush type)	RPDC Series	RPD Series Grease Interceptor with Cradle
GF Series-LOR	++Grease Interceptor w/end inlet/outlet right side of inlet (Low type recessed or flush type)	RPS Series	Food Solids Interceptor
GFE Series	Grease Interceptor with end inlet/outlet (Recessed type)	RSD Series	Garage drain sand/sediment interceptor
GFE Series-L	++Grease Interceptor w/end inlet/outlet left side of inlet (Recessed type)	RT Series	Waste grease storage tank
GFE Series-M	Grease Interceptor w/end inlet and outlet (Recessed type)	RTD Series	Medium duty trench drain
GFE Series-R	++Grease Interceptor w/end inlet/outlet right side of inlet (Recessed type)	RTF Series	Heavy duty frame & grate
GFE Series-LO	Grease Interceptor w/end inlet and outlet (Low type recessed type)	RTO Series	Grease Interceptor w/end inlet and outlet (Recessed or flush type)
		RTO Series-L	++ Grease Interceptor w/end inlet/outlet left side of inlet (Recessed or flush type)
		RTO Series-M	Grease Interceptor w/end inlet and outlet (Recessed or flush type)
		RTO Series-R	++Grease Interceptor w/end inlet/outlet right side of inlet (Recessed or flush type)
		SD Series	Garage drain sand/sediment/oil Interceptor
		SDE Series	Floor interceptor w/integral extension
		ST Series	+Underground steel storage tank

OPTIONS AND VARIATIONS

ROCKFORD SUFFIX	DESCRIPTION	SMITH SUFFIX	ROCKFORD SUFFIX	DESCRIPTION	SMITH SUFFIX
-FM	Filter Media	NO EQUAL		Double-Wall Construction	-DWC
	Sediment Basket	-B		Aluminum Cover	-AC
	Epoxy Coating Inside and Outside	-ARIO		Hub Inlet and Outlet	2645 Adaptors
	Stainless Steel Construction	-SS	-E	Extension	-E (or by Fig. No. Selected)
	Draw-off Valve	GT		Integral Extension	-E (Specify Integral Extension)
-L	Outlet on Left Side of Inlet	No Equal		Alternate Inlet/Outlet Size	Specify Inlet/Outlet Size
-M	Outlet on Opposite End of Inlet	Standard		Alternate Vent Connection Size	Specify Vent Size
-R	Outlet on Right Side of Inlet	No Equal		Anodes	No Equal or By Others
	Internal Vent Connection	-VC		Reinforced Cover(s)	-HD or -H20 (Specify Load Rating)
	Anchor Flange	-F		Leak Detection	-LDS (Only available with -DWC)
	Flashing Flange	-F		Hold Down Pads	-AT (Anchoring Tabs)
	Clamping Ring	-C			

GREASE INTERCEPTORS – ON THE FLOOR OR PARTIALLY RECESSED TYPE

ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.	ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.
STANDARD											
G-710	5	7	8004	4	8	G-1820-L	20	70	8020++	20	40
G-710-L	5	7	8004++	4	8	G-1820-M	20	70	8020	20	40
G-710-M	5	7	8004	4	8	G-1820-R	20	70	8020++	20	40
G-710-R	5	7	8004++	4	8	G-2420	30	90	8025	25	50
G-1012	8	12	8007	7	14	G-2420-L	30	90	8025++	25	50
G-1012-L	8	12	8007++	7	14	G-2420-M	30	90	8025	25	50
G-1012-M	8	12	8007	7	14	G-2420-R	30	90	8025++	25	50
G-1012-R	8	12	8007++	7	14	G-2635	35	120	8035	35	70
G-1412	12	18	8010	10	20	G-2635-L	35	120	8035++	35	70
G-1412-L	12	18	8010++	10	20	G-2635-M	35	120	8035	35	70
G-1412-M	12	18	8010	10	20	G-2635-R	35	120	8035++	35	70
G-1412-R	12	18	8010++	10	20	G-2824	40	180	8035 or 8050++	35/50	70/100
G-1815	16	60	8015	15	30	G-2824-L	40	180	8035 or 8050++	35/50	70/100
G-1815-L	16	60	8015++	15	30	G-2824-M	40	180	8035 or 8050++	35/50	70/100
G-1815-M	16	60	8015	15	30	G-2824-R	40	180	8035 or 8050++	35/50	70/100
G-1815-R	16	60	8015++	15	30	G-3050	50	220	8050	50	100
G-1820	20	70	8020	20	40	G-3050-L	50	220	8050++	50	100

PM 2283G

+No Equal – Contact Sales Engineering

++Not an exact equal –Substitute Subject to Approval

CSE – Contact Sales Engineering

GREASE INTERCEPTORS – ON THE FLOOR OR PARTIALLY RECESSED TYPE (CONT'D)					
ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.
STANDARD (CONT'D)					
G-3050-M	50	220	8050	50	100
G-3050-R	50	220	8050++	50	100
G-3224	60	250	8050 or 8450++	50/75	100/150
G-3224-L	60	250	8050 or 8450++	50/75	100/150
G-3224-M	60	250	8050 or 8450++	50/75	100/150
G-3224-R	60	250	8050 or 8450++	50/75	100/150
G-3475	75	300	8450	75	150
G-3475-L	75	300	8450++	75	150
G-3475-M	75	300	8450	75	150
G-3475-R	75	300	8450++	75	150
G-3628	100	350	8460	100	200
G-3628-L	100	350	8460++	100	200
G-3628-M	100	350	8460	100	200
G-3628-R	100	350	8460++	100	200

LOW TYPE					
G-23-LO	16	65	8120	20	40
G-23-LOL	16	65	8120++	20	40
G-23-LOM	16	65	8120	20	40
G-23-LOR	16	65	8120++	20	40
G-25-LO	20	80	8120	20	40
G-25-LOL	20	80	8120++	20	40
G-25-LOM	20	80	8120	20	40
G-25-LOR	20	80	8120++	20	40
G-30-LO	30	90	8120 or 8135++	20/35	40/70
G-30-LOL	30	90	8120 or 8135++	20/35	40/70
G-30-LOM	30	90	8120 or 8135++	20/35	40/70
G-30-LOR	30	90	8120 or 8135++	20/35	40/70
G-36-LO	35	108	8135	35	70
G-36-LOL	35	108	8135++	35	70
G-36-LOM	35	108	8135	35	70
G-36-LOR	35	108	8135++	35	70
G-45-LO	40	200	8135 or 8150++	35/50	70/100
G-45-LOL	40	200	8135 or 8150++	35/50	70/100
G-45-LOM	40	200	8135 or 8150++	35/50	70/100
G-45-LOR	40	200	8135 or 8150++	35/50	70/100
G-50-LO	50	250	8150	50	100
G-50-LOL	50	250	8150++	50	100
G-50-LOM	50	250	8150	50	100
G-50-LOR	50	250	8150++	50	100

GREASE INTERCEPTORS – CABINET TYPE					
G-100-C	4	6	8004++	4	8
G-200-C	4	6	8004	4	8
G-300-C	4	6	8004++	4	8

GREASE INTERCEPTORS – FLUSH WITH FLOOR TYPE					
STANDARD					
GF-1412	12	18	8010 or 8210	10	20
GF-1412-L	12	18	8010++	10	20
GF-1412-M	12	18	8010	10	20
GF-1412-R	12	18	8010++	10	20
GF-1815	16	60	8015	15	30
GF-1815-L	16	60	8015++	15	30
GF-1815-M	16	60	8015	15	30
GF-1815-R	16	60	8015++	15	30
GF-1820	20	70	8020	20	40
GF-1820-L	20	70	8020++	20	40
GF-1820-M	20	70	8020	20	40
GF-1820-R	20	70	8020++	20	40
GF-2420	30	90	8025	25	50
GF-2420-L	30	90	8025++	25	50
GF-2420-M	30	90	8025	25	50
GF-2420-R	30	90	8025++	25	50
GF-2635	35	120	8035	35	70
GF-2635-L	35	120	8035++	35	70
GF-2635-M	35	120	8035	35	70
GF-2635-R	35	120	8035++	35	70
GF-2824	40	180	8035 or 8050++	35/50	70/100
GF-2824-L	40	180	8035 or 8050++	35/50	70/100
GF-2824-M	40	180	8035 or 8050++	35/50	70/100
GF-2824-R	40	180	8035 or 8050++	35/50	70/100
GF-3050	50	220	8050	50	100
GF-3050-L	50	220	8050	50	100
GF-3050-M	50	220	8050	50	100
GF-3050-R	50	220	8050	50	100
GF-3224	60	250	8050 or 8450++	50/75	100/150
GF-3224-L	60	250	8050 or 8450++	50/75	100/150
GF-3224-M	60	250	8050 or 8450++	50/75	100/150
GF-3224-R	60	250	8050 or 8450++	50/75	100/150
GF-3475	75	300	8450	75	150
GF-3475-L	75	300	8450++	75	150
GF-3475-M	75	300	8450	75	150
GF-3475-R	75	300	8450++	75	150
GF-3628	100	350	8460	100	200
GF-3628-L	100	350	8460++	100	200
GF-3628-M	100	350	8460	100	200
GF-3628-R	100	350	8460++	100	200

GREASE INTERCEPTORS – FLUSH WITH FLOOR TYPE (CONT'D)					
ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.
LOW TYPE					
GF-23-LO	16	65	8120	20	40
GF-23-LOL	16	65	8120++	20	40
GF-23-LOM	16	65	8120	20	40
GF-23-LOR	16	65	8120++	20	40
GF-25-LO	20	80	8120	20	40
GF-25-LOL	20	80	8120++	20	40
GF-25-LOM	20	80	8120	20	40
GF-25-LOR	20	80	8120++	20	40
GF-30-LO	30	90	8135	35	70
GF-30-LOL	30	90	8135++	35	70
GF-30-LOM	30	90	8135	35	70
GF-30-LOR	30	90	8135++	35	70
GF-36-LO	35	108	8135	35	70
GF-36-LOL	35	108	8135++	35	70
GF-36-LOM	35	108	8135	35	70
GF-36-LOR	35	108	8135++	35	70
GF-45-LO	40	200	8135 or 8150++	35/50	70/100
GF-45-LOL	40	200	8135 or 8150++	35/50	70/100
GF-45-LOM	40	200	8135 or 8150++	35/50	70/100
GF-45-LOR	40	200	8135 or 8150++	35/50	70/100
GF-50-LO	50	250	8150	50	100
GF-50-LOL	50	250	8150++	50	100
GF-50-LOM	50	250	8150	50	100
GF-50-LOR	50	250	8150++	50	100

GREASE INTERCEPTORS – WITH EXTENSIONS					
STANDARD					
GFE-1412	12	18	8210	10	20
GFE-1412-L	12	18	8210++	10	20
GFE-1412-M	12	18	8210	10	20
GFE-1412-R	12	18	8210++	10	20
GFE-1815	16	60	8215	15	30
GFE-1815-L	16	60	8215++	15	30
GFE-1815-M	16	60	8215	15	30
GFE-1815-R	16	60	8215++	15	30
GFE-1820	20	70	8220	20	40
GFE-1820-L	20	70	8220++	20	40
GFE-1820-M	20	70	8220	20	40
GFE-1820-R	20	70	8220++	20	40
GFE-2420	30	90	8225	25	50
GFE-2420-L	30	90	8225++	25	50
GFE-2420-M	30	90	8225	25	50
GFE-2420-R	30	90	8225++	25	50
GFE-2635	35	120	8235	35	70
GFE-2635-L	35	120	8235++	35	70
GFE-2635-M	35	120	8235	35	70
GFE-2635-R	35	120	8235++	35	70
GFE-2824	40	180	8235 or 8250++	35/50	70/100
GFE-2824-L	40	180	8235 or 8250++	35/50	70/100
GFE-2824-M	40	180	8235 or 8250++	35/50	70/100
GFE-2824-R	40	180	8235 or 8250++	35/50	70/100
GFE-3050	50	220	8250	50	100
GFE-3050-L	50	220	8250	50	100
GFE-3050-M	50	220	8250	50	100
GFE-3050-R	50	220	8250	50	100
GFE-3224	60	250	8250 or 8450-E++	50/75	100/150
GFE-3224-L	60	250	8250 or 8450-E++	50/75	100/150
GFE-3224-M	60	250	8250 or 8450-E++	50/75	100/150
GFE-3224-R	60	250	8250 or 8450-E++	50/75	100/150
GFE-3475	75	300	8450-E	75	150
GFE-3475-L	75	300	8450-E++	75	150
GFE-3475-M	75	300	8450-E	75	150
GFE-3475-R	75	300	8450-E++	75	150
GFE-3628	100	350	8460-E	100	200
GFE-3628-L	100	350	8460-E++	100	200
GFE-3628-M	100	350	8460-E	100	200
GFE-3628-R	100	350	8460-E++	100	200

LOW TYPE					
GFE-23-LO	16	65	CSE		
GFE-23-LO-L	16	65	CSE		
GFE-23-LO-M	16	65	CSE		
GFE-23-LO-R	16	65	CSE		
GFE-25-LO	20	80	CSE		
GFE-25-LO-L	20	80	CSE		
GFE-25-LO-M	20	80	CSE		
GFE-25-LO-R	20	80	CSE		
GFE-30-LO	30	90	CSE		
GFE-30-LO-L	30	90	CSE		
GFE-30-LO-M	30	90	CSE		
GFE-30-LO-R	30	90	CSE		
GFE-36-LO	35	108	CSE		
GFE-36-LO-L	35	108	CSE		
GFE-36-LO-M	35	108	CSE		
GFE-36-LO-R	35	108	CSE		
GFE-45-LO	40	200	CSE		
GFE-45-LO-L	40	200	CSE		
GFE-45-LO-M	40	200	CSE		
GFE-45-LO-R	40	200	CSE		
GFE-50-LO	50	250	CSE		

GREASE INTERCEPTORS – WITH EXTENSIONS (CONT'D)					
ROCKFORD FIG. NO.	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.	
LOW TYPE (CONT'D)					
GFE-50-LO-L	50	250	CSE		
GFE-50-LO-M	50	250	CSE		
GFE-50-LO-R	50	250	CSE		
GREASE INTERCEPTORS – LARGE CAPACITY TYPE					
GIS-50	100	250	8460	100	200
GIS-60	150	375	8465	150	300
GIS-70	200	500	8470	200	400
GIS-75	225	450	8470-225	225	450
GIS-80	250	625	8475	250	500
GIS-90	350	850	8480	350	700
GIS-96	400	1000	8490-400	400	800
GIS-100	500	1000	8490	500	1000
GIS-200	750	1500	8490-750	750	1500
GAS-40	75	180	No Equal+		
GAS-50	100	250	No Equal+		
GAS-60	150	375	No Equal+		
GAS-70	200	500	No Equal+		
GAS-80	250	625	No Equal+		
GAS-90	350	850	No Equal+		
GAS-96	400	1000	No Equal+		
GAS-100	500	1250	No Equal+		
GAS-200	750	1500	No Equal+		

GREASE INTERCEPTORS- MEAT PACKING AND FOOD PROCESSING TYPE					
GPS-50	25	75	No Equal+		
GPS-100	50	150	No Equal+		
GPS-200	75	225	No Equal+		
GPS-300	100	300	No Equal+		
GPS-400	150	450	No Equal+		
GPS-500	200	600	No Equal+		
GPS-750	250	750	No Equal+		
GPS-1000	350	1100	No Equal+		
GPS-1500	450	1500	No Equal+		
GPS-2000	550	2000	No Equal+		
GPS-2500	750	3000	No Equal+		
GPS-3000	1000	4500	No Equal+		

GREASE INTERCEPTORS – PREFABRICATED STEEL INSERTS FOR CONCRETE					
ROCKFORD FIG. NO.	LIQUID HOLDING CAPACITY GAL.	SMITH FIG. NO.			
GSC-10	1000 Gal.	No Equal+			
GSC-15	1500 Gal.	No Equal+			
GSC-20	2000 Gal.	No Equal+			
GSC-30	3000 Gal.	No Equal+			
GSC-40	4000 Gal.	No Equal+			
GSC-50	5000 Gal.	No Equal+			
GSC-60	6000 Gal.	No Equal+			

SEDIMENT INTERCEPTORS					
ROCKFORD FIG. NO.	STATIC HOLDING CAPACITY GAL.	SMITH FIG. NO.	STATIC HOLDING CAPACITY GAL.		
GSS-10	250	8900-250	250		
GSS-12	365	8900-365	365		
GSS-18	405	8900-405	405		
GSS-24	540	8900-540	540		
GSS-27	608	8900-608	608		
GSS-30	675	8900-675	675		
GSS-36	810	8900-810	810		
GSS-45	1012	8900-1000	1012		

OIL INTERCEPTORS					
ROCKFORD FIG. NO.	GPM	SMITH FIG. NO.	GPM		
OS-5624	25	8525	25		
OS-5628	35	8535	35		
OS-5630	50	8550	50		
OS-5633	65	8560++	75		
OS-5636	75	8560	75		
OS-5642	100	8565	100		
OS-5644	150	8570	150		
OS-5648	200	8575	200		
OS-5652	250	8580	250		
OS-5654	300	8580-300 (CSE)	300		
OS-5658	350	8585	350		
OS-5662	400	8585-400 (CSE)	400		
OS-5664	450	8590-450 (CSE)	450		
OS-5670	500	8590	500		

OIL INTERCEPTORS LIGHT COMMERCIAL					
OSL-5624	25	No Eq. Sub. 8525	25		
OSL-5628	35	No Eq. Sub. 8535	35		
OSLL-5630	50	No Eq. Sub. 8550	50		
OS-5633	65	No Eq. Sub. 8560++	75		
OSL-5636	75	No Eq. Sub. 8560	75		
OSL-5642	100	No Eq. Sub. 8565	100		

OIL INTERCEPTORS LIGHT COMMERCIAL (CONT'D)					
ROCKFORD FIG. NO.	GPM	SMITH FIG. NO.	GPM		
OSL-5644	150	No Eq. Sub. 8570	150		
OSL-5648	200	No Eq. Sub. 8575	200		
OSL-5652	250	No Eq. Sub. 8580	250		
OSL-5654	300	No Eq. Sub. 8580-300(CSE)	300		
OSL-5658	350	No Eq. Sub. 8585	350		
OSL-5662	400	No Eq. Sub. 8585-400(CSE)	400		
OSL-5664	450	No Eq. Sub. 8590-450(CSE)	450		
OSL-5670	500	No Eq. Sub. 8590	500		

OIL INTERCEPTORS WITH DOUBLE WALL					
OS-5010-DW	10	8510-DW	10		
OS-5615-DW	15	8515-DW	15		
OS-5620-DW	20	8520-DW	20		
OS-5624-DW	25	8525-DW	25		
OS-5628-DW	35	8535-DW	35		
OS-5630-DW	50	8550-DW	50		
OS-5633-DW	65	8560-DW++	75		
OS-5636-DW	75	8560-DW	75		
OS-5642-DW	100	8565-DW	100		
OS-5644-DW	150	8570-DW	150		
OS-5648-DW	200	8575-DW	200		
OS-5652-DW	250	8580-DW	250		
OS-5654-DW	300	8580-300-DW(CSE)	300		
OS-5658-DW	350	8585-DW	350		
OS-5662-DW	400	8585-400-DW(CSE)	400		
OS-5664-DW	450	8590-450-DW(CSE)	450		
OS-5670-DW	500	8590-DW	500		

OIL INTERCEPTORS WITH INTEGRAL STORAGE TANK					
OST-5610-5	10	8599-10-5	10		
OST-5615-10	15	8599-15-10	15		
OST-5620-10	20	8599-20-50	20		
OST-5624-25-50	25	8599-25-100	25		
OST-5628-35-50	35	8599-35-100	35		
OST-5630-50-100	50	8599-50-100	50		
OST-5633-65-100	65	8599-50-100++	50		
OST-5636-75-100	75	8599-75-100	75		
OST-5642-100-200	100	8599-100-250	100		
OST-5644-150-200	150	8599-150-250	150		
OST-5648-200-300	200	8599-200-250	200		
OST-5652-250-300	250	8599-250-500	250		
OST-5654-300-300	300	8599-300-500(CSE)	300		
OST-5658-350-500	350	8599-350-500	350		
OST-5662-400-500	400	8599-400-500(CSE)	400		
OST-5664-450-500	450	*8599-450-500	450		
OST-5670-500-500	500	8599-500-750	500		

OIL INTERCEPTORS WITH INTEGRAL STORAGE TANK AND DOUBLE WALL					
OST-5624-50DW	25	8599-25-100-DW	25		
OST-5628-50DW	35	8599-35-100-DW	35		
OST-5630-100DW	50	8599-50-100-DW	50		
OST-5633-100DW	65	8599-50-100-DW++	50		
OST-5636-100DW	75	8599-75-100-DW	75		
OST-5642-200DW	100	8599-100-250-DW	100		
OST-5644-200DW	150	8599-150-250-DW	150		
OST-5648-300DW	200	8599-200-250-DW	200		
OST-5652-300DW	250	8599-250-500-DW	250		
OST-5654-300DW	300	8599-300-500-DW(CSE)	300		
OST-5658-500DW	350	8599-350-500-DW	350		
OST-5662-500DW	400	8599-400-500-DW(CSE)	400		
OST-5664-500DW	450	*8599-450-500-DW	450		
OST-5670-500DW	500	8599-500-750-DW	500		

OIL INTERCEPTORS WITH INTEGRAL STORAGE TANK LIGHT COMMERCIAL					
OSTL-5610-5	10	No Eq. Sub. 8599-10-5	10		
OSTL-5615-10	15	No Eq. Sub. 8599-15-10	15		
OSTL-5620-10	20	No Eq. Sub. 8599-20-50	20		
OSTL-5624-25-50	25	No Eq. Sub. 8599-25-100	25		
OSTL-5628-35-50	35	No Eq. Sub. 8599-35-100	35		
OSTL-5630-50-100	50	No Eq. Sub. 8599-50-100	50		
OSTL-5633-65-100	65	No Eq. Sub. 8599-50-100++	50		
OSTL-5636-75-100	75	No Eq. Sub. 8599-75-100	75		
OST-5642-100-200	100	No Eq. Sub. 8599-100-250	100		
OSTL-5644-150-200	150	No Eq. Sub. 8599-150-250	150		
OSTL-5648-200-300	200	No Eq. Sub. 8599-200-250	200		
OST-5652-250-300	250	No. Eq. Sub. 8599-250-500	250		
OSTL-5654-300-300	300	No. Eq. Sub. 8599-300-500(CSE)	300		
OSTL-5658-350-500	350	No. Eq. Sub. 8599-350-500	350		
OSTL-5662-400-500	400	No. Eq. Sub. 8599-400-500(CSE)	400		

OIL INTERCEPTORS WITH INTEGRAL STORAGE TANK LIGHT COMMERCIAL (CONT'D)			
ROCKFORD FIG. NO.	GPM	SMITH FIG. NO.	GPM
OSTL-5662-400-500	400	No. Eq. Sub. 8599-400-500(CSE)	400
OSTL-5664-450-500	450	No. Eq. Sub. *8599-450-500	450
OSTL-5670-500-500	500	No. Eq. Sub. 8599-500-750	500
OSTL-5610-5DW	10	No. Eq. Sub. 8599-10-5-DW	10
OSTL-5615-10DW	15	No. Eq. Sub. 8599-15-10-DW	15
OSTL-5620-10DW	20	No. Eq. Sub. 8599-20-50-DW	20
OSTL-5624-25-50DW	25	No. Eq. Sub. 8599-25-100-DW	25
OSTL-5628-35-50DW	35	No. Eq. Sub. 8599-35-100-DW	35
OSTL-5630-50-100DW	50	No. Eq. Sub. 8599-50-100-DW	50
OSTL-5633-65-100DW	65	No. Eq. Sub. 8599-50-100-DW ++	50
OSTL-5636-75-100DW	75	No. Eq. Sub. 8599-75-100-DW	75
OST-5642-100-200DW	100	No. Eq. Sub. 8599-100-250-DW	100
OSTL-5644-150-200DW	150	No. Eq. Sub. 8599-150-250-DW	150
OSTL-5648-200-300DW	200	No. Eq. Sub. 8599-200-250-DW	200
OST-5652-250-300DW	250	No. Eq. Sub. 8599-250-500-DW	250
OSTL-5654-300-300DW	300	No. Eq. Sub. 8599-300-500-DW(CSE)	300
OSTL-5658-350-500DW	350	No. Eq. Sub. 8599-350-500-DW	350
OSTL-5662-400-500DW	400	No. Eq. Sub. 8599-400-500-DW(CSE)	400
OSTL-5664-450-500DW	450	No. Eq. Sub. *8599-450-500-DW	450
OSTL-5670-500-500DW	500	No. Eq. Sub. 8599-500-750-DW	500

OIL INTERCEPTORS WITH INTEGRAL STORAGE TANK AND SEDIMENT TANK			
ROCKFORD FIG. NO.	GPM	SMITH FIG. NO.	
GOST-5624-25-50	25	CSE	
GOST-5628-35-50	35	CSE	
GOST-5630-50-100	50	CSE	
GOST-5633-65-100	65	CSE	
GOST-5636-75-100	75	CSE	
GOST-5642-100-200	100	CSE	
GOST-5644-150-200	150	CSE	
GOST-5648-200-300	200	CSE	
GOST-5652-250-300	250	CSE	
GOST-5654-300-300	300	CSE	
GOST-5658-350-500	350	CSE	
GOST-5662-400-500	400	CSE	
GOST-5664-450-500	450	CSE	
GOST-5670-500-500	500	CSE	

OIL INTERCEPTORS WITH INTEGRAL STORAGE TANK, SEDIMENT TANK AND DOUBLE WALL			
ROCKFORD FIG. NO.	GPM	SMITH FIG. NO.	
GOST-5624-50DW	25	CSE	
GOST-5628-50DW	35	CSE	
GOST-5630-100DW	50	CSE	
GOST-5633-100DW	65	CSE	
GOST-5636-100DW	75	CSE	
GOST-5642-200DW	100	CSE	
GOST-5644-200DW	150	CSE	
GOST-5648-300DW	200	CSE	
GOST-5652-300DW	250	CSE	
GOST-5654-300DW	300	CSE	
GOST-5658-500DW	350	CSE	
GOST-5662-500DW	400	CSE	
GOST-5664-500DW	450	CSE	
GOST-5670-500DW	500	CSE	

GREASE INTERCEPTORS-LARGE CAPACITY			
ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.
GRAVITY			
ROI-350	350	1764	No Equal
ROI-500	500	2520	No Equal
ROI-750	750	3780	No Equal
ROI-1000	1000	5040	No Equal
ROI-1250	1250	6300	No Equal
ROI-1500	1500	7560	No Equal
ROI-2000	2000	10080	No Equal
ROI-2500	2500	12600	No Equal
ROI-3000	3000	15120	
ROI-3500	3500	17640	No Equal
ROI-4000	4000	20160	No Equal
ROI-5000	5000	25200	No Equal
ROI-6000	6000	30240	No Equal
ROI-7000	7000	35280	No Equal
ROI-8000	8000	40320	No Equal
ROI-9000	9000	45360	No Equal
ROI-10000	10000	50400	No Equal

GREASE INTERCEPTORS-PDI APPROVED					
ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.
STANDARD					
RP-4	4	18	CSE		
RP-7	7	27	8007	7	14
RP-10	10	42	8010	10	20
RP-15	15	68	8015	15	20
RP-20	20	77	8020	20	40
RP-25	25	103	8025	25	50
RP-35	35	153	8025	35	70
RP-50	50	201	8050	50	100
RP-75	75	451	8450	75	150
RP-100	100	621	8460	100	200
RP-20-LO	20	40	8120	20	40
RP-35-LO	35	70	8135	35	70
RP-50-LO	50	100	CSE		

LIGHT COMMERCIAL					
RP-4	4	8	CSE		
RP-7	7	14	800-Y02-07	7	14
RP-10	10	20	800-Y02-10	10	20
RP-15	15	30	800-Y02-15	15	20
RP-20	20	40	800-Y03-20	20	40
RP-25	25	50	800-Y03-25	25	50
RP-35	35	70	800-Y03-35	35	70
RP-50	50	100	800-Y03-50	50	100
RP-75	75	150	8450++	75	150
RP-100	100	200	8460++	100	200
RP-20-LO	20	40	801-Y03-20	20	40
RP-35-LO	35	70	801-Y03-35	35	70
RP-50-LO	50	100	CSE		

GREASE INTERCEPTORS WITH SEMI-AUTOMATIC DRAW-OFF					
STANDARD					
RPD-4	4	8	8007GTX++	7	14
RPD-7	7	14	8007GTX	7	14
RPD-10	10	20	8010GTX	10	20
RPD-15	15	30	8015GTX	15	20
RPD-20	20	40	8020GTX	20	40
RPD-25	25	50	8025GTX	25	50
RPD-35	35	70	8035GTX	35	70
RPD-50	50	100	8050GTX	50	100
RPD-75	75	150	8450GTX	75	150
RPD-100	100	200	(CSE)	100	200
RPD-20-LO	20	40	8120GTX	20	40
RPD-35-LO	35	70	8135GTX	35	70
RPD-50-LO	50	100	8150GTX	50	100

LIGHT COMMERCIAL					
RPD-4	4	8	802-Y02-04	4	8
RPD-7	7	14	802-Y02-07	7	14
RPD-10	10	20	802-Y02-10	10	20
RPD-15	15	30	802-Y02-15	15	20
RPD-20	20	40	802-Y03-20	20	40
RPD-25	25	50	802-Y03-25	25	50
RPD-35	35	70	802-Y03-35	35	70
RPD-50	50	100	802-Y03-50	50	100
RPD-75	75	150	8450GTX++	75	150
RPD-100	100	200	(CSE)	100	200
RPD-20-LO	20	40	803-Y03-20	20	40
RPD-35-LO	35	70	803-Y03-35	35	70
RPD-50-LO	50	100	803-Y03-50	50	100

GREASE INTERCEPTORS WITH SEMI-AUTOMATIC DRAW-OFF AND RECEIVING CRADLES					
RPDC-4	4	8	8307GT++	7	14
RPDC-7	7	14	8307GT	7	14
RPDC-10	10	20	8310GT	10	20
RPDC-15	15	30	8315GT	15	20
RPDC-20	20	40	8320GT	20	40
RPDC-25	25	50	8325GT	25	50
RPDC-35	35	70	8335GT	35	70
RPDC-50	50	100	8350GT	50	100
RPDC-75	75	150	8350GT	75	150

GREASE INTERCEPTOR - AUTOMATIC GREASE RECOVERY UNIT					
ROCKFORD FIG. NO.	GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GPM.	GREASE CAP. LBS.
R-AGRU-20	20	40	8165/8175-20	20	40
R-AGRU-25	25	50	8165/8175-25	25	50
R-AGRU-35	35	70	8165/8175-35	35	70
R-AGRU-50	50	100	8165/8175-50	50	100
R-AGRU-75	75	150	CSE		
R-AGRU-100	100	200	CSE		
R-POLY-20	20	40	CSE		

GREASE INTERCEPTORS-LARGE CAPACITY					
ROCKFORD FIG. NO.	GREASE GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GREASE GPM.	GREASE CAP. LBS.
STANDARD					
RP-125	125	775	8460	125	250
RP-150	150	1021	8465	150	300
RP-200	200	1456	8470	200	400
RP-250	250	2529	8475	250	500
RP-300	300	3131	8475-300	300	600
RP-350	350	3876	8480	350	700
RP-400	400	4820	8480-400	400	800
RP-450	450	4920	8480-450	450	900
RP-500	500	5009	8490	500	1000
GRAVITY					
RGI-350	350	1764	No Equal		
RGI-500	500	2520	No Equal		
RGI-750	750	3780	No Equal		
RGI-1000	1000	5040	No Equal		
RGI-1250	1250	6300	No Equal		
RGI-1500	1500	7560	No Equal		
RGI-2000	2000	10080	No Equal		
RGI-2500	2500	12600	No Equal		
RGI-3000	3000	15120			
RGI-3500	3500	17640	No Equal		
RGI-4000	4000	20160	No Equal		
RGI-5000	5000	25200	No Equal		
RGI-6000	6000	30240	No Equal		
RGI-7000	7000	35280	No Equal		
RGI-8000	8000	40320	No Equal		
RGI-9000	9000	45360	No Equal		
RGI-10000	10000	50400	No Equal		

GREASE INTERCEPTORS-STAINLESS STEEL					
STANDARD					
RP-4-SS	4	18	8004-SS	4	8
RP-7-SS	7	27	8007-SS	7	14
RP-10-SS	10	42	8010-SS	10	20
RP-15-SS	15	68	8015-SS	15	20
RP-20-SS	20	77	8020-SS	20	40
RP-25-SS	25	103	8025-SS	25	50
RP-35-SS	35	153	8025-SS	35	70
RP-50-SS	50	201	8050-SS	50	100
RP-75-SS	75	451	8450-SS	75	150
RP-100-SS	100	621	8460-SS	100	200
RP-20-LO-SS	20	40	8120-SS	20	40
RP-35-LO-SS	35	70	8135-SS	35	70
RP-50-LO-SS	50	100	8150-SS	50	100

POLYETHYLENE GREASE INTERCEPTORS					
R-POLY-7	7	14	CSE		
R-POLY-10	10	20	CSE		
R-POLY-15	15	30	CSE		
R-POLY-20	20	40	CSE		
R-POLY-25	25	50	CSE		
R-POLY-35	35	70	CSE		
R-POLY-50	50	100	CSE		
R-POLY-75	75	150	CSE		
R-POLY-100	100	200	CSE		
R-POLY-150	150	300	CSE		
R-POLY-200	200	400	CSE		
R-POLY-250	250	500	CSE		
R-POLY-350	350	700	CSE		

GREASE INTERCEPTORS WITH TRIPLE OUTLET CONNECTIONS					
RTO-5	5	7	8004++	4	8
RTO-8	8	12	8007++	7	14
RTO-12	12	18	8010++	10	20
RTO-16	16	60	8015++	15	30
RTO-20	20	70	8020++	20	40
RTO-30	30	90	8025++	25	50
RTO-35	35	120	8035++	35	70
RTO-40	40	180	8035++	35	70
RTO-50	50	220	8050++	50	100
RTO-60	60	250	8050++	50	100
RTO-75	75	300	8450++	75	150
RTO-100	100	350	8460++	100	200
RTO-16-LO	16	65	8120++	20	40
RTO-20-LO	20	80	8120++	20	40
RTO-30-LO	30	90	8135++	35	70
RTO-40-LO	40	200	8135++	35	70
RTO-50-LO	50	250	8150++	50	100

SOLIDS INTERCEPTORS					
STANDARD					
RPS-4	4		8870-34	4	
RPS-7	7		8871-34	7	
RPS-10	10		8872-34	10	
RPS-15	15		8873-34	15	

SOLIDS INTERCEPTORS CONT'D					
ROCKFORD FIG. NO.	GREASE GPM	GREASE SLUDGE CAP.	SMITH FIG. NO.	GREASE GPM.	GREASE CAP. LBS.
RPS-20	20		8874-34	20	
RPS-25	25		8875-34	25	
RPS-35	35		8876-34	35	
RPS-50	50		8877-34	50	
RPS-75	75		8878-34	75	
RPS-100	100		8879-34	100	
RSI-11			8710T0150		
RSI-12			8710T02		

OIL/FUEL INTERCEPTORS			
ROCKFORD FIG. NO.	DESCRIPTION	SMITH FIG. NO.	
RHS-10	Helicopter Port Fuel Interceptor		No Equal
RHS-20	Helicopter Port Fuel Interceptor		No Equal
RHS-30	Helicopter Port Fuel Interceptor		No Equal
RHS-40	Helicopter Port Fuel Interceptor		No Equal
RHS-50	Helicopter Port Fuel Interceptor		No Equal
RHS-60	Helicopter Port Fuel Interceptor		No Equal

GARAGE DRAINS			
ROCKFORD FIG. NO.	DESCRIPTION	SMITH FIG. NO.	DESCRIPTION
RSD-30-RC	Garage Drains	8915	Garage Drains
RSD-30-IC	Garage Drains	CSE	Garage Drains

COMBINATION SAND AND OIL SEPARATOR DRAINS

ROCKFORD FIG. NO.	GREASE SLUDGE CAP.	DESCRIPTION	SMITH FIG. NO.	DESCRIPTION
SD-18	12	Combination Separator Drains	8925-12	Sediment Oil Interceptor
SD-20	23	Combination Separator Drains	8925-60++	Sediment Oil Interceptor
SD-25	77	Combination Separator Drains	8925-60++	Sediment Oil Interceptor
SD-30	105	Combination Separator Drains	8925-100	Sediment Oil Interceptor
SD-40	193	Combination Separator Drains	8925-200	Sediment Oil Interceptor
SD-48	350	Combination Separator Drains	CSE	Sediment Oil Interceptor
SD-60	438	Combination Separator Drains	CSE	Sediment Oil Interceptor
SD-72	665	Combination Separator Drains	CSE	Sediment Oil Interceptor
SD-84	910	Combination Separator Drains	CSE	Sediment Oil Interceptor
SD-96	1,155	Combination Separator Drains	CSE	Sediment Oil Interceptor

LINT INTERCEPTORS

ROCKFORD FIG. NO.	STATIC HOLDING CAP.	DESCRIPTION	SMITH FIG. NO.	DESCRIPTION	STATIC HOLDING CAP.
RLS-5	40 gal.	Lint Separator	SQ-8-2408-5	Lint Separator	40 gal.
RLS-10	67 gal.	Lint Separator	SQ-8-2408-10	Lint Separator	67 gal.
RLS-15	11 gal.	Lint Separator	SQ-8-2408-15	Lint Separator	11 gal.
RLS-20	150 gal.	Lint Separator	SQ-8-2408-20	Lint Separator	150 gal.
RLS-25	200 gal.	Lint Separator	SQ-8-2408-25	Lint Separator	200 gal.
RLS-40	300 gal.	Lint Separator	SQ-8-2408-40	Lint Separator	300 gal.
RLS-55	400 gal.	Lint Separator	SQ-8-2408-55	Lint Separator	400 gal.
RLS-70	500 gal.	Lint Separator	SQ-8-2408-70	Lint Separator	500 gal.
RLS-100	750 gal.	Lint Separator	SQ-8-2408-100	Lint Separator	750 gal.
RLS-135	1000 gal.	Lint Separator	SQ-8-2408-135	Lint Separator	1000 gal.
RLS-200	1500 gal.	Lint Separator	SQ-8-2408-200	Lint Separator	1500 gal.
RLS-1815	10 gal.	Lint Separator	8910-20++	Lint Separator	40 gal.
RLS-1820	20 gal.	Lint Separator	8910-20++	Lint Separator	40 gal.
RLS-2420	30 gal.	Lint Separator	8910-20++	Lint Separator	40 gal.
RLS-2635	40 gal.	Lint Separator	8910-20	Lint Separator	40 gal.
RLS-2824	50 gal.	Lint Separator	8910-20++	Lint Separator	40 gal.
RLS-3050	60 gal.	Lint Separator	8910-25	Lint Separator	60 gal.
RLS-3224	70 gal.	Lint Separator	8910-50	Lint Separator	70 gal.
RLS-3475	80 gal.	Lint Separator	8910-100	Lint Separator	80 gal.
RLS-3625	110 gal.	Lint Separator	8910-100++	Lint Separator	80 gal.

HEAVY DUTY TRENCH DRAINS/FRAME AND GRATES

ROCKFORD FIG. NO.	DESCRIPTION	SMITH FIG. NO.	DESCRIPTION
GTD-10	Trench Drain	2810 Series	Trench Drain
GTD-20	Trench Drain	2710 Series	Trench Drain
RTD-10	Trench Drain	2810 Series	Trench Drain
RTD-20	Trench Drain	2710 Series	Trench Drain
RTF-(LIGHT)	Frame and Grate	2910 Series	Frame and Grate
RTF-(MEDIUM)	Frame and Grate	2940 Series	Frame and Grate
RTF-(HEAVY DUTY)	Frame and Grate	2970 Series	Frame and Grate

UNDERGROUND STORAGE TANKS - ST SERIES

ROCKFORD FIG. NO.	CAPACITY	SMITH FIG. NO.
71-030-4	300	NO EQUAL
71-121-4	560	NO EQUAL
71-149-4	1000	NO EQUAL
71-170-4	2000	NO EQUAL
71-177-4	3000	NO EQUAL
71-184-4	4000	NO EQUAL
71-190-4	4000	NO EQUAL
71-220-4	6000	NO EQUAL
71-235-4	8200	NO EQUAL
71-238-4	10000	NO EQUAL
71-240-4	10000	NO EQUAL
71-248-4	12000	NO EQUAL
71-250-4	12000	NO EQUAL
71-255-4	20000	NO EQUAL

LINT INTERCEPTORS

ROCKFORD FIG. NO.	NUMBER OF MACHINES	SMITH FIG. NO.	NUMBER OF MACHINES
RSLW-10	1	8910-20++	3
2RSLW-30	3	8910-20	3
RSLW-70	7	8910-100++	10
RSLW-100	10	8910-100	10
RSLW-200	20	8910-200	20
RSLW-300	30	8910-350++	35
RSLW-400	40	8910-500++	50
RSLW-500	50	8910-500	50