

ADJUSTABLE FIXTURE SUPPORTS

SHALLOW ROUGH-IN TYPE FOR BLOWOUT WATER CLOSETS

VERTICAL FITTINGS WITH SIDE HUB INLET

SINGLE




Fig. 0340L
Side View

DOUBLE





Fig. 0340D
Side View

NOTE: Dimensions shown in parentheses are in millimeters.



BLOWOUT
Front View

The water closet gasket regularly furnished is made of molded neoprene and designed to fit water closet outlet dimensions and configurations shown in ANSI Standard A112.19.2M-1982, Figure 13B. If gasket is not found to be compatible to fixture due to nonconformance of said fixture to ANSI A112.19.2M, then fixture manufacturer shall be consulted for a suitable gasket recommendation. Jay R. Smith assumes no liability for connections to fixtures which do not conform to these standards.

- Fig. 0340L . . . CAULK LEFT HAND
- Fig. 0340R . . . CAULK RIGHT HAND
- Fig. 0340D . . . CAULK DOUBLE
- Fig. 0370L . . . CAULK L.H. LONG BARREL
- Fig. 0370R . . . CAULK R.H. LONG BARREL
- Fig. 0370D . . . CAULK DOUBLE LONG BARREL

NOTE: Base support must be securely anchored to floor (with four 1/2"(13) bolts provided by contractor).
NOTE: 1 1/2"(38) or 2"(51) tapped inlet available. Add suffix -N.
NOTE: When used with concealed flush valve locate face plate behind supply pipe.
NOTE: See opposite side for **C** dimension and optional outlet connections.

A x B SIZE	D BLOWOUT		E	F	H	J	K BLOWOUT	
	MIN	MAX					MIN	MAX
4 x 4 (100) x (100)	2 3/4 (70)	5 1/2 (140)	10 (255)	5 1/4 (135)	3 (76)	9 (230)	10 3/4 (275)	15 3/4 (400)
5 x 4 (125) x (100)	2 7/8 (73)	5 3/4 (145)	11 1/2 (290)	6 1/2 (165)	3 1/2 (89)	11 1/2 (290)	10 3/4 (275)	15 3/4 (400)
5 x 5 (125) x (125)	2 7/8 (73)	5 3/4 (145)	11 1/2 (290)	6 1/2 (165)	3 1/2 (89)	11 1/2 (290)	10 3/4 (275)	15 3/4 (400)
6 x 4 (150) x (100)	2 3/4 (70)	5 1/2 (140)	11 1/2 (290)	6 1/4 (160)	4 (100)	11 1/2 (290)	10 3/4 (275)	15 3/4 (400)
6 x 5 (150) x (125)	2 3/4 (70)	5 1/2 (140)	11 1/2 (290)	6 1/4 (160)	4 (100)	11 1/2 (290)	10 3/4 (275)	15 3/4 (400)

Conforms to ASME A112.6.1M.

DRAWING NUMBER S0340
 SIZE A
 SCALE: NONE
 DATE: 12-19-89
 APPROVED BY: McD
 CHECKED BY: JM
 DRAWN BY: EMB
 FIGURE NUMBER 0340, 0370
 DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE
 WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

REV.	DATE	DESCRIPTION	BY	CKD. BY	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER
	4-16-24	Added ASME Note	HS	JT			0340, 0370
	1-30-98	Added Millimeters	EMB	BS			
	4-25-94	Submittal Update	EMB	BS			