

URINAL SUPPORTS FOR OFF-THE-FLOOR URINALS

WITH SUPPORTING STUDS AND ADJUSTABLE COUPLING FOR BLOWOUT URINALS

DRAWING NUMBER **S0629**

SIZE **A**

SCALE: **NONE**

DATE: **3-22-84**

APPROVED BY: **TD**

CHECKED BY: **TD**


DRAWN BY: **PJ**

FIGURE NUMBER **0629, 0630**

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

NOTE: All support bases must be securely anchored to a rigid floor and/or other rigid substructure with (4) 1/2" bolts furnished by others.




NOTE: Dimensions shown in parentheses are in millimeters.


Fig. 0629 . . . 3" (75) Outlet Connection
 Fig. 0630 . . . 4" (100) Outlet Connection

FIXTURE NAME	FIXTURE NAME	NUMBER	SIZE	A	B	D
Amer. Std.	Clinic Service Sink	9512.013	24(610) x 20(510)	30 (760)	24 3/4 (630)	6 1/4 (160)
Crane	Sani Sink	7H-544	21(535) x 25(635)	30 1/4 (770)	24 3/8 (619)	6 1/4 (160)
Eljer	Judson	241-0260	21(535) x 19(485)	27 (685)	21 1/4 (540)	6 1/4 (160)


The water closet gasket regularly furnished is made of molded neoprene and designed to fit water closet outlet dimensions and configurations shown in ANSI Standard A112.19.2M-1982, Figure 13B. If gasket is not found to be compatible to fixture due to nonconformance of said fixture to ANSI A112.19.2M, then fixture manufacturer shall be consulted for a suitable gasket recommendation. Jay R. Smith assumes no liability for connections to fixtures which do not conform to these standards.



DETAIL OF COLLAR AND YOKE ASSEMBLY
Fig. 0629
3" (75) Outlet Connection



DETAIL OF COLLAR AND YOKE ASSEMBLY
Fig. 0630
4" (100) Outlet Connection



BASE DETAIL

Conforms to ASME A112.6.1M.

C This Dimension Can be Increased When Fixture Support is to be Installed Behind the Wall
 (Specify When Required and Wall Thickness.)

F	4-17-24	Added ASME Note Rem. FURN./ Rev. BASE DETAIL Added Note Revised Base Plate	HS	JT	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER 0629, 0630
E	3-5-20		MW	CL			
D	04/22/09		JJ	AM			
C	01/11/00		JJ	BS			
REV.	DATE	DESCRIPTION	BY	CKD. BY			