



Division of  
Acorn Engineering Company<sup>®</sup>



A MEMBER OF



Use



## S Series 85 Gallon Mobile Whirlpool

### WHS-85-M



S-85-M

#### Whitehall WHS-85-M Mobile Whirlpools

**Tank Capacity** is 85 gallons.

**Whirlpool Tank** is 48"L x 20"W x 25"D and is seamless welded construction, fabricated from heavy gauge, type 304 stainless steel, polished to a satin finish. Tank rim is reinforced with a concealed stainless steel rod. Tank bottom is a seamless, coved (rounded) design for effective cleaning.

**Heavy Duty Swivel Casters** support all mobile models. Rear pair of casters are lockable for stabilizing whirlpool during use.

**Turbine Raising and Lowering Device** permits adjustment of desired height. It is spring balanced and provided with a locking device.

**Turbine Assembly** functions both as agitator and emptying device. It is equipped with Underwriters Laboratory listed 1/2 HP jet pump motor protected with an ABS plastic shell, automatic thermal overload protector, and lifetime-sealed bearings. All parts contacting the water are stainless steel, chrome plated brass or bronze.

**Drain option -SDP** has a bottom drain, leading to a separate, concealed water evacuation pump. A hose is attached to the side of the unit to facilitate the evacuation.

**Thermometer** is provided with a dual scale, adjustable calibration, and a stem inserts into a retainer to prevent rattle during use.

#### GUIDE SPECIFICATIONS

Provide Whitehall Mobile Whirlpool (specify model number and options) with a 85-gallon capacity, 48"L x 20"W x 25"D. Whirlpool shall be fabricated from heavy gauge, type 304 stainless steel. Construction shall be seamless welded and exposed surfaces shall be polished to satin finish. Bottom of tank shall be a seamless, rounded coved design. Whirlpool shall have heavy duty swivel casters with locking device on rear pair of casters. Provide a turbine assembly with raising and lowering device and can be locked into place. Turbine assembly shall be UL listed 1/2 HP jet pump motor with automatic thermal overload protector and lifetime-sealed bearings. Provide a thermometer with a stem retainer to prevent rattling when whirlpool is in operation.

Please visit [www.whitehallmfg.com](http://www.whitehallmfg.com)  
for most current specifications.





**MODEL NUMBER AND OPTION SELECTIONS**

**Series**

WHS Sports Series

**Capacity**

-85 Gallons

**Type**

-M Mobile Whirlpool

**Turbine Electrical Requirements**

115VAC / 60Hz (6.2 AMPS)

230VAC / 50Hz (3.5 AMPS)

Country of Use \_\_\_\_\_



**For Mixing Valve:**

Refer to supplemental WHMXT15-OTG and WHDU-1 sheet for details.

**Suffix Options** (See Whirlpool Options Section for Details)

- ADH Auxiliary Drain Hose Assembly
- AS1 Adjustable Suspension Seat
- EG Enviro-Glaze® Color Powder Coating  
Specify Color: \_\_\_\_\_  
<https://www.whitehallmfg.com/enviro-glaze>
- GFI Ground Fault Interrupter
- LOGO Applied Logos: Team, Facility, Company Logo
- SDP Separate Drain Pump
- TTS1 Tank Top Seat

<b>ELECTRIC REQUIREMENTS:</b> Amps: 6.9/6.2 Hertz: 50/60 Volts: 115 GFI Receptacle	<b>ELECTRIC REQUIREMENTS:</b> Amps: 3.5/3.1 Hertz: 50/60 Volts: 230 GFI Receptacle
--	--

**MOBILE WHS-85-M SERIES WHIRLPOOL**

**NOTE:**

1. 1/2 hp Jet Pump Motor
2. Variable Pressure Control
3. Thermometer

4. Stainless Steel Tank
5. Auxiliary Drain Valve
6. Turbine Raising & Lowering Device

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or superseded data © Whitehall Manufacturing, Member of Morris Group International. Please visit [www.whitehallmfg.com](http://www.whitehallmfg.com) for most current specifications.

**SELECTION SUMMARY & APPROVAL FOR MANUFACTURING**

Model Number & Options \_\_\_\_\_ Quantity \_\_\_\_\_  
 Company \_\_\_\_\_ Date \_\_\_\_\_  
 Contact \_\_\_\_\_ Title \_\_\_\_\_  
 Approval for Manufacturing/Signature \_\_\_\_\_