
BestCare®
By Whitehall Manufacturing



FLOOR MOUNT SOLID SURFACE TOILET



UNIVERSAL PLUMBING DESIGN FOR MODERN HEALTHCARE

With a normative, universal design that works for all, the Whitehall® BestCare® solid-surface toilet is part of a suite of products that contribute to a safe, therapeutic healthcare environment that supports healing.

Perfect for any healthcare environment that requires accessibility and durability.



A SAFER OPTION

China toilets can be broken, creating ligature points, sharp edges, and potentially lethal weapons



PROVEN IN REAL-WORLD APPLICATIONS

Installed at the Be Well OC Mental Health & Wellness Campus in Irvine, California.

FEATURES & BENEFITS

- **NORTH AMERICAN PLUMBING COMPATIBILITY**
- **LIGATURE-RESISTANT INTEGRAL SEAT DESIGN**
- **OPTIONAL HINGED/ ELONGATED SEATING**
  (Not ligature-resistant with this option)
- **ADA & BARIATRIC APPLICATIONS**
- **IAPMO-TESTED DURABILITY UP TO 25,000 LBS**
- **NORMATIVE DESIGN**
- **PATENTED DESIGN**

PLUMBING OPTIONS

DESIGNED TO MATCH YOUR PLUMBING REQUIREMENTS

Two independent choices: select your water supply configuration, then specify your waste connection and rough-in.
Either supply configuration can be paired with floor or wall waste.

01 CHOOSE YOUR WATER SUPPLY

Either configuration pairs with floor or wall waste.

WALL SUPPLY **CONCEALED VALVE** WH2135-W



Optional access panel
Specified separately

Concealed flush valve
Behind finished wall

Wall supply inlet
1½" female NPT, through wall

TOP SUPPLY **EXPOSED VALVE** WH2135-T



Optional flush valve cover
Specified separately

Exposed flush valve
Fixture side of wall

Top supply inlet
1½" male NPT, 2¾" from wall

02 CHOOSE YOUR WASTE CONNECTION & ROUGH-IN

Select floor or wall waste, then specify a standard or factory-configured rough-in.

Building new?
Ideal for new construction

Replacing a fixture?
Match existing rough-in

FLOOR WASTE Finished wall to outlet centerline



STANDARD ROUGH-IN

10" or 12"

6 8 10 12

• Standard sizes

FACTORY-CONFIGURED ROUGH-IN

4¼" or 12½"

6 8 10 12

Available in ½" increments

WALL WASTE Finished floor to outlet centerline



STANDARD ROUGH-IN

5½"

4 5 6 7

• Standard size

FACTORY-CONFIGURED ROUGH-IN

3½" or 7½"

2 4 6 8

Available in ½" increments

NEED TO MATCH AN EXISTING ROUGH-IN?

Specify the required dimension when ordering. The toilet is factory-configured in ½" increments to match your plumbing requirements.

Rough-in dimensions cannot be adjusted in the field.

IN STOCK

STANDARD ROUGH-INS STOCKED FOR FASTER FULFILLMENT

Select standard configurations are stocked.
Factory-configured rough-ins are built to order.
Contact Whitehall for availability.

Top Supply

Wall Supply

CONTACT

(800) 591-9280 | (626) 968-6681
info@whitehallmfg.com
whitehallmfg.com

MORRIS GROUP INTERNATIONAL

Contains less than 1% crystalline silica.
WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov