




Acorn-Sinks® | F80-BN Faucet Installation & Parts

Verify all applicable Plumbing Code requirements prior to installation. Mounting Faucet to Sink prior to installation may reduce time and labor.

Step 1A. Faucet installation - with deck plate

NSF/ANSI/CAN 61




For three-hole installation:
Deck plate, base plate (see below), and silicone sealant (optional) are required.



Note: optional deck plate not included



Step 1B. Faucet installation - without deck plate




For single-hole installation:
Deck plate, base plate and silicone sealant are NOT required.



TECHNICAL ASSISTANCE TOLL FREE TELEPHONE NUMBER: 1-800-743-8259




Step 2. Install faucet and mounting hardware



Insert faucet body (2) into hole in countertop or deck plate assembly. Install mounting hardware (3A, B & C) from underneath the countertop.

NOTE: The white dot on the base of the faucet should be facing forward.


Step 3. Secure mounting hardware



Adjust direction of faucet body (2) so that the faucet is facing straight. Tighten mounting nut (3B) until snug. Tighten mounting screws (3C) to nut with a Phillips screwdriver until snug.




Step 4. Attach spray hose and counterweight



Connect spray hose (6) to quick connector (4) attached to supply line. Install weight (7) on lowest vertical point on spray hose (6).


Step 5. Connect waterlines



Connect waterlines (5) to angle stops. Tighten both ends of waterlines with a wrench until snug. Turn on hot and cold angle stops and check for leaks.




Step 6. Flush spray hose



Remove spray head (1) from spray hose (6). Hold tip of spray hose (6). Turn faucet on and let the water run for 60 seconds to flush any debris.

Check for leaks at the connections. Retighten if necessary.

Repair Parts



ITEM	PART NUMBER	DESCRIPTION
1	2991-102-000	Cartridge
2	2991-103-000	Sprayhead
3	2991-104-000	Sprayhead Sleeve
4	2991-105-000	Supply Lines (Pkg of 2)
5	2991-100-000	Complete Faucet Assy