


WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE

LARGE CAPACITY GREASE INTERCEPTORS

LARGE CAPACITY - STEEL GREASE INTERCEPTORS WITH INTEGRAL EXTENSION



*Recommended outlet size.
 Large sizes available - Specify.

NOTE: It is the responsibility of the installer to check all parts (internal and external) to verify they are in their proper operating order and location.

NOTE: 2"(51) min. extension available. Anchor flange and flashing clamp not available on less than 4"(100) extension.

NOTE: Dimensions shown in parentheses are in millimeters.

Fig. 8450E Shown

WHEN ORDERING, SPECIFY HEIGHT REQUIRED FROM TOP OF INTERCEPTOR TO TOP OF EXTENSION USING SUFFIX NUMBER FOR EXTENSION HEIGHT. EXAMPLE: FIG. 8460E WITH 6" (150) EXTENSION SPECIFY FIG. 8460 (-E06)

PCN/ Fig. No.	GPM Flow Rate	Grease Cap Lbs.	Inlet and Outlet Size	Dimensions						C.O. Plug Size
				Roughing Dimensions			Body			
				A*	B	C	D	Height E	Width F	
8450E	75	150	04(100)	21 1/2(545)	15 1/2(395)	53 (1345)	37(940)	30 1/2(775)	3(76)	
8460E	100	200	04(100)	27(685)	16 1/2(420)	57 (1447)	43 1/2(1105)	33 1/2(850)	3(76)	
8465E	150	300	04(100)	33(840)	17 1/2(445)	63 (1660)	50 1/2(1283)	38 1/2(980)	4(100)	
8470E	200	400	04(100)	37(940)	17 1/2(445)	70 (1778)	54 1/2(1385)	43 1/2(1105)	4(100)	
8475E	250	500	04(100)	40(1015)	18(455)	76 (1930)	58(1473)	47 1/2(1205)	4(100)	
8480E	350	700	06(150)	43 1/2(1105)	18(455)	88 (2235)	61 1/2(1562)	54 1/2(1385)	4(100)	
8490E	500	1000	06(150)	48(1220)	18(455)	105 (2667)	66(1675)	64 1/2(1640)	5(125)	

REGULARLY FURNISHED:
 Steel Interceptor with Gray Duco Coating Inside and Outside and Internal Flow Control Orifice Plate. Extension Height as Specified.

- VARIATIONS:**
- Anchor Flange -F
 - Extension -E (Specify height eg: -E12 for 12" (305) Ext.)
 - Flange with Flashing Clamp -F-C
 - NO-HUB Adaptor (2) Req'd (Specify Fig. 2646Y)
 - Sediment Bucket -B

- OPTIONAL MATERIALS:**
- Acid Resistant Coating Inside - ARI
 - Acid Resistant Coating Outside - ARO
 - Acid Resistant Coating Inside and Outside - ARIO
 - Aluminum Cover -AC

D	8-3-23	Removed Function	HS	CL	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER 8400E-CAN SERIES
C	8-18-15	Rev. Table Added Opt. Mat'l	TBW	AM			
B	10-27-08	Corrected Table	RN	CL			
A	5-31-96	Corrected Table	EMB	CL			
REV.	DATE	DESCRIPTION	BY	CKD.BY			