



NOTE:
O-RINGS SHOULD BE LUBRICATED WITH AN NSF APPROVED LUBRICANT. CARE SHOULD BE EXERCISED WHEN INSERTING COMPONENTS INTO VALVE BODY DURING REASSEMBLY.

EXTRA RETAINING RING PROVIDED. USE ONLY ONE DURING REASSEMBLY.

NOTE:
INDIVIDUAL PARTS NOT AVAILABLE FOR PURCHASE, SOLD IN REPAIR KITS ONLY. PARTS CALLED OUT FOR REFERENCE ONLY.

ITEM	KIT NUMBER	DESCRIPTION	ITEM	KIT NUMBER	DESCRIPTION
1	7800-506-001	TRIM REPLACEMENT, LEVER HANDLE	4	7800-502-001	CARTRIDGE & BONNET REPLACEMENT
2	7800-186-001	TRIM REPLACEMENT, LIGATURE RESIS	5	7800-175-001	CARTRIDGE REPLACEMENT
3	7800-500-001	COMPLETE REBUILD KIT	6	7800-504-001	CHECK-STOP REBUILD KIT

ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION
7	CUP POINT SET SCREW	18	LIGATURE RESIS ESCUTCHEON	29	STAINLESS STEEL SCREENS (x2)
8	LEVER HANDLE	19	SLEEVE GASKET (SV16 ONLY)	30	CART SCREEN O-RINGS (x2)
9	VALVE SLEEVE	20	RETAINING RING (x2)	31	CHECK CAP (x2)
10	OVAL HEAD SCREWS (x2)	21	TEMPERATURE STOP RINGS (x2)	32	CHECK CAP O-RING (x2)
11	ESCUTCHEON, LEVER HANDLE	22	EXTERNAL BONNET O-RING	33	CHECK ADJUST SCREW (x2)
12	TRIM PLATE CENTER GASKET	23	SET SCREW	34	CHECK ADJ SCREW O-RING (x2)
13	ESCUTCHEON GASKET	24	VALVE BONNET	35	CHECK SPRING (x2)
14	5/32" CNTR REJECT ALLEN WRNCH	25	BONNET O-RING	36	CHECK PLUNGER (x2)
15	LIGATURE RESIS HANDLE SCREW	26	VALVE STEM	37	CHECK SEAL (x2)
16	LIGATURE RESISTANT HANDLE	27	VALVE STEM O-RING		
17	STEM INSERT	28	CARTRIDGE		

<p>MORRIS GROUP INTL P.O. BOX 3527 Industry, CA 91744 15125 Proctor Ave Industry, CA 91746 (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE T/P TEMP-PRESURE BALANCING MIXING VALVE CARTRIDGE / CHECKSTOPS</p>		
	<p>MANUFACTURE DATE</p> <p>JUNE 2014</p> <p>TO PRESENT</p>	<p>DATE ISSUED</p> <p>06/01/14</p> <p>DATE REVISED</p> <p>09/01/16 D</p>	<p>DRAWING NUMBER</p> <p>9975-005-002</p>