


NOTE:
** SEE BOLD
TEXT BELOW
FOR ADA
DIMENSIONS.



**-W-FVR WALL SUPPLY, FLUSH VALVE RIGHT SHOWN
-W-FVL WALL SUPPLY, FLUSH VALVE LEFT OPPOSITE
VIEW IS FROM REAR OF FIXTURE**

INSTALLATION INSTRUCTIONS:


- A-ROUGH-IN FOR THE FOLLOWING:
- 7-1/2" RECESSED GASKET FLANGE ①.
 - FLUSH VALVE INLET 1" NPT ②.
 - FIXTURE FLUSHING INLET 1-1/2" NPT ③.
 - WALL & FLOOR ANCHORS ④ AT LOCATIONS INDICATED. WALL & FLOOR ANCHORS BY OTHERS.
- B- FOR DURA-WARE FLUSH VALVE ACCESS PANELS ⑤, FOR CONCEALED FLUSH VALVE INSTALLATION REFER TO DRAWING #9908-399-001.
- C- LOCATE AND PROVIDE ANCHORING POINTS ④ AS INDICATED TO REINFORCED WALL. ANCHORING HARDWARE ⑥ ARE BY OTHERS.

- D- REMOVE ACCESS COVERS ⑦. POSITION FIXTURE ON FLOOR ALIGNING ANCHORING LOCATIONS. MAKE UP WASTE CONNECTION AND FIX TO WALL AND TIGHTEN TO 60FT/LBS USING NUTS, WASHERS AND BOLTS BY OTHERS.
- E- FLUSH SUPPLY LINE BEFORE MAKING UP SUPPLY CONNECTION ③. MOUNT FLUSH VALVE PER MANUFACTURER'S RECOMMENDATIONS.

ALL VERTICAL DIMENSIONS INDICATED ** INCREASE PROPORTIONATELY WITH OPTIONAL -LPFS LESS PUNCHING FOR HINGED SEAT. 16-3/4" FLOOD RIM RIM HEIGHT BECOMES 17" AFF TO MEET ADA.

NOTE: FOR ADA UNITS REFER TO ADA ACCESSIBILITY GUIDELINES FOR COMPLETE INSTALLATION REQUIREMENTS. FLUSH VALVE MUST BE SUPPLIED WITH AN ADA COMPLIANT ACTUATOR. MAXIMUM CONTROL HEIGHT IS 44" ABOVE FINISHED FLOOR.

<p>MORRIS GROUP INTL P.O. BOX 3527 Industry, CA 91744 MORRIS GROUP 15125 Proctor Ave Industry, CA 91746 INTERNATIONAL (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE SIPHON JET, FRONT MOUNT, ON-FLOOR, FLOOR OUTLET #2125A-3</p>	
	<p>MANUFACTURE DATE</p> <p>AUGUST 2008</p> <p>TO PRESENT</p>	<p>DATE ISSUED</p> <p>10/09/08</p> <p>DATE REVISED</p> <p>02/09/12</p>



DETAIL -A

INSTALLATION INSTRUCTIONS- HINGED SEAT AFTER MOUNTING FIXTURE TO WALL

- A- REMOVE ACCESS PANEL (1) FROM BOTH SIDES OF HOUSING (2).
- B- PLACE RUBBER GASKET (3) ONTO SEAT'S THREADED RODS (4).
- C- POSITION SEAT ONTO TOILET HOUSING (2) AND SLIDE SEAT THREADED RODS (4) THROUGH SPACER (5).
- D- ASSEMBLE HARDWARE (6) AS SHOWN IN DETAIL "A".
- E- ENSURE ALL HARDWARE IS TIGHT AND REPLACE ACCESS PANELS (1) TO HOUSING (2).

 <p>MORRIS GROUP INTL P.O. BOX 3527 Industry, CA 91744 15125 Proctor Ave Industry, CA 91746 (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE -HS HINGED SEAT INSTALLATION DETAIL MERIDIAN TOILETS</p>	
	<p>MANUFACTURE DATE APRIL 2008 TO PRESENT</p>	<p>DATE ISSUED 04/08/08</p> <p>DATE REVISED</p>