



**Whitehall Ligature Resistant
 ADA Roll-In Shower Bases**

Division of
 Acorn Engineering Company®



A MEMBER OF



WHCSB6030ADA-LRTDS-F

**Ligature Resistant ADA Roll-In
 Shower Base**

Ligature Resistant Corterra® Solid Surface Shower Bases combine attractive looks with a spacious, easy to maintain shower receptacle that features a non-slip, matte finish. Roll-In Stall Shower Floors are designed for versatility, durability and ease of installation.

Construction is Corterra® cast solid surface, color furnished is Blanco Matte (White) and is Greenguard Gold listed, cUPC certified by IAPMO R&T and complies to ASTM F 462-79 (R-2007), "Standard Consumer Safety Specification for Slip-Resistant Bathing Facilities."

Three (non-threshold) sides are provided with Integral Tiling Flanges. ADA Compliant Shower Bases are intended for Roll-in shower stalls. Base includes covered interior corners and are pitched to the Drain Outlet to ensure positive drainage.

Installation: Bases are provided with a lowered threshold height and must be recessed into the finished floor to facilitate ADA compliance: Additionally, ADA Models require the Shower Walls to be built out to cover the Shower Base Shoulders to maintain the inside stall dimensions.

Standard Drain includes a Trench Drain with a Ligature Resistant Removable, Stainless Steel Trough Style Grate with vandal resistant fasteners (Specify Trench Drain finish). All units are provided with a 2" No-caulk Drain Connection.

GUIDE SPECIFICATION

Provide and install Ligature Resistant Solid Surface ADA Shower Base (Specify Model Number and Options). Shower Base shall be made of Corterra® Cast Solid Surface and be Greenguard Gold listed, cUPC certified and comply with ASTM F 462-79 (R-2007), "Standard Consumer Safety Specification for Slip-Resistant Bathing Facilities." The three (non-threshold) sides are to be provided with Integral Tiling Flanges. Base shall have covered corners and non-slip, matte finish floor, pitched to the Drain Outlet for positive drainage. No air holes or pits shall be allowed on the finished surface. Drain shall have a Ligature Resistant Removable Stainless Steel Grate and shall be provided with a No-caulk Drain connection for a 2" pipe.

Please visit www.whitehallmfg.com for most current specifications.



SteriTouch® (Optional AMA)



MODEL NUMBER AND OPTIONS SELECTION:

BASE MODEL NUMBER:

WHCSB6030ADA Ligature Resistant Roll-In Solid Surface Shower Base

DRAIN OPTIONS: Must Specify

- LRTDP Ligature Resistant Trench Drain - Stainless Steel #8 High Polish Finish
- LRTDS Ligature Resistant Trench Drain - Stainless Steel #4 Satin Finish
- LRTDW Ligature Resistant Trench Drain -Enviro-Glaze Powder Coat EG10 Snow White

DRAIN LOCATION: Must Specify

- B Rear Trough Drain (Along Rear Wall)
- F Front Trough Drain (Along Front Threshold)

PRODUCT OPTIONS:

- AMA SteriTouch® Anti-Microbial Additive
- OCC Optional Corterra® Color - Specify _____
 (Refer to <https://www.whitehallmfg.com/corterra-solid-surface> for available colors)



WHCSB6030ADA-LRTDS-B



WHCSB6030ADA-LRTDS-F

DISCLAIMER:

This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of suicide.

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


SELECTION SUMMARY & APPROVAL FOR MANUFACTURING

Model Number & Options _____ Quantity _____
 Company _____ Date _____
 Contact _____ Title _____
 Approval for Manufacturing/Signature _____

All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or superseded data Whitehall Manufacturing®, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.




WHCSB6030ADA Dimensional Information



WHCSB6030ADA-F
Front Trough Drain


WHCSB6030ADA-B
Rear Trough Drain

**ENTRY
 SIDE**




SECTION A-A


**ENTRY
 SIDE**



SECTION B-B



DETAIL C



DETAIL D

NOTES:

1. SHOWER BASE
2. LIGATURE RESISTANT GRATE COVER WITH VANDAL RESISTANT FASTENERS
3. INTEGRAL TILING FLANGE
4. THRESHOLD
5. 2" NO-CAULK WASTE CONNECTION WITH LIGATURE RESISTANT STRAINER AND VANDAL RESISTANT FASTENERS