



## Option -PBRA1

### Remote Electronic Flush Valve Pushbutton - Chase Wall



-PBRA1 Shown with Pneumatic Pushbutton

#### Remote Electronic Flush Valve Pushbutton - For Chase Wall Installation

**Electronic Flush Valve styles only.** Intended for use with a Lav-Toilet Combination or Toilet Fixture to allow remote actuation of Toilet Flush Valve by Staff. No Flush Control shall be accessible to the Cell Occupant. Remote Pushbutton Control prevents the flushing of evidence or contraband and reduces the potential for intentional clogging of the Toilet Fixture to create a flood condition.

**Installation** is intended in the wall outside of Holding Cell and requires an accessible Plumbing Chase. Remote Pushbutton must be within 50 feet of Electronic Valve Controller.

The MVCFV, MTPFV or EVSFV Electronic Control Module (typically installed within the Plumbing Chase at or near the Toilet Fixture) must be within 50 feet of the 24VAC Solenoid Flush Valve.

To ensure proper operation, the Flush Valve must be installed at the Toilet fixture per Manufacturers recommendations.

**Lav-Toilet Combination Fixture** must be specified with the optional -LPFV (Less Punching for Flush Valve). *Dual flush is not offered; Staff will have sole responsibility for flushing the Toilet fixture.*

**Remote Pushbutton Assembly** consists of a 4" square 14 gauge Type 304 Stainless Steel Plate with exposed surfaces polished to a #4 Satin Finish. The Plate includes beveled edges and an Anti-Rotational Pin to help secure it to the Wall and includes a Through-Wall Conduit to suit the provided Wall Thickness, with Adapters for Pneumatic or Electronic Pushbutton Control.

**Electronic Flush Valve** style shall be specified on the Fixture Product Submittal Selections. Refer to supplemental Flush Valve product Submittal for complete details.


Please visit [www.acorneng.com](http://www.acorneng.com) for most current specifications.

⚠ WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)





## Remote Electronic Flush Valve Pushbutton - Chase Wall



### NOTES:

1. Remote Pushbutton with Plate for Chase Wall; Up to 50ft from Controller
2. Solenoid Flush Valve (Located at Toilet Fixture)
3. -MVCFV Modular Valve Controller Shown (Specify); Up to 50ft from Flush Valve
4. Optional -TF Transformer Shown (Must Specify)

Please visit [www.acorneng.com](http://www.acorneng.com) for most current specifications.

 WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



ACORN ENGINEERING COMPANY® :: P.O. BOX 3527 :: CITY OF INDUSTRY, CA 91744 U.S.A.  
TOLL FREE 800-488-8999 :: LOCAL 626-336-4561 :: [www.acorneng.com](http://www.acorneng.com)