



Ligature Resistant Corterra® Alcove Basin

WH3822 - WH3824 Series Multi-station



WH3822-BBDB-H34-OCC21

Shown with Whitehall Mfg® BestCare® Models WH3375-SO Faucet, with WHD-MR Mirror and Shelf. Specified Separately.



WH3822-BBDB-H34-OCC21

Shown with Whitehall Mfg® BestCare® Model WH3375-HC-SO Faucet. Specified Separately.

Ligature Resistant Corterra® Alcove Basin is engineered to combine the look and feel of commercial grade designer Countertops with safety, durability and aesthetics in mind. The Alcove Countertop consists of a one piece, solid surface Deck which is configurable with up to four integral Basins. Dimensions for Deck width, Basin design and Bowl centers along with Faucet and Backsplash options are specified to create a unique Ligature Resistant Lavatory System. Standard height units comply with ANSI, UFAS, and ADA requirements. *(Compliance is subject to the interpretation and requirements of the local code authority.)* Countertops are subject to certain minimum and maximum dimensional criteria as a result of Accessibility Guidelines and Factory limits for manufacturing.

Note: Provide finished Wall dimensions. Factory will design custom product with applied tolerances to allow for ease of installation. Caulking material (Provided by others) will be required to ensure no voids along walls are present following installation. Overall width and dimensions for placement of Lavatory Basins are subject to Factory approval.

Countertop and Integral Basins are constructed of Corterra® Solid Surface Polymer Resin and conform with ANSI Z124.3, ANSI Z124.6 and are ANSI/ICPA SS-1 compliant. *(Greenguard Gold listing is pending.)* Stainless Steel Frame provides rigid support for Countertop.

Standard Countertop color furnished is Blanco Matte OCC11M (White). Countertops are offered with optional Corterra colors. Refer to Link for available colors:

<https://www.whitehallmfg.com/corterra-solid-surface>

Standard Basin color furnished matches Countertop however, when Premium Corterra® Colors are specified, Basins will be provided with Blanco (Glossy) OCC11 color.

Each Basin includes ligature resistant Drain Fitting with Grid Strainer and air vent grid at rear of Basin for optimal drainage. Waste outlet is optionally available with individual 1-1/2" P-Traps. Backsplash and side splashes (3" high) are optionally available and shipped loose for field mounting.

Please visit www.whitehallmfg.com for most current specifications.

Bottom Enclosure conceals P-trap and waste piping, mounting and valve assemblies, and is fabricated 16 gauge, type 304 stainless steel with exposed surfaces EG-10 Enviroglaze® Powder Coated White. Enclosure remains closed using vandal resistant fasteners. Front Access Plate pivots to fully open and allow access to complete installation.

Ligature Resistant Faucets are available for specification separately. Refer to Link for complete line of Whitehall Mfg. Bestcare® Ligature Resistant Faucets: <https://www.whitehallmfg.com/faucets>

Fixture mounting: Adequate wall backing is required to support unit on wall. Wall Anchors and Fasteners are provided by others to suit site conditions.

GUIDE SPECIFICATION

Provide and install Whitehall Alcove Ligature Resistant Corterra® Configurable Basin(s) [Specify model number and options]. Unit with 34" standard rim height shall conform with ANSI, UFAS and ADA Accessibility Standards. Provide integral Basin [Specify Basin type] with ligature resistant Drain Fitting. Countertop, [Specify optional Backsplash and Side Splashes] to be constructed of Corterra® Solid Surface Polymer Resin. Corterra® Solid Surface color shall be [Specify]. Alcove Lavatory System shall conform to ANSI Z124.3 and ANSI Z124.6 and shall be ANSI/ICPA SS-1 compliant. Bottom Enclosure frame shall be constructed of heavy gauge, type 304 stainless steel with exposed surfaces Powder Coated White. Removable Bottom Access Panel shall be secured with Vandal Resistant Fasteners.



Division of
 Acorn Engineering Company®



A MEMBER OF





Ligature Resistant Alcove Basin

BASE MODEL NUMBERS *(Must Specify)*

- WH3822 Two Basin Alcove Countertop
- WH3823 Three Basin Alcove Countertop
- WH3824 Four Basin Alcove Countertop

CONFIGURABLE SELECTIONS

CORTERRA® COLOR *(Required)*

(Blanco Matte OCC11M Provided Standard)

Color: _____

(See Premium Color Note. Refer to link for colors)

<https://www.whitehallmfg.com/corterra-solid-surface>

BASIN SELECTION *(Required)*

(See Dimensional Details Page)

- BBED Edge Sloping Basin
- BBDB "D" Shape Basin
- BBSQ Square Basin
- BBRT Rectangular Basin

FAUCET DRILLING *(Required)*

Coordinate with BestCare® Faucet when Specified

- H0 No Faucet Hole
- H1 Single Faucet Hole (ø1-3/8")
- H34 Three Holes on 4" Centerset (ø1-3/8")
- H38 Three Holes on 8" Centerset (ø1-3/8")

BACKSPLASH *(Required)*

- BLRSS Backsplash, Left, Right Side Splash
(3" High, Shipped Loose)
- NONE No Backsplash or Side Splashes

OPTIONAL SELECTIONS

- MCL Mortise Lock Bottom Enclosure Access
- PT P-Trap Waste (Specify Type)
(One Provided Per Station)
 - Plastic Brass
- SS #4 Stn Stl Satin Finish Bottom Enclosure
- WHST70-38 Thermostatic Mixing Valve 3/8"
- WHST70-12 Thermostatic Mixing Valve 1/2"



WH3822 Two Basin
 (-BBRT Basin)



WH3822 Two Basin
 (-BBDB Basin)



WH3823 Three Basin
 (-BBED Basin)



WH3824 Four Basin
 (-BBSQ Basin)

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or superseded data © Whitehall Manufacturing, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.

SELECTION SUMMARY & APPROVAL FOR MANUFACTURING


Model Number & Options _____ Quantity _____
 Company _____ Date _____
 Contact _____ Title _____
 Approval for Manufacturing/Signature _____




DIMENSIONAL GUIDE - BASINS




-BBED SLOPED BASIN
 16-3/4" W x 13-3/4" L x 4" D Basin
 (425.5mm x 349mm x 102mm)



-BBDB "D" SHAPE BASIN
 14-1/4" W x 13-1/4" L x 5" D Basin
 (362mm x 336mm x 127mm)




-BBSQ SQUARE BASIN
 14" W x 14" L x 4" D Basin
 (356mm x 356mm x 102mm)



-BBRT RECTANGULAR BASIN
 17" W x 14" L x 4" D Basin
 (432mm x 356mm x 102mm)

DIMENSIONAL GUIDE - DECK (Provided for Reference Only. Refer to Individual Unit Sheets.)



DIMENSION LEGEND			
KEY	DESCRIPTION	MINIMUM	MAXIMUM
W	WIDTH OF DECK	—	120"
XL	CENTER OF FIRST BOWL FROM LEFT SIDE OF DECK	15" (381)	—
C1	CENTER OF FIRST BOWL TO THE SECOND BOWL	30" (762)	—
C2	CENTER OF SECOND BOWL TO THIRD BOWL	30" (762)	—
C3	CENTER OF THIRD BOWL TO FOURTH BOWL	30" (762)	—
XR	CENTER OF LAST BOWL FROM RIGHT SIDE OF DECK	15" (381)	—

(4) Basin unit shown for reference only.


IMPORTANT: Manufacturing tolerances may vary +/- 1/4". Ensure requested measurements allow for variances in site conditions and product dimensions. Overall width and dimensions for placement of Lavatory Basins are subject to Factory approval.

DISCLAIMER: This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of suicide. All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or suspended data. Whitehall Manufacturing, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.





Two Station Alcove Basin

NOTE: CUSTOMER MUST VERIFY SPECIFIED DIMENSIONS INDICATED WITH (*) SHALL MEET LOCAL ACCESSIBILITY STANDARDS



- NOTES:
1. MOUNTING HARDWARE BY OTHERS.
 2. INTEGRAL BASIN SHOWN FOR REFERENCE ONLY.




DISCLAIMER: This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of suicide. All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or suspended data. Whitehall Manufacturing, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.



Three Station Alcove Basin

NOTE: CUSTOMER MUST VERIFY SPECIFIED DIMENSIONS INDICATED WITH (*) SHALL MEET LOCAL ACCESSIBILITY STANDARDS





NOTES:
 1. MOUNTING HARDWARE BY OTHERS.
 2. INTEGRAL BASIN SHOWN FOR REFERENCE ONLY.

DISCLAIMER: This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of suicide. All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or suspended data. Whitehall Manufacturing, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.




Four Station Alcove Basin



NOTES:

1. MOUNTING HARDWARE BY OTHERS.
2. INTEGRAL BASIN SHOWN FOR REFERENCE ONLY.

NOTE: CUSTOMER MUST VERIFY SPECIFIED DIMENSIONS INDICATED WITH (*) SHALL MEET LOCAL ACCESSIBILITY STANDARDS



DISCLAIMER: This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of suicide. All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or suspended data. Whitehall Manufacturing, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.