



WHIRLPOOL PRODUCTS



List/Price Guide

2025

EFFECTIVE JUNE 1ST, 2025



STAINLESS STEEL TRAINING STAIRS

STRENGTH STEP BY STEP

Whitehall Manufacturing,
Manufacturer for over 75 years.



STAINLESS STEEL
Product longevity
over use of wood



INFECTION CONTROL
Stainless steel won't
harbor bacteria



**BARIATRIC
CAPABILITIES**



TS-300

All stainless steel construction. Anti-slip material adhered to tread. Provides three 4 in. risers on one side and two 6 in. risers on the other side.

Top platform measures 24" x 30"
Overall measurement: 64"L x 30"W x 65"H
Weight capacity: 800 lbs.

KYSBH300-001 TS-300



TS-400

All stainless steel construction. Steps descend from only one end. Anti-slip material adhered to tread. Features three 6 inch risers.

Top platform measures 24" x 30"
Overall measurement: 65"L x 30"W x 60"H
Weight capacity: 800 lbs.

KYSBH400-001 TS-400



TS-400

TRAINING STAIRS

Standard Features

- All Stainless Steel Construction
- 1-1/2" Diameter Handrails
- Steps descend from both sides on select models
- Slip Resistant Material adhered to Tread

MODEL #	DESCRIPTION (MM'S)	SHIP WEIGHT	FREIGHT CLASS	LIST UNIT PRICE
TS-100	Custom Training Stairs	Varies	125	POA
TS-200	119" L x 34-1/4" W x 59-5/8" H	860 lb.	125	POA
TS-300	64" L x 34-1/4" W x 55-3/16" H	302 lb.	125	POA
TS-400	64" L x 34-1/4" W x 59-5/8" H	TBD	125	POA
TS-500	95-3/4" L x 84-7/8" W x 52"	721 lb.	125	POA

N/C - No Charge
POA - Price on Application



TS-200



TS-300



TS-500



COLD TANKS

Whirlpool tanks without thermometers or turbines

Whitehall Manufacturing is proud to announce the new Cold Tub line. Cold tubs are fabricated from heavy gauge type 304 stainless steel polished to a satin finish. They are seamlessly welded so they are leak-free and easy-to-maintain. Available in a wide variety of tank size capacities. Ideal for athletes, pediatric and geriatric applications, cold tubs are built to last and are available in optional powder coated colors and/or custom logos.

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
85-S-M-TO	85 gal (321.8 L)	48 x 20 x 25" (1,219 x 508 x 635)	157 lb.	150	\$4,406
85-S-S-TO	85 gal (321.8 L)	48 x 20 x 25" (1,219 x 508 x 635)	157 lb.	150	\$4,886
85-S-SL-TO	85 gal (321.8 L)	48 x 20 x 25" (1,219 x 508 x 635)	157 lb.	150	\$4,454
90-S-M-TO	90 gal (340.7 L)	46 x 24 x 25" (1,169 x 610 x 635)	156 lb.	150	\$4,558
90-S-S-TO	90 gal (340.7 L)	46 x 24 x 25" (1,169 x 610 x 635)	156 lb.	150	\$5,505
90-S-SL-TO	90 gal (340.7 L)	46 x 24 x 25" (1,169 x 610 x 635)	163 lb.	150	\$4,209
110-S-M-TO	110 gal (416.4 L)	56 x 24 x 25" (1,422 x 610 x 635)	190 lb.	150	\$4,880
110-S-S-TO	110 gal (416.4 L)	56 x 24 x 25" (1,422 x 610 x 635)	193 lb.	150	\$5,925
110-S-SL-TO	110 gal (416.4 L)	56 x 24 x 25" (1,422 x 610 x 635)	193 lb.	150	\$4,880
60-H-M-TO	60 gal (227.1 L)	36 x 20 x 28" (914 x 508 x 711)	176 lb.	150	\$4,769
60-H-S-TO	60 gal (227.1 L)	36 x 20 x 28" (914 x 508 x 711)	176 lb.	150	\$5,367
75-H-M-TO	75 gal (283.9 L)	42 x 20 x 28" (1,067 x 508 x 711)	160 lb.	150	\$4,806
75-H-S-TO	75 gal (283.9 L)	42 x 20 x 28" (1,067 x 508 x 711)	160 lb.	150	\$4,953
90-H-M-TO	90 gal (340.7 L)	48 x 20 x 28" (1,219 x 508 x 711)	163 lb.	150	\$5,006
90-H-S-TO	90 gal (340.7 L)	48 x 20 x 28" (1,219 x 508 x 711)	163 lb.	150	\$5,527
105-H-M-TO	105 gal (397.5 L)	48 x 24 x 28" (1,219 x 610 x 711)	170 lb.	150	\$5,301
105-H-S-TO	105 gal (397.5 L)	48 x 24 x 28" (1,219 x 610 x 711)	170 lb.	150	\$5,599
75-L-M-TO	75 gal (283.9 L)	52 x 24 x 18" (1,321 x 610 x 457)	165 lb.	150	\$4,691
75-L-S-TO	75 gal (283.9 L)	52 x 24 x 18" (1,321 x 610 x 457)	165 lb.	150	\$4,953
90-L-M-TO	90 gal (340.7 L)	60 x 24 x 18" (1,524 x 610 x 457)	178 lb.	150	\$5,006
90-L-S-TO	90 gal (340.7 L)	60 x 24 x 18" (1,524 x 610 x 457)	178 lb.	150	\$5,527
105-L-M-TO	105 gal (397.5 L)	66 x 24 x 18" (1,676 x 610 x 457)	202 lb.	150	\$5,301
105-L-S-TO	105 gal (397.5 L)	66 x 24 x 18" (1,676 x 610 x 457)	202 lb.	150	\$5,599
105-L-SL-TO	105 gal (397.5 L)	66 x 24 x 18" (1,676 x 610 x 457)	202 lb.	150	\$5,417



HL-15-M

The Whitehall HL Series Hydrolift is recommended for the raising and lowering of a single Whitehall Whirlpool for use on lower and upper extremities. The Hydrolift is fully adjustable, raising the whirlpool rim to any height up to 32", 36" or 38" depending on the model being specified. In normal operating conditions, the Hydrolift will remain as a stationary lift. However, both Hydrolift and whirlpool may be moved by lowering the whirlpool to the floor and using the whirlpool casters.

MODEL #	DESCRIPTION (MM'S)	SHIP WEIGHT	FREIGHT CLASS	LIST UNIT PRICE
HL-10-M	Whitehall Hydrolift, 10 Gallon, Mobile Accessory			\$4,605
HL-15-M	Whitehall Hydrolift, 15 Gallon, Mobile Accessory			\$5,103
HL-22-M	Whitehall Hydrolift, 22 Gallon, Mobile Accessory			\$5,307

OPTIONS FOR WHITEHALL WHIRLPOOLS

OPTION	DESCRIPTION	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
- ADH	Auxiliary drain hose assembly / Mobile Whirlpool	5 lb. (2 kg)	N/A	\$238
- AS 1	Adjustable suspension seat	10 lb. (5 kg)	N/A	\$581
- AS 2	Adjustable suspension seat	10 lb. (5 kg)	N/A	\$751
- AS 3	Adjustable suspension seat	10 lb. (5 kg)	N/A	\$890
- EG	Enviro Glaze / All Whirlpool	N/A	N/A	\$704
- GFI	Ground fault interrupter / All equipment	5 lb. (2 kg)	N/A	\$271
- HR	Head rest, Adjustable / Lo-Boy Whirlpool	15 lb. (7 kg)	N/A	\$1,493
- LOGO	Applied logos / Team - facility - company logos	N/A	N/A	POA
- MXT15-OTG	Thermostatic mixing valve 15 gpm; includes thermometer	25 lbs (11 kg)	70	\$4,085
- MXWH	Washout hose attachment for MXT valve	8 lbs (4 kg)	70	\$1,737
- PHS-10	Bath Stretcher Lift	237 lbs (108 kg)	N/A	\$10,811
- PHS-20	Bath Chair Lift	187 lbs (85 kg)	N/A	\$8,611
- PHS-30	Combination Chair & Stretcher Lift	237 lbs (108 kg)	N/A	\$12,543
- RS	Reclining seat / Lo-Boy whirlpools	15 lbs (7 kg)	N/A	\$1,334
- SDO	Separate drain & overflow assy.	N/A	N/A	\$351
- SDP	Separate drain pump	N/A	N/A	\$953
- TTS 1	Tank top seat / 20" wide whirlpools	50 lbs (23 kg)	77.5	\$2,517
- TTS 2	Tank top seat / 24" wide whirlpools	55 lbs (25 kg)	77.5	\$2,852

N/C - No Charge
POA - Price on Application



20" wide tank



P SERIES - PODIATRY WHIRLPOOLS

Podiatry whirlpools are compact, low-gallon whirlpools designed to access the lower extremities. These small whirlpools are intended for use on the foot, ankle, and leg below the knee.

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHP-10-M	10 gal (37.9 L)	22 x 13 x 12" (559 x 330 x 305)	90 lb. (41 kg)	125	\$7,496
WHP-10-MH	10 gal (37.9 L)	22 x 13 x 12" (559 x 330 x 305)	95 lb. (43 kg)	125	\$8,510
WHP-10-MU	10 gal (37.9 L)	22 x 13 x 12" (559 x 330 x 305)	95 lb. (43 kg)	125	\$9,089
WHP-10-S	10 gal (37.9 L)	22 x 13 x 12" (559 x 330 x 305)	105 lb. (48 kg)	125	\$8,853

OPTIONAL 220 V REQUIREMENT

220 Volt Add to Above Price FOR ALL ABOVE WHIRLPOOLS
Specify: ○ 50 Hertz ○ 60 Hertz

add

\$311

Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.

FOR PROFESSIONAL USE ONLY

(Fahrenheit/Celsius) thermometer; -M = Mobile; -MH = Mobile w/ Handle;
-MU = Mobile w/ Undercarriage; -S = Stationary

Team/Company Logo and/or Enviro-Glaze® (powder coat)
are available at additional POA cost



STAINLESS STEEL

MATCH COLOR

Customize your team logo and color.

Match your teams colors with Whitehall's powder-coat finish, a colorful alternative to a standard stainless steel finish. The unit maintains corrosion resistance and is easy to clean, providing a colorful compliment while maintaining longevity & durability.



E SERIES - EXTREMITY WHIRLPOOLS

Extremity whirlpools are compact, low-gallon whirlpools designed to access the upper and lower extremities. These small whirlpools are intended for use on the foot, ankle, and leg below the knee as well as hand, wrist, and arm.

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHE-15-M	15 gal (56.8 L)	25 x 13 x 15" (635 x 330 x 381)	100 lb. (46 kg)	125	\$7,646
WHE-15-MH	15 gal (56.8 L)	25 x 13 x 15" (635 x 330 x 381)	110 lb. (50 kg)	125	\$8,718
WHE-15-MU	15 gal (56.8 L)	25 x 13 x 15" (635 x 330 x 381)	120 lb. (55 kg)	125	\$9,289
WHE-15-S	15 gal (56.8 L)	25 x 13 x 15" (635 x 330 x 381)	130 lb. (59 kg)	125	\$9,104
WHE-22-M	22 gal (83.3 L)	28 x 15 x 18" (711 x 381 x 457)	115 lb. (52 kg)	125	\$8,162
WHE-22-MU	22 gal (83.3 L)	28 x 15 x 18" (711 x 381 x 457)	130 lb. (59 kg)	125	\$9,578
WHE-22-S	22 gal (83.3 L)	28 x 15 x 18" (711 x 381 x 457)	125 lb. (57 kg)	125	\$9,298
WHE-22-SP	22 gal (83.3 L)	28 x 15 x 18" (711 x 381 x 457)	140 lb. (64 kg)	125	\$9,918
WHE-27-M	27 gal (102.2 L)	28 x 15 x 21" (711 x 381 x 533)	130 lb. (59 kg)	125	\$8,755
WHE-27-S	27 gal (102.2 L)	28 x 15 x 21" (711 x 381 x 533)	140 lb. (64 kg)	125	\$9,786
WHE-45-M	45 gal (170.3 L)	32 x 15 x 25" (813 x 381 x 635)	145 lb. (66 kg)	125	\$8,979
WHE-45-S	45 gal (170.3 L)	32 x 15 x 25" (813 x 381 x 635)	155 lb. (70 kg)	125	\$10,142

Optional 220 V Requirement

220 Volt req.	add	\$311
---------------	-----	-------

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.

Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.

(Fahrenheit/Celsius) thermometer; -M = Mobile; -MH = Mobile w/ Handle; MU = Mobile w/ Undercarriage;

-S = Stationary; Logo & Enviro-Glaze (powder coating) **Team/Company Logo and/or Enviro-Glaze®**

(powder coat) are available at additional POA cost.



S SERIES - SPORTS WHIRLPOOLS

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHS-85-M	85 gal (321.8 L)	48 x 20 x 25" (1,219 x 508 x 635)	200 lb. (91 kg)	150	\$10,533
WHS-85-S	85 gal (321.8 L)	48 x 20 x 25" (1,219 x 508 x 635)	220 lb. (100 kg)	150	\$11,372
WHS-85-SL	85 gal (321.8 L)	48 x 20 x 25" (1,219 x 508 x 635)	220 lb. (100 kg)	150	\$11,136
WHS-90-M	90 gal (340.7 L)	46 x 24 x 25" (1,169 x 610 x 635)	200 lb. (91 kg)	150	\$11,149
WHS-90-S	90 gal (340.7 L)	46 x 24 x 25" (1,169 x 610 x 635)	220 lb. (100 kg)	150	\$12,291
WHS-90-SL	90 gal (340.7 L)	46 x 24 x 25" (1,169 x 610 x 635)	220 lb. (100 kg)	150	\$11,193
WHS-110-M	110 gal (416.4 L)	56 x 24 x 25" (1,422 x 610 x 635)	230 lb. (104 kg)	150	\$12,074
WHS-110-S	110 gal (416.4 L)	56 x 24 x 25" (1,422 x 610 x 635)	250 lb. (114 kg)	150	\$13,363
WHS-110-SL	110 gal (416.4 L)	56 x 24 x 25" (1,422 x 610 x 635)	250 lb. (114 kg)	150	\$12,079

OPTIONAL 220 V REQUIREMENT

220 Volt req.	add	\$311
---------------	-----	-------

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
 Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
 (Fahrenheit/Celsius) thermometer; -M = Mobile; -SL = Stationary w/ Legs; -S = Stationary Model have
 a combination Drain & Overflow Assembly (All other models do not). **Team/Company Logo and/or
 Enviro-Glaze® (powder coat) are available at additional POA cost.**

H SERIES - HI-BOY WHIRLPOOLS

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHH-60-M	60 gal (227.1 L)	36 x 20 x 28" (914 x 508 x 711)	170 lb. (77 kg)	150	\$10,439
WHH-60-S	60 gal (227.1 L)	36 x 20 x 28" (914 x 508 x 711)	180 lb. (82 kg)	150	\$10,961
WHH-75-M	75 gal (283.9 L)	42 x 20 x 28" (1,067 x 508 x 711)	200 lb. (91 kg)	150	\$10,759
WHH-75-S	75 gal (283.9 L)	42 x 20 x 28" (1,067 x 508 x 711)	210 lb. (95 kg)	150	\$11,300
WHH-90-M	90 gal (340.7 L)	48 x 20 x 28" (1,219 x 508 x 711)	210 lb. (95 kg)	150	\$11,304
WHH-90-S	90 gal (340.7 L)	48 x 20 x 28" (1,219 x 508 x 711)	220 lb. (100 kg)	150	\$11,868
WHH-105-M	105 gal (397.5 L)	48 x 24 x 28" (1,219 x 610 x 711)	225 lb. (102 kg)	150	\$11,766
WHH-105-S	105 gal (397.5 L)	48 x 24 x 28" (1,219 x 610 x 711)	235 lb. (107 kg)	150	\$12,354

OPTIONAL 220 V REQUIREMENT

220 Volt req.	add	\$311
---------------	-----	-------

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
 Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
 (Fahrenheit/Celsius) thermometer; -M = Mobile; -S = Stationary; -SL = Stationary w/ Legs
Team/Company Logo and/or Enviro-Glaze (powder coat) are available at additional POA cost.



L SERIES - LO-BOY WHIRLPOOLS

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHL-75-M	75 gal (283.9 L)	52 x 24 x 18" (1,321 x 610 x 457)	200 lb. (91 kg)	150	\$12,489
WHL-75-S	75 gal (283.9 L)	52 x 24 x 18" (1,321 x 610 x 457)	210 lb. (95 kg)	150	\$13,113
WHL-90-M	90 gal (340.7 L)	60 x 24 x 18" (1,524 x 610 x 457)	220 lb. (100 kg)	150	\$13,266
WHL-90-S	90 gal (340.7 L)	60 x 24 x 18" (1,524 x 610 x 457)	230 lb. (104 kg)	150	\$13,931
WHL-105-M	105 gal (397.5 L)	66 x 24 x 18" (1,676 x 610 x 457)	250 lb. (114 kg)	150	\$14,047
WHL-105-S	105 gal (397.5 L)	66 x 24 x 18" (1,676 x 610 x 457)	270 lb. (123 kg)	150	\$14,749
WHL-105-SL	105 gal (397.5 L)	66 x 24 x 18" (1,676 x 610 x 457)	270 lb. (123 kg)	150	\$14,047

Optional 220 V Requirement

220 Volt req.	add	\$311
---------------	-----	-------

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
 Note: Comes complete w/ 1/2 horsepower turbine on raising & lowering assembly, and dual scale.
 (Fahrenheit/Celsius) thermometer; -M = Mobile; -SL = Stationary w/ Legs; -S = Stationary Model have
 a combination Drain & Overflow Assembly (All other models do not). **Team/Company Logo and/or
 Enviro-Glaze® (powder coat) are available at additional POA cost.**

SB SERIES - SLANT BACK WHIRLPOOL

Model #	Capacity	Overall Tank Dimension L" x W" x H" (mm)	Ship Weight	Freight Class	Retail/List Price
WHSB-100-M	100 gal (378.5 L)	76 x 40 x 21" (1,930 x 1,016 x 533)	230 lb. (104 kg)	150	\$24,982
WHSB-100-S	100 gal (378.5 L)	76 x 40 x 21" (1,930 x 1,016 x 533)	240 lb. (109 kg)	150	\$24,384

Optional 220 V Requirement

220 Volt req.	add	\$311
---------------	-----	-------

Note: 220 Volt version of the turbine is available at additional cost (see above).
 Specify 50 or 60 hertz.
 Note: -M = Mobile; -S = Stationary



SLANT BACK WHIRLPOOL
Model WHSB-100-S Stationary



BIMINI WHIRLPOOLS



Bimini Oxygen Perfusion Systems

NAME/MODEL	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
Bimini NanoJet S	Use with Whitehall oxygen tank only. See tank pricing			POA
Bimini NanoJet Pro	Use with any existing WH cold tank or inground pool.			POA
Bimini NanoJet Eco Travel	Use for travel. Comes with utility case.			POA
Bimini NanoJet Eco Home	For home use only			POA

"Bimini Oxygen Perfusion Systems provide the ultimate in soothing comfort for sore muscles and make the perfect addition to your therapy or training room. With Bimini, users soak in a tub of water infused with Ultra-Fine Oxygen Nanobubbles. Bimini offers the following benefits: All-Natural, Non-Invasive, Soothes sore muscles, Helps recovery after hard workouts".

WHITEHALL OXYGEN TANKS

NAME/MODEL	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
LOT-90-M-SDP	90 Gallon Mobile w/SDP pump	170 lb.	150	POA
LOT-90-S	90 Gallon Stationary	170 lb.	150	POA
LOT-105-M-SDP	105 Gallon Mobile w/SDP pump	180 lb.	150	POA
LOT-105-S	105 Gallon Stationary	180 lb.	150	POA
LOT-105-SDP-RH	105 Gallon Stationary w/SDP pump - RH	180 lb.	150	POA
LOT-105-S-SDP-LH	105 Gallon Stationary w/SDP pump - LH	180 lb.	150	POA

N/C - No Charge
POA - Price on Application



F SERIES - FULL BODY IMMERSION TANKS

POA = Price on Application

MODEL #	CAPACITY	OVERALL TANK DIMENSION L" X W" X H" (MM)	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHF-260-S	260 gal (984.2 L)	95 x 41 x 22" (2,413 x 1,041 x 559) Rectangular Tank	700 lb. (318 kg)	N/A	POA
WHF-300-S	300 gal (1135.6 L)	89 x 50 x 22" (2,261 x 1,270 x 559) Rectangular Tank	1000 lb. (454 kg)	N/A	POA
WHF-270-S	270 gal (1022.1 L)	93 x 64 x 22" (2,362 x 1,626 x 559) Hubbard Tank (Small)	700 lb. (318 kg)	N/A	POA
WHF-425-S	425 gal (1608.8 L)	106 x 77 x 22" (2,692 x 1,956 x 559) Hubbard Tank (Larger)	1400 lb. (636 kg)	N/A	POA

Optional 220 V Requirement

220 Volt req.	add	\$340
---------------	-----	-------

Note: 220 Volt version of the turbine is available at additional cost (see above). Specify 50 or 60 hertz.
Note: Comes complete w/ two sliding 1/2 horsepower turbine (except one turbine on F-260-S) raising & lowering assembly, and dual scale (Fahrenheit/Celsius) thermometer.

N/C - No Charge
POA - Price on Application



Model WHF-300-S



Model WHF-425-S

DISINFECTING SHOWER / MIXING UNIT

MODEL #	Description	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
DU-1	OFF-FLOOR, WALL OUTLET UNIT	70 lb. (32 kg)	70	\$14,372

Disinfecting Shower/Mixing Units are used in conjunction with Full Body Immersion Tanks. They come complete with Mixing Valve (must specify GPM rating).

Some Options Available:

- Quick Disconnect Connections
- Stainless Steel Filler Hose
- Enviro-Glaze® colors



Model DU-1



TURBINE ASSEMBLIES

MODEL #	DESCRIPTION	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHTA-12	12" (305 mm)	45 lb. (21 kg)	70	\$4,653
WHTA-15	15" (381 mm)	45 lb. (21 kg)	70	\$4,781
WHTA-18	18" (457 mm)	45 lb. (21 kg)	70	\$4,931
WHTA-21	21" (533 mm)	50 lb. (23 kg)	70	\$5,083
WHTA-25	25" (635 mm)	50 lb. (23 kg)	70	\$5,588
WHTA-28	28" (711 mm)	50 lb. (23 kg)	70	\$5,803

F-SERIES FULL BODY TURBINES

MODEL #	DESCRIPTION	SHIP WEIGHT	FREIGHT CLASS	RETAIL/LIST PRICE
WHTA-22-S	22" (558 mm)	50 lb. (23 kg)	70	\$5,083

Optional 220 V Requirement

220 Volt req.	add	\$340
---------------	-----	-------

Replacement turbines can only be sold for Whitehall tanks. A serial number must be provided to order replacement.

Note: 220 Volt version of the turbine is available at additional cost (see above). **Specify 50 or 60 hertz**

Ordering information: Turbine assembly is available either in the mobile style (includes pump out hose assembly for emptying) or stationary type (aerator cap substituted for hose assembly). When ordering use suffix letter "M" for mobile or "S" for stationary.

Information submitted w/ order should also include the model and serial numbers and the outside diameter of supporting raising and lowering shaft

One year warranty is only valid on turbines sold separately if the turbine is used w/ a Whitehall, Ferno-Ille or Dakon, Aqua Whirl Whirlpool model.

The warranty will not be honored if the turbines are being used w/ any model other than the ones listed above.



TERMS, CONDITIONS OF SALES, WARRANTY

Terms and Conditions

Prices

Prices of Manufacturer's products ("Products") are subject to change without notice. Quotations are conditioned upon acceptance by Distributor within 30 days of date of quotation unless otherwise stated therein and are subject to correction for typographic or clerical errors. Sales order confirmation will be considered accepted by Distributor if objection is not submitted in writing to Manufacturer's Customer Service within (1) one week of receipt. All prices exclude sales, use, occupation, license, excise and other taxes in respect to manufacture or delivery. Unless a proper exemption certificate is furnished to Manufacturer, all such taxes shall be paid by the Distributor to Manufacturer.

Terms and Conditions of Payment

Terms of payment are Net 30 from date of invoice. Past due accounts will be subject to a service charge equal to the lesser of 2% per month or the highest rate allowed by applicable law from the date of the invoice. If any proceedings be instituted by or against Distributor under any bankruptcy or insolvency law, or if Distributor shall fail to make timely payment on this or any other order, or if, in Manufacturer's judgment, Distributor's financial situation justifies such action, Manufacturer may, at its election, require payment in advance or cancel the order as to any unshipped item and require payment of its reasonable cancellation charges. If Distributor delays completion of manufacture, Manufacturer may elect to require payment according to percentage of completion. Product held for Distributor shall be at Distributor's risk and expense. In all cases, regardless of partial payment, title to the Products shall remain in Manufacturer until payment for the Products (including any notes given therefor) has been made in full. Should legal action be necessary to enforce payment of an unpaid invoice, Distributor will be liable to Manufacturer for any court or other related costs, including reasonable attorney fees. All orders are subject to credit check and approval prior to shipment. Minimum invoice amount \$50 net. A \$300 minimum opening order is required on hot and cold pack product lines for new accounts.

Imports and Exports

If no agreement is in place between Distributor and Manufacturer, the Distributor is responsible for import and compliance applicable to the products purchased per local regulations. Distributor is responsible for obtaining an import license prior to the placement of an order.

Distributor is responsible for following best practices per the U.S. Department of Commerce (<https://www.bis.doc.gov/index.php/compliance-a-training/export-management-a-compliance/transshipment-best-practices>)

Return Goods Authorization

No Products shall be returned without a Return Goods Authorization (RGA) from Manufacturer's Customer Service. Returns must reference the RGA number and be shipped freight prepaid or the shipment will not be accepted. Credit issued for the return will apply only to future shipments and will be subject to a 35% handling charge. Any cost associated with restoring any Product to saleable condition will be deducted from the credit and any outgoing freight charges paid by Whitehall. Non-stock and custom fabricated Products are non-returnable. RGA credit will not be issued for less than \$100.00 unless the Product is proven defective. Distributor shall segregate non-conforming or damaged Products to be returned in a secure space to quarantine such Products prior to obtaining an RGA or a disposition decision from Manufacturer.

Delivery

Shipments are F.O.B. Manufacturer's facility in City of Industry, California or other designated shipping point determined by Manufacturer. Any shipment or delivery dates quoted by the Manufacturer are estimates. The Manufacturer shall be obligated to use reasonable efforts to meet such dates. The Manufacturer will in no event be liable for any delays in delivery or failure to give notice of delay, or for any other failure to perform hereunder due to causes beyond the reasonable control of the Manufacturer. Such causes shall include, but not be limited to acts of God, the elements, acts or omissions of manufacturers or suppliers of the Products or parts thereof, acts or omissions of Distributor or civil and military authorities, fires, labor disputes or any other inability to obtain the Products, parts thereof, or necessary power, labor, materials or supplies. Manufacturer will be entitled to refuse to make, or to delay any shipments of the Products if Distributor shall fail to pay when due any payment owed by it to the Manufacturer, whether under this or any other contract between the Manufacturer and Distributor. Shipments are normally sent prepay or charge. A \$9.00 surcharge, per package is added to small parcel shipments.

Claims and Shortages

F.O.B. Manufacturer's facility shipments are the full responsibility of the Distributor. Losses or damages must be reported to the carrier immediately. Manufacturer will file freight claims on orders if the Distributor complies with the following within (5) five days of receipt of shipment: inspect shipment immediately, have delivering carrier inspect shipment, file inspection report with carrier, and send a copy to Manufacturer. No claim for failure to receive a shipment or shortage will be honored unless Manufacturer is notified immediately upon receipt of invoice or within five working days of receipt of shipment, whichever is sooner.

Non Stock / Custom Product and Product Revisions

Orders for non-stock and custom Products are not subject to cancellation.

Manufacturer reserves the right to change designs, dimensions, and Products without notice.

Origin & FAR Compliance

SUPPLIER reserves the right to furnish either foreign or domestic material unless otherwise specified by the customer at the time of quotation and noted on the subsequent purchase order. Requirements for product compliance and certification with the Buy American Act, Buy America Act, and any other Federal Acquisition Regulation shall be noted on the purchase order. Failure to document domestic and federal procurement requirements on the purchase order shall result in PURCHASER assuming all liability and replacement costs for products determined to be non-compliant.

Force Majeure

Morris Group International companies will not be liable for any failure or delay in performing an obligation that is due to any of the following causes: acts of God, accident, riots, war, terrorist act, epidemic, pandemic, quarantine, civil commotion, breakdown of communication facilities, breakdown of web host, breakdown of internet service provider, natural catastrophes, governmental acts or omissions, changes in laws or regulations, national strikes, fire, explosion, transportation issues or generalized lack of availability of raw materials or energy.

Limited Warranty

Manufacturer warrants that its Products are free from defects in material or workmanship under normal use and service for a period of one year from date of shipment to Distributor. Manufacturer's sole liability under this warranty shall be discharged by replacement or repair of defective material, provided Manufacturer is notified in writing within one year from date of shipment. This warranty will not be honored if the turbines are being used with any models other than Company's tank. This warranty does not cover installation or labor charges and does not apply to materials which have been damaged by other causes such as mishandling or improper care or abnormal use. The repair or replacement of the defective Products shall constitute the sole remedy of the Distributor and the sole obligation of Manufacturer under this warranty. MANUFACTURER SHALL NOT BE LIABLE UNDER ANY CIRCUMSTANCES FOR INCIDENTAL, CONSEQUENTIAL, SPECIAL EXEMPLARY, PUNITIVE, OR INCIDENTAL DAMAGES, OR FOR ANY DAMAGES FOR LOST PROFITS, OR FOR ANY DAMAGES ARISING FROM ANY DELAY IN THE REPAIR OR REPLACEMENT OF DEFECTIVE PRODUCTS. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Product maintenance instructions are issued with each Product, and disregard or non-compliance with these instructions will constitute an abnormal use condition and void the warranty. Stainless steel Products must be protected on jobsites during construction and must be properly maintained after the water has been introduced into the Product, or Manufacturer's limited warranty is void.

Please be sure to register your warranty for all Thermalators, Splint Pans and Whirlpools here: Whitehall Warranty Form. If the Product is not registered, the Product warranty is void.

If you have any questions or require technical assistance, please call 800-591-9280 (Live phone assistance between 5.45 AM – 4.00 PM Pacific Time).

Trademarks

Distributor shall have a non-exclusive license to use the logos and trademarks of Manufacturer in connection with its resale of the Products in accordance with this Agreement. Except for the rights granted herein, Distributor shall not acquire any other rights in the Manufacturer's logos or trademarks.

Whitehall reserves the right to change designs, dimensions, and products without notice.



WHITEHALL MANUFACTURING®

15125 Proctor Avenue • City of Industry, CA 91746 USA

P.O. Box 3527 • City of Industry, CA 91744 USA

Tel: (800) 782-7706 or (626) 968-6681 • Fax: (626) 855-4860 • info@whitehallmfg.com

Whitehall Sales • (800)591-9660 or (626)937-2541 • sales@whitehallmfg.com

**Whitehall Sports Equipment Sales | Tel: (800) 591-9280 or (626) 968-6681
Fax: (626) 855-4862**

WWW.WHITEHALLMFG.COM

