



MIFAB TO SMITH COMPARISON GUIDE



ISSUED 2024

CLOSET CARRIER VARIATIONS		LAVATORY, SINK, AND URINAL CARRIERS		ROOF DRAIN VARIATIONS (CONT'D)		ROOF DRAINS (CONT'D)	
MIFAB	SMITH	MIFAB	SMITH	MIFAB	SMITH	MIFAB	SMITH
-1	-M13	MC-26	0672Y	-F2	-WR2 (2 Weir Open)	R1220-P15-90	1420
-10	-M40	MC-26-HS	0672	-F3	-WR3 (3 Weir Open)	R1220-P15-J-Z	1419
-13	-G	MC-28	0650Y	-M	-CID3 (Metal Dome)	R1220-PR	1450
-20	-M12	MC-31	0636/0800	-M	-CID8 (8" High Metal Dome)	R1260	1010-10"
CLOSET CARRIERS		MC-32	0637/0830	-M-12	-CIDG (Galvanized Dome)	R1270	1800
MIFAB	SMITH	MC-33	0834	-M-80	-AD (Aluminum Dome)	R1300	1510
MC-10	0211Y	MC-34	CSE	P	L (Push on Outlet)	R1300T	1560 or 1580
MC-10-3NH	0208Y	MC-35	CSE	-R	-WD02 (2" Water Dam)	R1300Y-14-Z	DX1250
MC-10-27	0209Y	MC-36	0826/0828	-Std.	Y (NO-HUB Outlet)	R1310	1530
MC-10-27-37	0219Y	MC-40	0750	T	T (Threaded Outlet)	R1310T	1570
MC-10-37	0220Y	MC-41	0700	-U	-C (Underdeck Clamp)	R1320	1520
MC-10-37-HD-750	0220Y-M54-XX	MC-41D	0700D-M31	-V	-E (Fixed Extension)	R1320Y-14-Z	DX1240
MC-10-37-HDX	0220Y-M54-XK	MC-41D-R	0700D	-W2, -W3, -W4	-WD (Water Dam)	R1330	1540
MC-10-37-HS	0220	MC-41D-TR	0710D	-Z	-DX (Ext. Wide Flange)	R1360-C-Y-14"	1416
MC-10-EXT	0115Y	MC-42	0700-27-M31	ROOF DRAINS			
MC-10-EXT-HS	0115	MC-42-R	0700-27	MIFAB	SMITH	R1400-14	1610
MC-10-HD-750	0211Y-M54-XX	MC-51	0720	R1100	1330	R1400-HM	1630
MC-10-HDX	0211Y-M54-XK	MC-51-E2	0722E	R1100-P	1470	R1410	1650
MC-10-HS	0210	MC-51-LP	0727	R1100-P-90	1480	R1410-14	1640
MC-12	0230Y	MC-51-LP-E2	0723E	R1100-PR	CSE	R1420	1680
MC-12-HD-750	0230Y-M54-XX	MC-53	0720	R1190	1340	R1420-14	1670
MC-12-HDX	0230Y-M54-XK	MC-53-E2	0720E	R1200	1010	R1420-HM	1690
MC-12-HS	0230	MC-54	0722	R1200-90	1020	R1510	1785
MC-13	0240Y	MC-55	0770	R1200-B-U	1010-R-C	R1520	1786
MC-13-2	0250Y	MC-56	0770	R1200-E	1015	R1530	1787
MC-13-2-HS	0250	MC-56-LP	0790	R1200-EU	1015-C	R1640	1730
MC-13-HS	0240	MC-61-T	0914	R1200-EU	1015-R-C	R1810	1002
MC-13-HD-750	0240Y-M54-XX	MC-62	0915Y	R1200-F	1083, 1084, or 1085	R1810w/A2-PD	1001
MC-13-HDX	0240Y-M54-XK	ROOF DRAIN VARIATIONS		R1200-G	1011	R1850	1720
MC-13-2-HD-750	0250Y-M54-XX	MIFAB	SMITH	R1200-G-C	1016	R1900	1710
MC-13-2-HDX	0250Y-M54-XK	-1	-N (NB Grate)	R1200-JC	1017	R1930	1748
MC-14-4-V2	0447Y	-2	-RB (Rough Bronze)	R1200-JC-Z	1018	R1940	1770
MC-14-4-V2-HS	0447	-3	SS Veneer	R1200-JD-G18H-W31P-165L	1900	FLOOR DRAIN VARIATIONS	
MC-14-4-V4	0457Y	-4	-M (Ductile Iron Grate)	R1200-JD-W31P6L-WD	1910	MIFAB	SMITH
MC-14-4-V4-HS	0457	-5	-B (Sediment Bucket)	R1200-M	1010-CID	-3	-SS (Stainless Steel)
MC-15	0417Y	-6	-U (Vandal Proof)	R1200-M-B-U	1010-R-C-CID	-4	-M (Ductile Iron Grate)
MC-15-HS	0417	-12	-CIDG (Cast Iron Dome Galvanized)	R1200-M-EU	1015-C-CID	-5	-B (Sediment Bucket)
MC-21-T	0600	-13	-G (Galvanized)	R1200-M-EU	1015-R-C-CID	-5-3	-FP (Bucket w/ Seepage Holes)
MC-22-T	0620	-16	-S (Square Top)	R1200-M-EU	1015-R-C-CID	-5-8	-SSB (SS Sed. Bucket)
MC-24	0548P	-16-1	-SNB (NB Sq. Top)	R1200-M	1010-CID	-6	-BG (Galv. Sed. Bucket)
MC-24-DC	0548FP	-20	-D (Dome Grate)	R1200-M-B-U	1010-R-C-CID	-5-50	-CIB (Cast Iron Bucket)
MC-25-3-2	0532Y	-20-1	-DNB (NB Dome Grate)	R1200-M-EU	1015-C-CID	-6	-SEC (Secured Grate)
MC-25-4-2	0542Y	-28	-BB (Bronze Body)	R1200-M-U	1010-C-CID	-6	-SC (Secured Cover)
MC-25-4-4	0544Y	-49	-CP (CP Dome/Grate)	R1200-PR	1410	-6	-U (Vandal Proof)
MC-25-4D-RV2	0544DY	-81	-RBD (Rough Brz. Dome)	R1200-PR15-E-U	1415	-7	-P (Trap Seal Primer Tap)
MC-27	0444Y	-83	-BS (Bird Screen)	R1200-PR15-J	1409	-7	-P050 (1/2" Trap Seal Primer Tap)
MC-27-HS	0444	-83	-SSM (SS Mesh Over)	R1200-PR15-J-Z	1419	-7	-BFV (Backwater Valve)
LAVATORY, SINK, AND URINAL VARIATIONS		-B	-R (Sump Receiver)	R1200-R	1080	-8	-BV (Backwater Valve)
MIFAB	SMITH	-C	-C2 (Secondary Clamp)	R1200-SR	1005	-8	-V (Backwater Valve)
-14	-U	-E	-E	R1200-U	1010-C	-8	-H (Hinged Grate)
-B	-M11	-G	-GG (SS Ballast Guard)	R1200-W	1070	-8	-ARIO (ARC Inside & Out)
-D	-D	-F	-WR (Multiple Weir Open)	R1200-W-E	1074	-9	-G (Galvanized)
-E2	-E	-F1	-WR1 (1 Weir Open)	R1200-Z	DX1010	-11	
-E4	-E4			R1220	1310	-13	
-E6	-E6			R1220-90	1320		
-G	-KW			R1220-P	1450		
-K	-KF			R1220-P-90	1460		

NOTE: The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING

PM 1171G 1

FLOOR DRAIN VARIATIONS (CONT'D)		FLOOR DRAINS (CONT'D)		FLOOR DRAINS (CONT'D)		TRAP PRIMER ADAPTERS	
MIFAB	SMITH	MIFAB	SMITH	MIFAB	SMITH	MIFAB	SMITH
-16	-S (Square Top)	F1320-Y-Z-5-14	DX2565	F1860-5	2631	MI-602	276-2A5
-16-1	-SNB (NB Sq. Top)	F1330-C	2495	F1860-16-4	2632	MI-603	276-3A5
-20	-D (Dome Grate)	F1330-C-33	2490	F1860-16-4-5	2630	MI-604	276-4A5
-20	-DBS (Dome Bottom Strainer)	F1340	2340	F1870	2635	MI-612	276-2A6
-20-1	-DNB (NB Dome Grate)	F1340-14-90	2335	F1890	9740	MI-613	276-3A6
-21	-FBS (Flat Bottom Strainer)	F1340-90	2345	MI-800	2652	MI-614	276-4A6
-21-50	-FBSCI (CI Flat Bottom Strainer)	F1340-C-14	2330	MI-830	2645	MI-622	276-2P5
-28	-BB (Brz. Body)	F1340-C-Q-14	2331	MI-850	2646	MI-623	276-3P5
-34	-XP (Closure Plug)	F1340-C-TFB-14	2360	MI-860	2641	MI-624	276-4P5
-35	-BS (Bucket w/SS Mesh Screen)	F1340-C-TFB-14-90	2365	MI-860	2648	MI-632	276-2P6
-44	-N (Aux. Inlet)	F1340-TFB-4	2230	R1400-HM-83	2670	MI-633	276-3P6
-49	-CP (Chrome Plated Strainer)	F1340-TFB-4	2231	R1400-HM-83	2671	MI-634	276-4P6
-C	-C (Membrane Clamp)	F1340-Q	2341	R1410-HM-84	2673	ELECTRIC TRAP PRIMERS	
-C	-R (Membrane Clamp)	F1340-Y	2141	R1420-HM-83	2674	MIFAB	SMITH
-F4	-F (4" Round Funnel)	F1340-Y-5	2142	ADJUSTABLE STRAINER VARIATIONS		MI-100-5-FLUSH	270FM-5
P	L (Push on Outlet)	F1340-Y-5-90	2235	MIFAB	SMITH	MI-100-10-FLUSH	270FM-10
T	T (Threaded Outlet)	F1340-Y-5-90	2238	-5-1	-A-05	MI-100-15-FLUSH	270FM-15
FLOOR DRAINS		F1340-Y-14	2131	-5-1-8	-AV-05	MI-100-20-FLUSH	270FM-20
MIFAB	SMITH	F1340-Y-14-5	2233	-6-1	-A-06	MI-100-25-FLUSH	270FM-25
F1100-C	2005-A	F1340-Y-14-5-90	2147	-6-1-8	-AV-06	MI-100-30-FLUSH	270FM-30
F1100-C-8	2005-AV	F1340-Y-90	2145	-7-1	-A-07	MI-100-5-SURFACE	270SM-5
F1100-C-S	2005-B	F1340-Y-Q	2140	-7-1-8	-A-07	MI-100-10-SURFACE	270SM-10
F1100-C-SD6	2005-BS	F1340-Y-Q-14	2130	-8-1	-AV-07	MI-100-15-SURFACE	270SM-15
F1100-C-X	2005-C	F1340-Y-Q-14-90	2135	-8-1-8	-A-08	MI-100-20-SURFACE	270SM-20
F1100-C-Z	DX2005-A	F1340-Y-Z-5-14	DX2566	-10-1	-A-09	MI-100-25-SURFACE	270SM-25
F1100-C-ZS	DX2005-B	F1350-5-90	2245	-10-1	-A-10	MI-100-30-SURFACE	270SM-30
F1100-HG8-3	2280	F1350-Y-5	2240	-EF	-F10	MI-300-BP	273-12V
F1100-HG8-90-3	2285	F1350-Y-5-90	2247	-EF	-F11	MI-300-24V	273-24V
F1100X-C	2010-A	F1350-Y-36	2690	-FT6-1	-F	MI-300-24V	273-SW-24V
F1100X-C-8	2010-AV	F1360-C-Y	2143	-N7	-D	MI-300-120V	273-120V
F1100X-C-S	2010-B	F1360-C-Y-5-90	2255	-N9	-E	MI-300-240V	273-240V
F1100X-C-SD6	2010-BS	F1370-18	2650	-RS48-F4	-F13	MI-300-BP-ENC	273-B-12V
F1100X-C-X	2010-C	F1370-C-Y-5	2250	-RS412-F4	-F14	MI-300-24V-ENC	273-B-24V
F1100X-C-Z	DX2010-A	F1420-Y	2120-S	-RS412-F4	-F15	MI-300-120V-ENC	273-B-120V
F1100X-C-ZS	DX2010-B	F1420-Y-5	2370	-S5-1	-B-05	MI-300-240V-ENC	273-B-240V
F1100-ZX6-1	DX2568	F1420-Y-5-14	2412	-S6-1	-B-06	TRENCH DRAIN VARIATIONS	
F1120-C	2020	F1420-Y-6	2385	-S7-1	-B-07	MIFAB	SMITH
F1120-C	2021	F1440	2340-M-S	-S8-1	-B-08	-3	-NB
F1120-C	2030	F1440-C-Y-5-Q	2589	-S10-1	-B-09	-4	-M
F1120-C	2031	F1440-Y-5-14-90	2478	-S10-1	-B-10	-6	-U (Vandal Proof)
F1130-C	2040	F1450-5-26-33-90	2420	-SD6-3	-BS	-8	-V (Backwater Valve)
F1130-C	2041	F1450-5-26-90	2425	-S-F4	-F12	-11	-ARIO (ARC Inside and Out)
F1140-C	2510	F1450-Y-5-14-6	2415	-X5-1	-C-05	-13	-G (Galvanized)
F1140-C	2515	F1450-Y-5-14-26-33	2410	-X6-1	-C-06	-20	-DBSCI (CI Dome Bottom Strainer)
F1140-C	2530	F1460-4-5	2488	-X8-1	-C-08	-C	-C (Flashing Clamp)
F1160	2016	F1460-5	2452	-X10-3	-C-10	-FL	-F (Anchor Flange)
F1170	2017	F1480-4	2470	-Z5-1	-DXA	-FLC	-FC
F1170-C	2095	F1480-FL-4	2473	-ZS-1	-DXB	S	-EO (End Outlet)
F1320-C	2320	F1530	2614	TRAP SEAL PRIMERS AND AIR GAPS		-Std.	Y (NO-HUB Outlet)
F1320-C-14	2310	F1550	2624	MIFAB	SMITH	T	T (Threaded Outlet)
F1320-C-14-90	2315	F1560	2455	MI-600-50	2695	X	C (Inside Caulk Outlet)
F1320-C-14-5-Z	DX2312B	F1560-4	2475	MI-750	2698	TRENCH DRAINS	
F1320-C-14-Z	DX2312	F1580	SQ-3-3857	MI-CAG-NH	3955	MIFAB	SMITH
F1320-C-90	2325	F1590	SQ-2-4745	MI-CAG-T	3950	T1000-3	2900
F1320-C-90-Y	2125	F1590-90	SQ-2-3425	MI-CAG-T	3951	T1150-4	2910
F1320-C-90-Y-14	2115	F1640-C	2640	MI-TSP-1	2699-1	T1200-4	2970
F1320-C-TFB-4	2220	F1650	2500	MI-TSP-2	2699	T1200-F-4	2980
F1320-C-TFB-90-4	2225	F1650	2502	MR-500	2694	T1320-FL-4	2810
F1320-C-TFB-14	2350	F1650-A	2501	DISTRIBUTION UNITS		T1350-FL-4	2710
F1320-C-TFB-14-90	2355	F1650-G	2505	MIFAB	SMITH	T1350-FL-4	2710-DH
F1320-C-Y	2120	F1650-G	2507	MI-DU	2694DA	SANITARY FLOOR & IWR DRAIN VARIATIONS	
F1320-C-Y-14	2110	F1650-G-A	2506	MI-DU	2694-ABS	MIFAB	SMITH
F1320-TFB-4	2210	F1660	2508	MI-DU-500	2694DA-625	-6	-U (Vandal Proof)
F1320-TFB-90-4	2215	F1760-FL	2585	MI-DU-500	2694-ABS-500	-7	-P (TSP Connection)
F1320-Y-14	2270	F1760-FL	2586	MI-DU-625	2694-ABS-625 & -CTS	-13	-G (Galvanized)
F1320-Y-14-90	2275	F1780	3812				
		F1820	2675				
		F1830-P	2680				
		F1830-PL	2685				
		F1840	SQ-1-3499				
		F1860	2633				

NOTE: The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING

SANITARY FLOOR & IWR DRAIN VARIATIONS (CONT'D)		SANITARY FLOOR & IWR DRAINS (CONT'D)		CLEANOUT AND ACCESS COVERS		HYDRANTS (CONT'D)	
MIFAB	SMITH	MIFAB	SMITH	MIFAB	SMITH	MIFAB	SMITH
-21	-FBS (Secondary Strainer)	FS1530-FL-5	3461	C1100P-R	4031	MHY-45	5660-QT
-21	-LG (Less Grate)	FS1530-FL-5-1	3301	C1100-R	4020	MHY-50	5618
-22	-11 (Less Grate w/ NB/SS rim)	FS1720-FL	3420	C1100-R-Z	DX4020	MHY-55	5518
-29	-316 (316 SS)	FS1720-FL-1	3110	C1100-S	4040	MHY-58	5906
-50	-CI (Lacquered CI)	FS1720-FL-1	3140	C1100-T	4140	MHY-60-3/4"	5810
-150	-12 (Half Grate)	FS1720-FL-5	3421	C1100-TS	4160	MHY-60-FLM-3/4"	5810-F
-175	-13 (3/4 Grate)	FS1720-FL-5-1	3111	C1100-UR	4180	MHY-60-HSB-3/4"	5950
C	-C (Membrane Clamp)	FS1720-FL-5-1	3141	C1100-US	4200	MHY-60-HSB-1"	5951
-F4	-21 (Grate w/ 4" Funnel)	FS1730-FL	3430	C1100-X-R	4025C	MHY-61-1-1/4"	5812
-F6	-22 (Grate w/ 6" Funnel)	FS1730-FL-1	3120	C1100-XR-1	4100	MHY-61-1-1/2"	5813
-G	-25 (Grate w/ 4"x9" Funnel)	FS1730-FL-1	3150	C1100-XR	4220	MHY-61-2"	5814
-J	-26 (Grate w/ 6"x3"x1" Funnel)	FS1730-FL-5	3431	C1230	CSE	MHY-65-3/4"	5910
P	-L (Push on Outlet)	FS1730-FL-5-1	3121	C1230-WF	CSE	MHY-65-1"	5911
-Std.	Y (NO-HUB Outlet)	FS1740-FL	3440	C1300-MFw/C1230	4250	MHY-66-1-1/4"	5912
T	T (Threaded Outlet)	FS1740-FL-1	3160	C1300-R	4810	MHY-66-1-1/2"	5913
X	C (Inside Caulk Outlet)	FS1740-FL-1	3160	C1400-R	4725	MHY-66-2"	5914
		FS1740-FL-5	3441	C1400-RD	4710	MHY-68	5909
		FS1750-1	3040	C1400-S	4735	BACKWATER VALVES & TRAPS	
		FS1750-5-1	3041	C1430	4470	MIFAB	SMITH
		FS1750-5-1-Z	DX3027	C1430-RD	4472	BV1000	7012
		FS1750-FL-1	3040-F	C1450	CSE	BV1000	7022
		FS1750-FL-5-1	3041-F	C1450-R	4437	BV1210	7000
		FS1750-FL-5-1	3131	C1450-RD	4422	BV1260	7080
		FS1750-FL-5-11-21	3471	C1450-S	4430	BV1280	7070
		FS1750-FL-5-11-21-1	3321	C1460	4510	BV1290	7097
		FS1750-FL-11-21	3470	C1460-RD	4530	BV1300	7150
		FS1750-FL-11-21-1	3320	C1460-S	4555	TRAPS	
		FS1760-1	3060	WATER HAMMER ARRESTERS		MIFAB	SMITH
		FS1760-5-1	3061	MIFAB	SMITH	C1600	7230
		FS1760-5-1-Z	DX3068	MWH	5200	C1600	7231
		FS1760-FL	3400	MWH-A	5205	C1600	7232
		FS1760-FL-1	3060-F	MWH-B	5210	MI-950	7220
		FS1760-FL-5	3401	MWH-C	5220	MI-950	7221
		FS1760-FL-5-1	3061-F	MWH-D	5230	MI-950	7222
		FS1790-FL	3482	MWH-E	5240	INTERCEPTOR VARIATIONS	
		FS1790-FL-1	3200	MWH-F	5250	MIFAB	SMITH
		FS1790-FL-1	3250	WHB	5000	-4	DI -M Grate
		FS1790-FL-1	3450	WHB-A	5005	-6	U
		FS1790-FL-1-5	3201	WHB-B	5010	-AL	AC
		FS1790-FL-1-5	3251	WHB-C	5020	-AL	ACC
		FS1790-FL-5	3483	WHB-D	5030	-C	E
		FS1790-FL-5-1	3451	WHB-E	5040	-FL	F
		FS1920-FL	3002-F-U	WHB-F	5050	-FLM	F-C
		FS1920-FL	DX3002-F-U	HYDRANT VARIATIONS		-HD	HC
		FS1920-FL-5	3007-F-U	MIFAB	SMITH	TL	TC
		R1100-RS	3960	-0	-HC1	-TL	QC
		R1200-RD	3980	-1	-NB	-SB	B
		R1220-RS	3970	-2	-PB	-Std.	ARC
		CLEANOUT & ACCESS COVER VARIATIONS		-5	-SS	-Std.	ARI
		MIFAB	SMITH	-6	-E	-Std.	ARIO
		-1	-SNB (NB Sq. Top)	-8	-H	-Std.	ARO
		-4	-M (Ductile Iron)	-9	-N	-Std.	Y
		-6	-U (Vandal Proof)	-12	-WH	-Std.	NO-HUB
		-13	-G (Galvanized)	-13	-AG	-SS	SS
		-34B	-BP (Bronze Plug)	-50	-CI	INTERCEPTORS	
		-87	-LSS (6" Long Center Screw)	-K	-CL	MIFAB	SMITH
		-C	-F-C (Anchor Flange)	-WC	-WC	MI-G	8000
		P	L (Push on Outlet)	Reg. Furnished	-NV	MI-G-0	8004
		-RC	-Y (Carpet Marker)	HYDRANTS		MI-G-1	8007
		-RFC	-X (Carpet Clamping Type)	MIFAB	SMITH	MI-G-2	8010
		-Std.	Y (NO-HUB Outlet)	MHY-10	5619	MI-G-3	8015
		-T	-RT (Recessed for Tile)	MHY-15	5619	MI-G-4	8020
		T	T (Threaded Outlet)	MHY-16	5619	MI-G-5	8025
		X	C (Inside Caulk Outlet)	MHY-16-52	5619	MI-G-6	8035
		-Z	-DX (Extend. Wide Flange)	MHY-25	5519	MI-G-7	8050
				MHY-26	5519	MI-G-C	8200
				MHY-26-52	5519	MI-G-L	8100
				MHY-30	5609-QT-SAP	MI-G-L-20	8120
				MHY-40	5660-QT	MI-G-L-35	8135
						MI-G-L-50	8150

NOTE: The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING

INTERCEPTORS (CONT'D)

MIFAB	SMITH
MI-G w/ MI-CS	8300
MI-G-L-SDH	8100GT
MI-G-L-SDH	8100GXT
MI-G-SDH	8000GT
MI-G-SDH	8000GXT
MI-G-SDH w/MI-CS	8300GT
MI-HAIR	8750
MI-HAIR	8760
MI-LINT	8910
MI-O	8510
MI-O	8560
MI-O-C	8510E
MI-O-C	8560E
MI-O-HU	8599
MI-OS	8925
MI-RICE	8905
MI-SAND	8817
MI-SD	8811
MI-SOLID-L	8715
MI-SOLID-LB	8730
MI-SOLID-M	8714
MI-SOLID-S	8710
MI-SOLID-SA	8738
MI-SOLID-TA	8870 Series
XL-MI-G	8400
XL-MI-G-C	8400E

**SPECIALTIES & STAINLESS
STEEL PRODUCTS**

MIFAB	SMITH
BV1000-28	9755
BV1000-28	9795
BV1210-28	9790
C1100-T6-3-28	9760
C1100-T6-3-28	9770
C1100-T7-3-28	9720
C1100-T7-3-28	9735
C1430-28	9775
C1430-RD-28	9776
F-3	9703
F1000-8-3-28	9710
F1000-8-3-28	9713
F1000-8-3-28	9725
F1000-8-3-28-90	9715
F1000-8-3-28-90	9718
F1000-8-3-28-Z	9705
F1000-C-6-3-28	9700
F1130C-28-3	9750
F1360-28-3	9733
F1640	9205
F1880	9740
FS1760-3-28	9730
FS1760-3-28	9730
FS1920-FL	9690
FS1920-FL	9692
FS1920-FL-5	9696
FS1930-FL	9693
FS1930-FL-5	9698
FS1940-FL	9694
FS1940-FL-5	9699
G-3	9704
MI-750	9200
MI-GRILL	9005
MI-GRILL	9010
MI-GRILL	9020
TS1002	9110
TS1003	9120

NOTE: The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING