



# WATTS TO SMITH COMPARISON GUIDE



ISSUED 2025

OUTLET DESCRIPTIONS		ALPHA SUFFIXES (CONT'D)		WATER CLOSET CARRIER OPTIONS AND VARIATIONS (CONT'D)	WATER CLOSET CARRIERS ADJUSTABLE SERIES VERTICAL w/ SIDE INLETS	
WATTS	SMITH	WATTS	SMITH		WATTS	SMITH
NH (Std. Outlet)	Y (NO-HUB Outlet)	-G-50	4x9 Oval CI Funnel (3591-CI)			
-P	L (Speedi-Set Outlet)	-GSS	Stainless Steel Ballast Guard	-M24	2" LH Auxiliary Inlet (-2NL)	ISCA-131-L ISCA-131-L-BF
-T or THD	T (Threaded Outlet)	-K	Cylinder Lock (-CL)	-XH	Extra Heavy 500# Support (-XH)	ISCA-131-L-HS ISCA-131-L-HS-BF
-X	C (Inside Caulk Outlet)	-K	Ductile Iron Dome Galvanized Dome (CID-G)	-3	3" Horizontal NO-HUB Fitting	ISCA-131-R ISCA-131-R-BF
-60	No Equal - CSE	-K13	Ductile Iron Low Dome Aluminum Dome (-AD)	-3	3" Vertical NO-HUB Fitting w/ 2" Vent	ISCA-131-R-HS ISCA-131-3-HS-BF
-61	No Equal - CSE	-K40	Stainless Steel Mesh Dome (-SSMD)	-4V2	4" NO-HUB Fitting w/ 2" NO-HUB Vent	ISCA-131-2 ISCA-131-2-BF
<b>NUMERIC SUFFIXES</b>		-K80	Vandal Proof (-U)	-4V4	4" NO-HUB Fitting w/ 4" NO-HUB Vent	ISCA-131-D-HS ISCA-131-2-HS-BF
<b>NUMERIC SUFFIXES</b>		-K83	Extended Nipple	US	Horizontal Long Barrel (36") Buy American Compliant	ISCA-131-D ISCA-131-D-BF
<b>WATTS</b>	<b>SMITH</b>	-L	Tiling Frame (-M13)	<b>WATER CLOSET CARRIERS ADJUSTABLE SERIES-HORIZONTAL-</b>		
-1	Nickel Brz (-NB)	-M1	Rear Anchor Support (-M51)	<b>WATTS</b>	<b>SMITH</b>	
-3	Stainless Steel (SS)	-M11	Flush Valve Support (-M12)	ISCA-101-L	0211LY	ISCA-131-D2 ISCA-131-D2-BF
-4	Ductile Iron (-M)	-M12	Knee Operated Valve Support (-KW or -KF)	ISCA-101-L-BF	0211LY-2 or 0211LY-2M	ISCA-131-D2-HS ISCA-131-D2-HS-BF
-5	Sediment Bucket (-B)	-M20	Non Standard Inlet/Outlet	ISCA-101-L-36	0221LY	ISCA-102-L ISCA-102-L-HS
-6	Vandal Proof (-U)	-M23	External Water	ISCA-101-L-36-BF	0221LY-2 or 0210L	ISCA-102-R ISCA-102-R-HS
-7	Trap Primer Tapping (-P)	-M24	Side Outlet	ISCA-101-L-HS-36	0220L	ISCA-102-D ISCA-102-D-HS
-8	Backwater Valve (-V)	-M42	Stainless Steel (-SS)	ISCA-101-R	0211RY	ISCA-103-L ISCA-103-L-HS
-9	Hinged Grate (-H)	-M54	Top Grate	ISCA-101-R-BF	0211RY-2 or 0211RY-2M	ISCA-103-R ISCA-103-R-HS
-12	Galvanized Top (-G)	-M55	Buy American Compliant	ISCA-101-R-HS	0210R	ISCA-103-D ISCA-103-D-HS
-13	Galvanized (-G)	-M60	Fixed Extension (-E)	ISCA-101-R-HS-36	0220R	ISCA-102-L ISCA-102-L-HS
-14	Flat Grate	-O	Vacuum Breaker (-H)	ISCA-101-L-AUX	0209LY	ISCA-102-R ISCA-102-R-HS
-15	Strainer Extension (2010X)	-R	Internal Water Dam (1070)	ISCA-101-R-AUX	0219RY	ISCA-102-D ISCA-102-D-HS
-21	Secondary Strainer (-FBS)	-SO	Fixed Top	ISCA-101-R-AUX	0211DY	ISCA-103-L ISCA-103-L-HS
-22	Less Grate (-10)	-SS	Elastomeric Flange (Prefix DX)	ISCA-101-D	0211DY-2 or 0211DY-2M	ISCA-103-R ISCA-103-R-HS
-34	Closure Plug (-XP)	-TG		ISCA-101-D-BF	0211DY-2 or 0211DY-2M	ISCA-103-D ISCA-103-D-HS
-34B	Gasket Seal Brz. Plug	-US		ISCA-101-D-36	0221DY	ISCA-102-L ISCA-102-L-HS
-38	Solids Retaining Baffle	-V		ISCA-101-D-36-BF	0221RY-2 or 0221RY-2M	ISCA-102-D ISCA-102-D-HS
-81	Brz Dome (-RB or -PB)	-VB		ISCA-101-D-36	0210D	ISCA-102-L ISCA-102-L-HS
-88	Wall Clamp (-WC)	-W		ISCA-101-D-36-BF	0221DY-2 or 0221RY-2M	ISCA-103-L ISCA-103-L-HS
-128	Grate w/ Center Hole (-14)	-Y		ISCA-101-D-HS	0210D	ISCA-102-L ISCA-102-L-HS
-150	Half Grate (-12)	-Z		ISCA-101-D-HS-36	0220D	ISCA-103-L ISCA-103-L-HS
-175	3/4 Grate (-13)					ISCA-102-L ISCA-102-L-HS
<b>ALPHA SUFFIXES</b>		<b>WATER CLOSET CARRIER OPTIONS AND VARIATIONS</b>		<b>WATER CLOSET CARRIERS ADJUSTABLE SERIES-VERTICAL-</b>		<b>WATER CLOSET CARRIERS ADJUSTABLE SERIES VERTICAL BARIATRIC</b>
<b>WATTS</b>	<b>SMITH</b>	<b>WATTS</b>	<b>SMITH</b>	<b>WATTS</b>	<b>SMITH</b>	<b>WATTS</b>
-A	45 Deg. Outlet	-BF	Assembly for Floor Mounted Back Outlet (Type -2 or -2M)	ISCA-121	0230Y	ISCA-122
-A	Control Flow (1083/1085)	CA-100-EXT	Aux. Support System (-M40)	ISCA-121-BF	0230Y-2 or 0230Y-2M	ISCA-122-HS
-B	Sump Receiver (-R or -RDP)	CI	Cast Iron Nipple	ISCA-121-HS	0230	ISCA-122-D
-BF	Assembly for Floor Mounted Back Outlet (Type -2 or -2M)	-HS	Hub and Spigot	ISCA-121-HS-BF	0230Y-2 or 0230Y-2M	ISCA-122-D-HS
-C	Membrane Clamp (-C)	-M1	Extended ABS Nipple	ISCA-121-D	0230DY	ISCA-123
-D	Deck Clamp (-C)	-M11	Tiling Frame (-M13)	ISCA-121-D-BF	0230DY-2 or 0230DY-2M	ISCA-123-HS
-E	Extension (-E or DEK)	-M16	Vandal Proof Cap Nuts (-U)	ISCA-121-D-HS	0230	ISCA-123-D
-F	Flange (-F)	-M20	Flush Valve Support (-M12)	ISCA-121-D-HS-BF	0230D-2 or 0230D-2M	ISCA-123-D-HS
-F	Adj. Extension	-M23	2" RH Auxiliary Inlet (-2NR)			
-F4-1	Flange (-DEK or -AE)					
-F4-1	4" Round NB Funnel (3580-NB)					
-F4-50	4" Round CI Funnel (3580-CI)					
-F6-1	6" Round NB Funnel (3581-NB)					
-FC	Flange and Clamp (-FC)					
-G-1	4x9 Oval NB Funnel (3591-NB)					

**NOTE:** The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING

PM 0609D 1

WATER CLOSET CARRIERS ADJUSTABLE SERIES VERTICAL BARIATRIC W/ SIDE INLETS	WALL MOUNTED LAVATORY CARRIERS W/ CONCEALED ARMS		ROOF DRAIN OPTIONS (CONT'D)		ROOF DRAINS (CONT'D)			
	WATTS	SMITH	WATTS	SMITH	WATTS	SMITH		
ISCA-132	0250Y-M54-XXK	TCA-440	0720	-Z	Elastomeric Flange (Prefix DX)	RD-283, 4-SO	CSE	
ISCA-132-HS	0250-M54-XK	TCA-450	0720-27			RD-290	1520	
ISCA-132-D	0250DY-M54-XK	CA-461	0720			RD-292, 3, 4, 6	1520	
ISCA-132-D-HS	0250D-M54-XK	CA-462	0720 or 0722			RD-290-A	1540	
ISCA-133	0250Y-M54-XX	<b>WALL MOUNTED LAVATORY CARRIERS PLATE TYPE</b>				RD-292, 3, 4, 6-A	1540	
ISCA-133-HS	0250-M54-XX							RD-300
ISCA-133-D	0250DY-M54-XX	<b>SERVICE SINK CARRIERS</b>				RD-302, 3, 4, 5, 6, 8	1010	
ISCA-133-D-HS	0250D-M54-XX							RD-308, 310
<b>WATER CLOSET CARRIERS VERTICAL COMPACT CENTERLINE SERIES</b>		<b>WATTS</b>	<b>SMITH</b>	<b>ROOF DRAINS</b>			RD-300-CP15	1410-M
		CA-481	0826 or 0828				<b>WATTS</b>	<b>SMITH</b>
ISCA-141-3	0532FY	ISCA-550-3	0631-Y2	RD-100	1010	RD-308, 310-SP15	1410-101-M	
ISCA-141-3-HS	0532F	ISCA-550-4-V2	0631-Y4	RD-102, 3, 4, 5, 6	1010	RD-300-CP15-SO	1420-M	
ISCA-141-4-V2	0440Y	ISCA-550-4-V4	0631-Y5	RD-100-A	1083 or 1085	RD-302, 3, 4, 5, 6, -CP15-SO	1420-M	
ISCA-141-4-V2-HS	0440	ISCA-560-3	0915-Y2 or 0925-Y2	RD-102, 3, 4, 5, 6-A	1083 or 1085	RD-300-CP15-F	1410-M-DEK or 1415	
ISCA-141-4-V4	0450Y	ISCA-560-4-V2	0915-Y4 or 0925-Y4	RD-100-CP	1450-M	RD-302, 3, 4, 5, 6, 8-CP15-F	1410-M-DEK or 1415	
ISCA-141-4-V4-HS	0450	ISCA-560-4-V4	0915-Y5 or 0925-Y5	RD-102, 3, 4, 5, 6-CP	1450-M	RD-300-CP15-85	1409-M	
ISCA-141-4-D-V2	CSE	<b>ROOF DRAIN OPTIONS</b>		RD-102, 3, 4, 5, 6-CP-1	1450-NB	RD-302, 3, 4, 5, 6, 8-CP15-85	1409-M	
ISCA-141-4-D-V2-HS	CSE			<b>WATTS</b>	<b>SMITH</b>	RD-100-CP-85	1459-M	RD-308, 310-CP-85
ISCA-141-4-D-V4	CSE	-1	Nickel Bronze Top (-NB)	RD-102, 3, 4, 5, 6-CP-85	1459-M	RD-300-F	1010-DEK or 1015	
ISCA-141-4-D-V4-HS	CSE	-5	Sediment Bucket (-B)	RD-102, 3, 4, 5, 6-CP-1-85	1459-NB	RD-302, 3, 4, 5, 6, 8, 10-F	1010-DEK or 1015	
ISCA-151-L	0410LY	-6	Vandal Proof (-U)	RD-100-F	1010-DEP	RD-300-R	1080	
ISCA-151-L-M23	0411LY	-13	Galvanized (-G)	RD-102, 3, 4, 5, 6-F	1010-DEP	RD-302, 3, 4, 5, 6, 8, 10-R	1080	
ISCA-151-L-M24	0415LY	-14	Flat Grate	RD-100-GSS	1011	RD-300-R-F	1080-DEK or -AE	
ISCA-151-L-HS	0410L	-60	No Equal - CSE	RD-102, 3, 4, 5, 6-GSS	1011	RD-302, 3, 4, 5, 6, 8-R-F	1080-DEK or -AE	
ISCA-151-R	0410RY	-61	No Equal - CSE	RD-100-GSS-Z	1019	RD-300-W	1070	
ISCA-151-R-M23	0411RY	-83	SS Mesh Covered Metal Dome (-SSM)	RD-102, 3, 4, 5, 6-GSS-Z	1019	RD-302, 3, 4, 5, 6, 8-W	1070	
ISCA-151-R-M24	0415RY	-85	Perforated Extension (-EP)	RD-100-R	1080	RD-300-85	1017	
ISCA-151-R-HS	0410R	-A(RD-100)	Control Flow (1083/1085)	RD-102, 3, 4, 5, 6-R	1080	RD-302, 3, 4, 5, 6, 8-85	1017	
ISCA-151-D	0410DY	-A(RD-270)	45 Deg. Outlet (NH Only)	RD-100-SO	1020	RD-310-W	CSE	
ISCA-151-D-M23	0411DY	-B	Sump Receiver (-R or -RDP)	RD-100-SO-Z	DX1020	RD-300-W-F	1070-DEK or -AE	
ISCA-151-D-M24	04115DY	-D	Deck Clamp (-C)	RD-102, 3, 4, 5, 6-Z	DX1020	RD-302, 3, 4, 5, 6, 8-W-F	1070-DEK or -AE	
ISCA-151-D-HS	0410D	-E	Extension (-E or -DEK)	RD-100-85	1017	RD-400	3970	
<b>URINAL CARRIERS</b>		-F	Adj. Extension Flange (-DEK or -AE)	RD-100-85-Z	1018	RD-402, 3, 4, 5, 6	3970	
		<b>WATTS</b>	<b>SMITH</b>	RD-102, 3, 4, 5, 6-85-Z	1018	RD-410	3960	
CA-311	0636 or 0616	-GSS	Stainless Gravel Guard (-GG)	RD-200	1330	RD-412, 3, 4	3960	
CA-321	0637 or 0617	-K	Ductile Iron Dome	RD-202, 3, 4	1330	RD-500	1010Y12	
<b>FLOOR MOUNTED LAVATORY CARRIERS W/ EXPOSED ARMS</b>		-K13	Galvanized Dome (CID-G)	RD-200-SO	1340	GRD-610	1937	
		<b>WATTS</b>	<b>SMITH</b>	RD-202, 3, 4-SO	1340	GRD-612, 3, 4, 5, 6	1937	
CA-401	0750 or 0870	-K40	Ductile Iron Low Dome - CSE	RD-200-CP	1470-M	GRD-610-W	1937-WD4	
CA-401D	0750D or 0870D	-K80	Aluminum Dome (-AD)	RD-202, 3, 4-CP	1470-M	GRD-612, 3, 4, 5, 6-W	1937-WD4	
<b>FLOOR MOUNTED LAVATORY CARRIERS W/ CONCEALED ARMS</b>		-K81	Rough Brz Dome (-RBD)	RD-202, 3, 4-CP-85	1479-M	GRD-620	SQ-1-5312	
		<b>WATTS</b>	<b>SMITH</b>	RD-200-R	1330-WD2	GRD-630	1900	
TCA-411	0710	-K83	SS Mesh Covered Metal Dome	RD-202, 3, 4-R	1330-WD2	GRD-632, 3, 4, 5, 6	1900	
TCA-411D	0710D	-L	Vandal Proof Dome (-U)	RD-200-W	1330-SP	GRD-640	1901	
TCA-411-WC	0710-27	-R	External Water Dam (-WD)	RD-202, 3, 4-W	1330-SP	GRD-642, 3, 4, 5, 6	1901	
TCA-411-D-WC	0710D-27	-SO	Side Outlet	RD-200-W	CSE	GRD-650	SQ-1-5113	
WCA-411	0700 or 0700Z	-SS	Stainless Steel (-SS)	RD-202, 3, 4-W	CSE	GRD-652, 3, 4	SQ-1-5113	
WCA-411-D	0700D or 0700DZ	-T	Threaded Outlet (-T)	RD-230	1680	GRD-670	1913	
WCA-411-WC	0700-27	-US	Buy American Compliant	RD-230-14	1670	GRD-672, 3, 4, 5, 6	1913	
WCA-411-D-WC	0700D-27	-V	Fixed Extension (-E)	RD-232, 3, 4	1680	GRD-680	CSE	
<b>FLOOR MOUNTED LAVATORY CARRIERS PLATE TYPE</b>		-W	Internal Water Dam (1070)	RD-232, 3, 4-14	1670	GRD-682, 3, 4	CSE	
		<b>WATTS</b>	<b>SMITH</b>	RD-240	1620	RD-680-VC	1748	
CA-421	0800 or 0801	-R	External Water Dam (-WD)	RD-240-14	1610	RD-682, 3, 4, 6-VC	1748	
CA-421-2	0830 or 0831	-SO	Side Outlet	RD-242, 3, 4	1620	RD-688-VC	CSE	
CA-431-1	0834	-SS	Stainless Steel (-SS)	RD-242, 3, 4-14	1610	GRD-690	1937	
<b>ROOF DRAIN OPTIONS (CONT'D)</b>		-T	Threaded Outlet (-T)	RD-250	148	GRD-692, 3, 4, 5, 6	1937	
		<b>WATTS</b>	<b>SMITH</b>	RD-260	1830	RD-703, 4, 6	CSE	
<b>ROOF DRAINS</b>		-US	Buy American Compliant	RD-262, 3, 4	1830	RD-700-CT	CSE	
		<b>WATTS</b>	<b>SMITH</b>	RD-270	1510	RD-703, 4, 6-CT	CSE	
<b>ROOF DRAINS</b>		-V	Fixed Extension (-E)	RD-272, 3, 4, 6	1510	GRD-730	SQ-1-3855	
		<b>WATTS</b>	<b>SMITH</b>	RD-270-A	1530	RD-800	1800	
<b>ROOF DRAINS</b>		-W	Internal Water Dam (1070)	RD-272, 3, 4, 6	1530	RD-900	CSE	
		<b>WATTS</b>	<b>SMITH</b>	RD-280	CSE	RD-902, 3, 4	CSE	
<b>ROOF DRAINS</b>				RD-283, 4	CSE	RD-940	1770	
		<b>WATTS</b>	<b>SMITH</b>	RD-280-SO	CSE	RD-942, 3, 4, 5, 6, 8	1770T	
<b>ROOF DRAINS</b>						RD-942, 3, 4, 5, 6, 8, 10, 12-NH	1770Y	
		<b>WATTS</b>	<b>SMITH</b>					

NOTE: The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING

ROOF DRAINS (CONT'D)		FLOOR DRAINS (CONT'D)		FLOOR DRAINS (CONT'D)		FLOOR DRAINS (CONT'D)	
WATTS	SMITH	WATTS	SMITH	WATTS	SMITH	WATTS	SMITH
RD-943, 4, 6, 8-P	CSE	FD-100-EG-SO	2015-3591NB	FD-312, 3, 4	2108-M	FD-462, 3, 4, 5, 6, 8	SQ-2-1717-AE-M
RD-950	1775	FD-102, 3, 4-EG-SO	2015-3591NB	FD-310-SO	2125-M	FD-460-SO	SQ-2-1717-AE-M
RD-953, 4, 6, 8, 10, 12	1775	FD-100-EG-50	2005-3591CI	FD-312, 3, 4-SO	2125-M		AE-M-SO
RD-970 (4X3)	1785	FD-102, 3, 4-EG-50	2005-3591CI	FD-320	2320-M	FD-462, 3, 4-SO	SQ-2-1717-AE-M
RD-980 (5X4)	1786	FD-100-EG-SO-50	2015-3591CI	FD-322, 3, 4	2320-M		AE-M-SO
		FD-102, 3, 4-EG-SO-50	2015-3591CI	FD-320-SO	2325-M	FD-460-F	SQ-2-1717-M
		FD-100-ER	2005-F37 or F38	FD-322, 3, 4-SO	2325-M	FD-462, 3, 4, 5, 6, 8-F	SQ-2-1717-M
				FD-320-SET	2350-MBG	FD-460-F-SO	SQ-2-1717-M-SO
				FD-322, 3, 4-SET	2350-MBG	FD-462, 3, 4, 5, 6, 8-F-SO	SQ-2-1717-M-SO
				FD-320-SET-SO	2355-MBG	FD-470-F-1	CSE
				FD-322, 3, 4-SET-SO	2355-MBG	FD-472, 3, 4, 6-F-1	CSE
				FD-320-Y	2120-M	FD-480-F-1	CSE
				FD-322, 3, 4-Y	2120-M	FD-482, 3, 4, 6-F-1	CSE
				FD-320-Y-SO	2125-M		
				FD-322-3, 4-Y-SO	2125-M		
				FD-320-Y-SET	2220-M		
				FD-322, 3, 4-Y-SET	2220-M		
				FD-320-Y-SET-SO	2225-M		
				FD-322, 3, 4-Y-SET-SO	2225-M		
				FD-330	2320-M-S		
				FD-332, 3, 4	2320-M-S		
				FD-330-SO	2325-M-S		
				FD-332, 3, 4-SO	2325-M-S		
				FD-330-Y	2120-M-S		
				FD-332, 3, 4-Y	2120-M-S		
				FD-330-Y-SO	2125-M-S		
				FD-332, 3, 4-Y-SO	2125-M-S		
				FD-340	2340-M		
				FD-342, 3, 4, 5, 6	2340-M		
				FD-348	CSE		
				FD-340-SO	2345-M		
				FD-342, 3, 4, 5, 6-SO	2345-M		
				FD-342, 3, 4-SO	2355Y-M		
				FD-348-SO	CSE		
				FD-340-SET	2360-M		
				FD-342, 3, 4, 5, 6-SET	2360-M		
				FD-348-SET	CSE		
				FD-340-Y	2140-M		
				FD-342, 3, 4, 5, 6-Y	2140-M		
				FD-348-Y	CSE		
				FD-340-Y-SO	2145-M		
				FD-342, 3, 4, 5, 6-Y-SO	2145-M		
				FD-342, 3, 4-Y-SO	2145Y-M		
				FD-348-Y-SO	CSE		
				FD-340-Y-SET	2230-M		
				FD-342, 3, 4, 5, 6-Y-SET	2230-M		
				FD-348-Y-SET	CSE		
				FD-340-Y-SET-SO	2235-M		
				FD-342, 3, 4, 5, 6-Y-SET-SO	2235-M		
				FD-342, 3, 4-Y-SET-SO	2235Y-M		
				FD-348-Y-SET-SO	CSE		
				FD-360	2290-AE-M		
				FD-362, 3, 4, 5, 6, 8	2290-AE-M		
				FD-360-SO	CSE		
				FD-360-Y	2290-M		
				FD-362, 3, 4, 5, 6, 8-Y	2290-M		
				FD-360-Y-SO	2290-M-SO		
				FD-362, 3, 4, 5, 6-Y-SO	2290-M-SO		
				FD-362, 3, 4-Y-SO	2290Y-M-SO		
				FD-370	DX2565-R		
				FD-372, 3, 4	DX2565-R		
				FD-380	DX2312		
				FD-382, 3, 4	DX2312		
				FD-390-E-63	CSE		
				FD-430	2440-M		
				FD-432, 3, 4	2440-M		
				FD-450	2488 L/Bucket		
				FD-452, 3, 4, 5, 6	2488 L/Bucket		
				FD-458-F	CSE		
				FD-450-SO	2295-SO		
					L/Bucket		
				FD-452, 3, 4-F-SO	2295-SO		
					L/Bucket		
				FD-460	SQ-2-1717-AE-M		

  

FLOOR DRAIN OPTIONS		FLOOR DRAINS (CONT'D)		FLOOR DRAINS (CONT'D)		FLOOR DRAINS (CONT'D)	
WATTS	SMITH	WATTS	SMITH	WATTS	SMITH	WATTS	SMITH
-1	Nickel Brz. Top (-NB)	FD-100-ER-SO	2015-F37 or F38	FD-312, 3, 4	2108-M	FD-462, 3, 4, 5, 6, 8	SQ-2-1717-AE-M
-5	Sediment Bucket (-B)	FD-102, 3, 4-ER7	2005-F37	FD-310-SO	2125-M	FD-460-SO	SQ-2-1717-AE-M
-6	Vandal Proof (-U)	FD-102, 3, 4-ER9	2005-F38	FD-312, 3, 4-SO	2125-M		AE-M-SO
-7	Trap Primer	FD-100-FC	2050 or 2051	FD-320	2320-M	FD-462, 3, 4-SO	SQ-2-1717-AE-M
-8	Tapping (-P)	FD-102, 3, 4-FC7	2051	FD-322, 3, 4	2320-M		AE-M-SO
-13	Backwater Valve (-V)	FD-102, 3, 4-FC9	2050	FD-320-SO	2325-M	FD-460-F	SQ-2-1717-M
-15	Galvanized (-G)	FD-100-H	2005-DX06NB	FD-322, 3, 4-SO	2325-M	FD-462, 3, 4, 5, 6, 8-F	SQ-2-1717-M
-28	Strainer Extension (2010X)	FD-102, 3, 4-H	2005-DX06-NB	FD-320-SET	2350-MBG	FD-460-F-SO	SQ-2-1717-M-SO
-60	304SS Body and Collar	FD-100-H-SO	2015-DX06NB	FD-322, 3, 4-SET	2350-MBG	FD-462, 3, 4, 5, 6, 8-F-SO	SQ-2-1717-M-SO
-61	No Equal - CSE	FD-102, 3, 4-H-SO	2015-DX06NB	FD-320-SET-SO	2355-MBG	FD-470-F-1	CSE
-F4-1	No Equal - CSE	FD-100-K	2005-GNB	FD-322, 3, 4-SET-SO	2355-MBG	FD-472, 3, 4, 6-F-1	CSE
-F4-50	4" Round NB	FD-102, 3, 4-K	2005-GNB	FD-320-Y	2120-M	FD-480-F-1	CSE
-F6-1	Funnel (3580-NB)	FD-100-K-SO	2015-GNB	FD-322, 3, 4-Y	2120-M	FD-482, 3, 4, 6-F-1	CSE
-FC	4" Round CI	FD-102, 3, 4-K-SO	2015-GNB	FD-320-Y-SO	2125-M		
-G-1	Funnel (3580-CI)	FD-100-L	CSE	FD-322-3, 4-Y-SO	2125-M		
-G-50	6" Round NB	FD-102, 3, 4-L	CSE	FD-330-Y-SET	2220-M		
-SO	Funnel (3581-NB)	FD-100-L-SO	CSE	FD-332, 3, 4-Y-SET	2220-M		
-SS	Flange and Clamp (-FC)	FD-102, 3, 4-L-SO	CSE	FD-320-Y-SET-SO	2225-M		
-US	Buy American Compliant	FD-100-M	2005-B	FD-322, 3, 4-Y-SET-SO	2225-M		
-Z	Elastomeric Flange (Prefix DX)	FD-102, 3, 4-M	2005-B	FD-330	2320-M-S		
		FD-100-M-SO	2015-B	FD-332, 3, 4	2320-M-S		
		FD-102, 3, 4-M-SO	2015-B	FD-330-SO	2325-M-S		
		FD-100-RS	2015-B	FD-332, 3, 4-SO	2325-M-S		
		FD-102, 3, 4-M-SO	2015-B	FD-330-Y	2120-M-S		
		FD-100-RS-SO	2015-L, M, T	FD-332, 3, 4-Y	2120-M-S		
		FD-102, 3, 4-RS48	2015-L, M, T	FD-330-Y-SO	2125-M-S		
		FD-102, 3, 4-RS412	2005-M	FD-332, 3, 4-Y-SO	2125-M-S		
		FD-102, 3, 4-RS517	2005-T	FD-340	2340-M		
		FD-100-VD	2005-H	FD-342, 3, 4, 5, 6	2340-M		
		FD-102, 3, 4-VD	2005-H	FD-348	CSE		
		FD-100-VD-SO	2015-H	FD-340-SO	2345-M		
		FD-102, 3, 4-VD-SO	2015-H	FD-342, 3, 4, 5, 6-SO	2345-M		
		FD-100-VS	2005-BS	FD-342, 3, 4-SO	2355Y-M		
		FD-102, 3, 4-VS	2005-BS	FD-348-SO	CSE		
		FD-100-VS-SO	2015-BS	FD-340-SET	2360-M		
		FD-102, 3, 4-VS-SO	2015-BS	FD-342, 3, 4, 5, 6-SET	2360-M		
		FD-100-WD	2005-Z	FD-348-SET	CSE		
		FD-102, 3, 4-WD	2005-Z	FD-340-Y	2140-M		
		FD-100-WD-SO	2015-Z	FD-342, 3, 4, 5, 6-Y	2140-M		
		FD-102, 3, 4-WD-SO	2015-Z	FD-348-Y	CSE		
		FD-200-A	CSE	FD-340-Y-SO	2145-M		
		FD-200-AS	CSE	FD-342, 3, 4, 5, 6-Y-SO	2145-M		
		FD-200-B	CSE	FD-342, 3, 4-Y-SO	2145Y-M		
		FD-200-DD	CSE	FD-348-Y-SO	CSE		
		FD-200-EF	CSE	FD-340-Y-SET	2230-M		
		FD-200-EG	CSE	FD-342, 3, 4, 5, 6-Y-SET	2230-M		
		FD-200-ER	CSE	FD-348-Y-SET	CSE		
		FD-200-FC	CSE	FD-340-Y-SET-SO	2235-M		
		FD-200-H	CSE	FD-342, 3, 4, 5, 6-Y-SET-SO	2235-M		
		FD-200-K	CSE	FD-342, 3, 4-Y-SET-SO	2235Y-M		
		FD-200-L	CSE	FD-348-Y-SET-SO	CSE		
		FD-200-M	CSE	FD-360	2290-AE-M		
		FD-200-RS	CSE	FD-362, 3, 4, 5, 6, 8	2290-AE-M		
		FD-200-VD	CSE	FD-360-SO	CSE		
		FD-200-WD	CSE	FD-360-Y	2290-M		
		FD-230-A	2041-A	FD-362, 3, 4, 5, 6, 8-Y	2290-M		
		FD-232, 3, 4-A	2041-A	FD-360-Y-SO	2290-M-SO		
		FD-232, 3, 4-M5	2041-B	FD-362, 3, 4, 5, 6-Y-SO	2290-M-SO		
		FD-232, 3, 4-M6	2041-B	FD-362, 3, 4-Y-SO	2290Y-M-SO		
		FD-240	2016	FD-370	DX2565-R		
		FD-242, 3	2015	FD-372, 3, 4	DX2565-R		
		FD-300	2005-D07DI	FD-380	DX2312		
		FD-302, 3, 4	2005-D07DI	FD-382, 3, 4	DX2312		
		FD-302, 3, 4-1	2005-D07NB	FD-390-E-63	CSE		
		FD-310	2108-M	FD-430	2440-M		
				FD-432, 3, 4	2440-M		
				FD-450	2488 L/Bucket		
				FD-452, 3, 4, 5, 6	2488 L/Bucket		
				FD-458-F	CSE		
				FD-450-SO	2295-SO		
					L/Bucket		
				FD-452, 3, 4-F-SO	2295-SO		
					L/Bucket		
				FD-460	SQ-2-1717-AE-M		

  

PARKING AREA FLOOR DRAINS		ISOLATION FLOOR DRAINS		FLUSHING RIM FLOOR DRAINS		PLANTER TYPE FLOOR DRAINS	
WATTS	SMITH	WATTS	SMITH	WATTS	SMITH	WATTS	SMITH
FD-410 (A, B, C, D, or E)	8930	FD-600-A	9347	FD-810	2495	FD-850	2680
FD-413, 4, 6, A	8930-H18-OTS	FD-602, 3, 4-A	9347	FD-812, 3, 4	2495	FD-852, 3, 4	2680
FD-413, 4, 6, B	8930-H24-OTS	FD-620	9348	FD-815, 6, 8</			



CLEANOUT OPTIONS (CONT'D)		WATER HAMMER ARRESTERS (CONT'D)		BACKWATER VALVES		GREASE INTERCEPTORS (CONT'D)	
WATTS	SMITH	WATTS	SMITH	WATTS	SMITH	WATTS	SMITH
CO-200-U-P	4192 or 4191	SS-D	5030	BV-200	7012Y	WD-20-AH	8320GT
CO-200-U-X	4186 or 4185	SS-E	5040	BV-203, 4, 6	7012Y	WD-25-AH	8325GT
CO-200-US	4201 or 4200	SS-F	5050	BV-240	SQ-7-3104	WD-35-AH	8335GT
CO-202, 3, 4-US	4201 or 4200	LF15M2-A-DR	CSE	BV-243, 4, 6	SQ-7-3104	WD-50-AH	8350GT
CO-200-US-P	4212 or 4211	LF15M2-B-DR	CSE	BV-300	7080Y-2	WD-75-AH	8375GT
CO-200-US-X	4206 or 4205	LF15M2-C-DR	CSE	BV-302, 3, 4	7080Y-2	WD-H	8300 Series
CO-260	CSE	LF15M2-D-DR	CSE	BV-600	CSE	WD-7-H	8307
CO-263, 4, 6, 8	CSE	LF15M2-E-DR	CSE	BV-602, 3, 4	CSE	WD-10-H	8310
CO-300-MF	4880-M	LF15M2-F-DR	CSE	<b>INTERCEPTOR OPTIONS</b>		WD-15-H	8315
CO-300-R	4810	<b>HYDRANT OPTIONS</b>		<b>WATTS</b>	<b>SMITH</b>	WD-20-H	8320
CO-300-R6	4810 (-06)	<b>WATTS</b>	<b>SMITH</b>	-AL	Aluminum Cover (-AC)	WD-25-H	8325
CO-300-R9	4810 (-10)	-1	1" Hose Conn. (-HC1)	-B	Lift Out Sediment Bucket (-B)	WD-35-H	8335
CO-300-S	4930	-3	Stainless Steel Box	-E	Extension (-E or Appropriate Fig. No.)	WD-50-H	8350
CO-300-S7	4930 (-06X-06)	-88	Wall Clamp (-WC)	-FC	Flashing Flange and Clamp (-F-C)	WD-75-H	8375
CO-300-S9	4930 (-08X-08)	-BP	Black Plate (CSE)	-HD	Traffic Rated Cover (-H20)	GI-K	8400 Series
CO-300-S12	4930 (-10X-10)	-CIA	Hydrant Repair Kit	-0	Inlet and Outlet One Size Larger or Smaller (Specify)	GI-75-K	8450
CO-300-US	4995	-DP	14" NPT Drain Hole (-NV)	-SS	All Stainless Steel (-SS)	GI-100-K	8460
CO-380	4281 (Floor) or 4420 (Wall)	-K	Cylinder Lock (-CL)	-THD	Threaded Conn. (Standard)	GI-150-K	8465
CO-382, 3, 4, 6	4281 (Floor) or 4420 (Wall)	-KL	Cylinder Lock (-CL)	NO-HUB Conn.	NO-HUB Conn. (Threaded with 2646Y Adaptor)	GI-200-K	8470
CO-380-RD	4422	-R	Round Stainless Steel Box (-R)	-US	Buy American Compliant	GI-250-K	8475
CO-382, 3, 4, 6	4422	-SS	Stainless Steel Box (-SSBA)	-X	Cover for Recessed Installation	GI-300-K	8480
CO-410	CSE	-US	Buy American Compliant	<b>GREASE INTERCEPTORS</b>		GI-400-K	8490-400
CO413	CSE	-VB	Vacuum Breaker (-H)	<b>WATTS</b>	<b>SMITH</b>	GI-500-K	8490
CO-413-1	4012	<b>HYDRANTS</b>		WD	8000 Series	<b>OIL INTERCEPTORS</b>	
CO-414	CSE	<b>WATTS</b>	<b>SMITH</b>	WD-4	8004	<b>WATTS</b>	<b>SMITH</b>
CO-414-1	4013	HY330	5509QT-SAP	WD-4-E	8204	O	8510 Series
CO-416	CSE	HY330	5619-SAP-NB or 5615-SAP-NB	WD-7	8007	OI-10	8510
CO-416-1	4015	HY-330-3	5509QT-SAP	WD-7-E	8207	OI-15	8515
CO-440-RD	SQ-4-1819	HY-330-3	5519-SAP or 5515-SAP	WD-10	8010	OI-20	8520
CO-441.5, 2, 3, 4	SQ-4-1819	HY-330-3-R	5609-R-SAP or 5517-SAP	WD-10-E	8210	OI-25	8525
CO-450-RD	CSE	HY-420	5619-CP	WD-15	8015	OI-50	8550
CO-452, 3, 4-RD	CSE	HY-430	5609QT-SAP-CP	WD-15-E	8215	OI-K	8560 Series
CO-460	4511	HY-430	5619-SAP-CP or 5615-SAP-CP	WD-20	8020	OI-75-K	8560
CO-462, 3, 4	4511	HY-440	5618	WD-20-E	8220	OI-100-K	8565
CO-460-RD	4531	HY-450	5518-NB	WD-25	8025	OI-150-K	8570
CO-462, 3, 4-RD	4531	HY-450-3	5518	WD-25-E	8225	OI-200-K	8575
CO-480-RD	4710	HY-500-3/4"	5810	WD-35	8035	OI-35	8535
CO-480-RD5	4710-05	HY-500-1"	5811	WD-35-E	8235	OI-250-K	8580
CO-480-RD6	4710-07	HY-500-1 1/4"	5812	WD-50	8050	OI-300-K	8585
CO-480-RD7	4710-07	HY-500-1 1/2"	5813	WD-50-E	8250	OI-400-K	8590-400
CO-480-RD8	4710-09	HY-500-2"	5814	WD-L	8100 Series	OI-500-K	8590
CO-480-RD10	4710-11	HY-600-3/4"	5910	WD-20-L	8120	OI-ST	8599 Series
CO-590	4470	HY-600-1"	5911	WD-35-L	8135	OI-10-ST	8599-10-50
CO-591.5, 2, 3, 4, 5, 6	4470	HY-600-1 1/4"	5912	WD-50-L	8150	OI-15-ST	8599-15-50
CO-590-RD	4472	HY-600-1 1/2"	5913	WD-A	8000GTX Series	OI-20-ST	8599-20-50
CO-591.5, 2, 3, 4, 5, 6	4472	HY-600-2"	5914	WD-7-A	8007GTX	OI-25-ST	8599-25-100
CO-600-R	9350	HY-700	5560QT-NB-H	WD-10-A	8010GTX	OI-35-ST	8599-35-100
CO-602, 3, 4, 5, 6-R	9350	HY-725	5509QT-NB	WD-15-A	8015GTX	OI-50-ST	8599-50-100
CO-1200-R	4021-SS or 4020-SS	HY-725	5519-NB or 5515-NB	WD-20-A	8020GTX	OI-75-ST	8599-75-100
CO-1202, 3, 4	4021-SS or 4020-SS	HY-725-3	5509-NT	WD-25-A	8025GTX	OI-100-ST	8599-100-250
CO1200-R-P	4032-SS or 4031-SS	HY-725-3	5519 or 5515	WD-35-A	8035GTX	OI-125-ST	8599-125-250
CO-1200-R-X	4026-SS or 4025-SS	HY-725-3-R	5509QT-R or 5517	WD-50-A	8050GTX	OI-150-ST	8599-150-250
CO-1200-RX	CSE	HY-800-3/4"	5909	WD-75-A	8075GTX	OI-200-ST	8599-200-500
CO-1202, 3, 4-RX	CSE	HY-800-1	5909-MF-1	WD-LA	8120GTX Series	OI-250-ST	8599-250-500
CO-1200-RX-P	CSE	HY-900	5906LF	WD-20-LA	8120GTX	OI-300-ST	8599-300-500
CO-1200-RX-X	CSE			WD-35-LA	8135GTX	OI-350-ST	8599-350-500
CO-1200-S	CSE			WD-AH	8300GT Series	OI-400-ST	8599-400-500
CO-1202, 3, 4-S	CSE			WD-7-AH	8307GT	OI-450-ST	8599-450-500
CO-1200-S-P	CSE			WD-10-AH	8310GT	OI-500-ST	8599-500-750
CO-1200-S-X	CSE			WD-15-AH	8315GT	<b>LINT INTERCEPTORS</b>	
CO-1200-SX	CSE					<b>WATTS</b>	<b>SMITH</b>
CO-1202, 3, 4-SX	CSE					LI-800	8910 Series
CO-1200-SX-P	CSE					LI-803	8910-50
CO-1200-SX-X	CSE					LI-807	8910-70

NOTE: The corresponding Smith figure number shown is the nearest match for competitor's product listed.

CSE- CONTACT SALES ENGINEERING

<b>SAND INTERCEPTORS</b>		<b>PLASTIC PIPE SLEEVES (CONT'D)</b>	
<b>WATTS</b>	<b>SMITH</b>	<b>WATTS</b>	<b>SMITH</b>
SA	8817 Series	PS-053	No Equal
SA-310	8817-300	PS-063	No Equal
SA-410	8817-400	PS-083	No Equal
SA-510	8817-500	PS-101	No Equal
SA-610	8817-600	PS-121	No Equal
SA-710	8817-700		
SA-810	8817-800		
SA-1010	8817-1000		
<b>SOLIDS INTERCEPTORS</b>			
<b>WATTS</b>	<b>SMITH</b>		
SI	Solids Interceptors		
SI-740-L	8715		
SI-742	8710-AA		
SI-742-X	8714		
SI-750	8750-CI		
SI-750-CP	8750		
SI-750-TO	8760		
SI-762	8730		
SI-770	8870 Series		
SI-770-100	8870-34		
SI-770-200	8871-34		
SI-770-300	8872-34		
SI-770-400	8873-34		
SI-770-500	8874-34		
SI-770-600	8875-34		
SI-770-700	8876-34		
SI-770-800	8877-34		
SI-770-900	8878-34		
SI-770-1000	8870-100-34		
ST-20	8811-20		
ST-50	8811-50		
ST-150	8811-150		
ST-250	8811-250		
ST-500	8811-500		
<b>MISCELLANEOUS SPECIALTIES</b>			
<b>WATTS</b>	<b>SMITH</b>		
MS-930	2695Y-2		
MS-932, 3, 4	2695Y-2		
MS-950	CSE		
MS-952, 3	CSE		
MS-8000	9005-NB		
MS-0834	9005-03NB (3" Pipe)		
	9005-04NB (4" Pipe)		
MS-0856	9005-05NB (5" Pipe)		
	9005-06NB (6" Pipe)		
<b>PLASTIC PIPE SLEEVES</b>			
<b>WATTS</b>	<b>SMITH</b>		
PS-0151	No Equal		
PS-021	No Equal		
PS-033	No Equal		
PS-043	No Equal		

**NOTE:** The corresponding Smith figure number shown is the nearest match for competitor's product listed.