





**REFERENCE DRAWING**

FLUSH VALVE ACCESS PANEL MODEL NO. 2898	9908-399-001
---	--------------


**NOTE: USE ONLY APPROPRIATE UPC/UPC CERTIFIED FLUSH VALVE FOR THE INSTALLATION OF THIS URINAL.**




**DETAIL "A"**




**DETAIL 'B'**



**SIDE VIEW**



**FRONT VIEW -W WALL SUPPLY UNIT**



**ROUGH-IN FRONT VIEW OF -T TOP SUPPLY UNIT**

**INSTALLATION INSTRUCTIONS:**

A-ROUGH-IN FOR THE FOLLOWING:

- 3/4" NPT FLUSHING INLET [1] FOR -T & -W SUPPLY. (FOR -W WALL SUPPLY MODELS A MALE ADAPTER WITH 18" CORRUGATED HOSE PROVIDED, DETAIL "A").
- 3/4" NPT FLUSH VALVE INLET [2] OPTIONAL FLUSH VALVE (SPECIFIED SEPARATELY OR PROVIDED BY OTHERS)
- WASTE OUTLET 1-1/2" O.D. PLAIN END [3].

B-FOR DURA-WARE FLUSH VALVE ACCESS PANELS [4]. FOR CONCEALED FLUSH VALVE INSTALLATION REFER TO DRAWING #9908-399-001.

C-FASTEN 1/2"-13 UNC ALL-THREAD STUDS [5] PROVIDED. TO FIXTURE MOUNTING POINTS [6] AND SLIDE STUDS [5] THRU WALL OPENINGS. NOTE: STUDS MUST HAVE A 1/2" ENGAGEMENT MIN.

D-FROM CHASE SIDE SECURE FIXTURE USING WASHERS [7] & NUTS [8] PROVIDED.

E-MAKE UP WASTE CONNECTION [3].

F-FOR OPTIONAL -FV FLUSH VALVE. CONNECT FLUSH VALVE AS REQUIRED FOR EXPOSED [9] OR CONCEALED [10] INSTALLATION PER MANUFACTURER'S RECOMMENDATIONS. -W WALL SUPPLY FLUSH VALVE, ACCESS FOR CONNECTION AND SERVICING FLUSH VALVE IS REQUIRED.

G-FOR -W WALL SUPPLY CONNECT 18" SUPPLY CORRUGATED HOSE [11] TO FLUSH VALVE THROUGH-WALL INLET [12] USING 3/4" MALE ADAPTER [13] PROVIDED. ASSEMBLE 18" SUPPLY CORRUGATED HOSE [11] TO URINAL FLUSH INLET ELBOW [14]. ENSURE HOSE IS NOT CRIMPED AND CONNECTIONS ARE WATERTIGHT.

<p>ACORN ENGINEERING COMPANY P.O. BOX 3527 Industry, CA 91744 15125 Proctor Ave Industry, CA 91746 (626) 336-4561 FAX (626) 961-2200</p>	<p>TITLE <b>REAR MOUNT - HIGH EFFICIENCY REPLACEMENT URINAL R3345-W/-T</b></p>		
	<p>MANUFACTURE DATE <b>MARCH 2024</b> <b>TO PRESENT</b></p>	<p>DATE ISSUED <b>3/8/24</b></p>	<p>DRAWING NUMBER <b>9925-742-001</b></p>
		<p>DATE REVISED <b>06/27/2025</b></p>	